

Quick Check

Lesson 2: Flower Detectives: Classifying Flowers by Ovary Position, Symmetry, Inflorescence and Sex

7 multiple-choice questions • choose A, B, C or D

Sub-Strand 2.1: Reproduction in Plants | Lesson 2

A learner cuts a Hibiscus flower lengthwise and sees that the ovary sits above the point where the petals attach. How is this ovary described?

A Zygomorphic ovary

B Unisexual ovary

C Superior ovary

D Inferior ovary

A learner cuts a flower in two along several different lines and gets two equal halves every time. What type of symmetry does the flower have?

- A** Unisexual, because the halves are equal
- B** Inferior, because the halves are the same size
- C** Zygomorphic, because it can be cut in more than one way
- D** Actinomorphic, because more than one line gives equal halves

A Bougainvillea branch has small flowers surrounded by showy, colourful parts that look like petals. What are the showy, colourful parts?

- A** Bracts, and the real flowers are the small ones inside them
- B** Stamens, which are brightly coloured to attract insects
- C** Ovaries, which grow outside the flower
- D** Petals, and the small flowers are extra sepals

A maize plant has a tassel at the top and a cob with silks lower down. Which statement about the flowers of maize is correct?

- A** The tassel carries female flowers and the silks belong to male flowers
- B** Every maize flower is bisexual, with stamens and carpels together
- C** Male and female flowers are on different maize plants
- D** The tassel carries male flowers and the silks belong to female flowers, both on the same plant

A farmer in Kisumu has one pawpaw tree that is covered in flowers every season but never gives fruit. Which explanation is best supported by what we know about flowers?

- A** Fruit forms from petals, and the tree has too few petals
- B** Fruit develops from a fertilised ovary, so if the flowers on the tree lack stamens or carpels, pollen or ovules must come from another tree
- C** Only flowers with an inferior ovary can make fruit
- D** Many flowers always means many fruits, so the tree must be sick

A learner cuts across the ovary of a flower and sees small chambers with tiny round structures attached inside. What is the way these ovules are attached inside the ovary called?

A Symmetry

B Inflorescence

C Placentation

D Pollination

A group adds an arrow to its model of a flower to show how pollen must move before fruit can form. Which arrow is correct?

A From the anther of the stamen to the stigma of the carpel

B From the stigma to the anther

C From the ovary to the filament

D From the petal to the ovary

All done

Ask your teacher how to submit your answers today (for example, on a paper answer slip).