Results for Dasatinib and Quercetin Senolytic Therapy Risk-Benefit Analysis

		New Articles False Negation	ives <u>False Positives</u>		
Table 2: Estimated Relevance for False Negatives until 17. April, 2020 included in the Risk-Benefit Analysis but not classified as relevant.					
Relevance	Date	Title	Abstract	Expand	URL
0.3	22. März, 2013	Bioavailability of quercetin: problems and promises	Quercetin (QC) is a typical plant flavonoid, possesses d	+	<u>pubmed</u>
0.29	1. Januar, 2005	Cytotoxicity of flavonoids toward cultured normal hum	The cytotoxicity of flavonoids, including apigenin, erio	+	<u>pubmed</u>
0.25	6. Februar, 2016	Association Between BCR-ABL Tyrosine Kinase Inhib	Importance: A phase 3 trial with ponatinib in patients	+	<u>pubmed</u>
0.24	22. August, 2016	Targeting Pro-Inflammatory Cells in Idiopathic Pulmo	nary Fibrosis: a Human Trial (IPF)	<u>√</u>	<u>clinicaltrials</u>
Abstract The study team hypothesizes that intermittent (3 doses administered over 3 consecutive days in 3 consecutive weeks) oral administration of combination Dasatinib (100 mg/d) + Quercetin (1250 mg/d) will be safe and well tolerated in patients with IPF. Treatment with D+Q will result in reduced abundance of pro-inflammatory cells within subjects over baseline. Finally, the reduction in biomarkers of cellular pro-inflammatory state will be related to no change in functional and patient reported outcomes.					
0.22	19. Januar, 2017	Identification of cellular targets involved in cardiac fail	Aims: The aims of the present study were to evaluate t	+	<u>pubmed</u>
0.22	3. Oktober, 2017	Short-term High Dose of Quercetin and Resveratrol Alt	Background: Hyperglycemia-mediated oxidative stress	+	<u>pubmed</u>
0.22	14. Februar, 2018	BCR-ABL Tyrosine Kinase Inhibitors: Which Mechani	Imatinib, the first-in-class BCR-ABL tyrosine kinase in	+	<u>pubmed</u>
0.19	1. Januar, 2008	Quercetin pharmacokinetics in humans	The purpose of this study was to examine the pharmac	+	pubmed
0.18	6. Mai, 2009	Tyrosine kinase inhibitor-induced platelet dysfunction i	Dasatinib is associated with increased risk of bleeding	+	<u>pubmed</u>
0.18	17. März, 2004	Quercetin, an over-the-counter supplement, causes neur	A 22-month-old boy, who regularly consumed the oral	+	pubmed
Page: <u>1</u> 2					

Last updated: Do 25. Feb 11:38:01 CET 2021