

DOKUMENTACIJA

Praktikum iz PHP-a

Student:

Marko Nikolić 10/16

Korišćeni programski jezici i mark-up jezici: HTML, CSS(bootstrap), JavaScript(jQuery, Ajax), PHP, MySQL

Korišćen free template skinut sa <https://colorlib.com>

Opis funkcionalnosti

Privilegije po ulogama:

Admin – jedini ima pristup admin panelu

Autorizovani korisnici – mogu ocenjivati recepte

Neautorizovani korisnici – mogu da pristupe samo index stranici i stranicama za logovanje i registrovanje. Takođe, mogu da pogledaju recepte koje žele.

Sve stranice:

Na svim stranicama se nalazi navigacioni meni koji se dinamički učitava iz baze podataka i ispisuje. Navigacioni meni se prikazuje drugačije za autorizovanog korisnika, a drugačije za neautorizovanog. Takođe, adminu se prikazuje drugačiji meni u odnosu na korisnike.

admin:

Samo ulogovani administrator ima pristup stranici. Sadrži insert, update i delete delove sajta: korisnici, uloge korisnika, recepte i kategorije.

index.php

Na index stranici se nalazi slider i banner sa kateogorijama koji klikom vodi na stranicu sa kategorijama recepata. Takođe, posle bannerera se nalazi galerija sa slikama.

kategorija.php

Na stranici kategorija.php se nalaze kateogorije recepata. Klikom na neku od kategorija, otvara se stranica

recepti.php – na kojoj se nalazi svi recepti iz te kategorije. Klikom na neki od recepata iz izabrane kategorije, otvara se stranica

recept.php – na kojoj se nalaze podaci o izabranom receptu(slika recepta, nacin pripreme, sastojci...) – ukoliko je korisnik ulogovan, moći će da oceni recept, nakon čega će mu se prikazati prosečna ocena tog recepta.

author.php

Nalazi se podaci od autoru.

registracija.php

Stranica za registraciju takođe sadrži formu za registraciju korisnika.(provera unetih podataka se vrši kako na klijentskoj tako i na serverskoj strani).


logovanje.php

Nakon registracije, korisnik se loguje sa njegovim email nalogom(korisničko ime) i šifrom. Takođe se vrši provera podataka na klijentskoj i serverskoj strani. Logovanjem, u meniju mu se sklanjaju linkovi za logovanje i registraciju, a pojavljuje mu se link za logout.

logout.php

Služi za odjavljivanje korisnika koji je ulogovan.

DIZAJN BAZE



SLIKE SAJTA

Admin panel:

SB Admin v2.0

Dodaj - Promeni - Obriši

Korisnici

Uloga korisnika

Recepti




Kategorije




Obrada gresaka

Users Change

Korisnici

ID_K	Ime	Prezime	Email	Uloga	Kontrole
1	Helena	Nikolic	helen@gmail.com	korisnik	<div>update</div> <div>delete</div>
2	Marko	Nikolic	marrko@gmail.com	admin	<div>update</div> <div>delete</div>
3	Filip	Petrovic	filip@gmail.com	korisnik	<div>update</div> <div>delete</div>
4	Jovana	Spasic	joksi@gmail.com	korisnik	<div>update</div> <div>delete</div>
5	Stefan	Dimitrijevic	bradonja@gmail.com	korisnik	<div>update</div> <div>delete</div>
6	Stefan	Aksentijevic	bata@gmail.com	korisnik	<div>update</div> <div>delete</div>
7	Aleksandar	Mijuskovic	mijusko@gmail.com	korisnik	<div>update</div> <div>delete</div>






Bueno

Food Blog

[Home](#) [Recipes](#) [Author](#) [Login](#) [Register](#)



THE BEST

Mustardy Potato Salad With Watercress

MAY 25, 2020 /

Place potatoes in a medium pot and cover with water. Bring to a boil, add 2 teaspoons salt, reduce heat, and simmer until just tender, 15 to 18 minutes. Drain and run under cold water to cool. Halve any potatoes that are large and transfer to a la...



THE BEST

Lemon Couscous

MAY 30, 2020 /

In a 2-qt saucepan, heat water to a boil. Add couscous and 172 tsp of the salt. Cover and reduce heat to low; simmer 9 minutes, stirring once. Meanwhile, in a small skillet, heat oil. Add scallion and saute 4 to 5 minutes until softened. Add garli...



THE BEST

Veggie Stuffed Shells

MAY 30, 2020 /

Heat oven to 400F. Cook pasta in large pot of salted boiling water, drain and cool on baking sheet as box directs. Meanwhile, heat oil in large skillet over medium-high heat. Saute broccoll, carrots, onions and garlic 3 minutes or until just tende...

1 2





Mustardy Potato Salad With Watercress

MAY 25, 2020 /

Steps

Place potatoes in a medium pot and cover with water. Bring to a boil, add 2 teaspoons salt, reduce heat, and simmer until just tender, 15 to 18 minutes. Drain and run under cold water to cool. Halve any potatoes that are large and transfer to a large bowl. Meanwhile, in a medium bowl, toss cucumbers with lemon juice; let sit, tossing occasionally. When potatoes are done, using slotted spoon, transfer cucumbers to bowl with potatoes, leaving lemon juice behind. Into lemon juice, whisk mustards and 1/2 tsp salt; then toss with potatoes. Fold in watercress and herbs.

Info

30 min

4 servings

170 calories per serve

Ingredients

☐ 1 1/2 lb. baby potatoes

☐ Kosher salt

☐ 2 Persian cucumbers

☐ cut into 1/4-in. pieces

☐ 1/4 c. fresh lemon juice

☐ 3 tbsp. whole-grain mustard

☐ 1 tbsp. Dijon mustard

☐ 2 c. watercress

☐ 2 tbsp. chopped fresh dill

☐ 2 tbsp. chopped fresh chives

index.php?page=author



[Home](#) [Recipes](#) [Author](#) [Login](#) [Register](#)

0 autoru

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc tristique justo id elit bibendum pharetra non vitae lectus. Mauris libero felis, dapibus a ultrices sed, commodo vitae odio. Sed auctor tellus quis arcu tempus. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam ac tincidunt nunc. Cras sed mollis erat.



My name is Jessica Smith,
I'm a passionate cook with
a love for vegan food.



Copyright ©2020 All rights reserved | This template is made with
Export u Excel

[Home](#) [Recipes](#) [Author](#) [Login](#) [Register](#)



REGISTRATION FORM

First Name

Last Name

Email

Password (At least 6 letters, number required)

Register

Already have an account? Log in [here](#).





LOGIN FORM

Email


Password (At least 6 letters, number required)

Login

Don't have an account? Register [here](#).



Organizacija projekta:



Admin panel: kodovi – PHP

admin/pages/index.php

```
<?php
    session_start();

    include "../../config/connection.php";
    include "../views/admin-head.php";
    include "../views/admin-nav.php";

    if(isset($_SESSION['korisnik']) && ($_SESSION['korisnik']->id_uloza==1)): ?>

        <div id="page-wrapper">
            <?php if(isset($_GET['page'])) {
                $page=$_GET['page'];
                switch($page){
                    case 'insertRecept':
                        include "../views/admin-insert-recept.php";
                        break;
                    case 'insertKorisnik':
                        include "../views/admin-insert-korisnik.php";
                        break;
                    case 'ulozaKorisnika':
                        include "../views/admin-insert-korisnikUloza.php";
                        break;
                    case 'insertKategorija':
                        include "../views/admin-insert-kategorija.php";
                        break;
                    case 'obradaGresaka':
                        include "../views/admin-obrada-gresaka.php";
                        break;
                    default:
                        include "../views/admin-insert-recept.php";
                        break;
                }
            } else {
                include "../views/admin-insert-recept.php";
            } ?>
        </div>
        <!-- /#page-wrapper -->

    </div>
    <!-- /#wrapper -->
    <!-- jQuery -->
    <script src="../vendor/jquery/jquery.min.js"></script>
    <!-- BootstrapCore JavaScript -->
    <script src="../vendor/bootstrap/js/bootstrap.min.js"></script>
    <!-- Metis Menu Plugin JavaScript -->
    <script src="../vendor/metisMenu/metisMenu.min.js"></script>
    <!-- Morris Charts JavaScript -->
    <script src="../vendor/raphael/raphael.min.js"></script>
    <script src="../vendor/morrisjs/morris.min.js"></script>
    <script src="../data/morris-data.js"></script>
    <!-- Custom Theme JavaScript -->
    <script src="../dist/js/sb-admin-2.js"></script>
    <script src="../js/script.js"></script>
</body>

</html>
<?php else: http_response_code(404); endif; ?>
```


admin/views/admin-insert-kategorija.php

```
<?php
    $kategorije = $conn->query("SELECT * FROM kategorija")->fetchAll();
?>
<div class="row">
    <div class="col-lg-12">
        <h1 class="page-header">Categories Change</h1>
    </div>
    <!-- /.col-lg-12 -->
</div>
<!-- /.row -->
<div class="row">
    <div class="col-lg-12">
        <div class="panel panel-default">
            <div class="panel-heading">
                Kategorije
            </div>
            <div class="panel-body">
                <table width="100%" class="table table-striped table-bordered table-hover"
id="dataTables-example">
                    <thead>
                        <tr>
                            <th>ID_KA</th>
                            <th>Naziv</th>
                            <th>Slika</th>
                            <th>Kontrola</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php foreach($kategorije as $kategorija): ?>
                            <tr class="odd gradeX">
                                <td class="center"><?=$kategorija->id_kat?></td>
                                <td class="center"><?=$kategorija->naziv?></td>
                                <td class="center">naziv?>"/></td>
                                <td><input class="btn btn-danger btn-md obrisiKategorija"
data-id="<?=$kategorija->id_kat?>" type="button" value="delete"/></td>
                            </tr>
                        <?php endforeach; ?>
                    </tbody>
                </table>
            </div>
        </div>
        <div id="ispisiOvde" class="row">
            <div class="col-lg-12">
                <h1 id="naslovForma">Dodaj novu kategoriju</h1>
                <form id="forma" role="form" method="POST"
action="../../../php/admin-insertKategorija.php" enctype="multipart/form-data">
                    <div class="form-group">
                        <label>Naziv</label>
                        <input type="text" id="tbNazivKat" name="tbNazivKat"
class="form-control" placeholder="Unesite naziv kategorije">
                    </div>
                    <div class="form-group">
                        <label>Slika</label>
                        <input type="file" name="fajlSlika" id="fajlSlika"
class="form-control" placeholder="Unesite naziv slike" required>
                    </div>
                    <div class="form-group">
                        <input type="submit" name="insertKategorija"
id="kategorijaInsert" class="btn btn-primary btn-md" value="INSERT">
                    </div>
                    <label id="insertKategorija"> </label>
                </form>
            </div>
        </div>
    </div>
<!-- /.col-lg-6 (nested) -->
```

```

        </div>
        <!-- /.row (nested) -->
    </div>
    <!-- /.panel-body -->
</div>
<!-- /.panel -->
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->

```

admin/views/admin-insert-korisnik.php

```

<?php
    $upit = $conn->query("SELECT * FROM korisnik k INNER JOIN uloga u ON k.id_uloga = u.id_uloga");
    $korisnici = $upit->fetchAll();
?>
<div class="row">
    <div class="col-lg-12">
        <h1 class="page-header">Users Change</h1>
    </div>
    <!-- /.col-lg-12 -->
</div>
<!-- /.row -->
<div class="row">
    <div class="col-lg-12">
        <div class="panel panel-default">
            <div class="panel-heading">
                Korisnici
            </div>
            <div class="panel-body">
                <table width="100%" class="table table-striped table-bordered table-hover"
id="dataTables-example">
                    <thead>
                        <tr>
                            <th>ID_K</th>
                            <th>Ime</th>
                            <th>Prezime</th>
                            <th>Email</th>
                            <th>Uloga</th>
                            <th>Kontrola</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php foreach($korisnici as $korisnik): ?>
                        <?php ?>
                        <tr class="odd gradeX">
                            <td><?=$korisnik->id_korisnik?></td>
                            <td><?=$korisnik->name?></td>
                            <td><?=$korisnik->lastname?></td>
                            <td class="center"><?=$korisnik->email?></td>
                            <td class="center"><?=$korisnik->uloga?></td>
                            <td><input class="btn btn-primary btn-md updateKorisnik"
data-id="<?=$korisnik->id_korisnik?>" type="button" value="update"/> &nbsp;
                            <input class="btn btn-danger btn-md obrisiKorisnik" data-
id="<?=$korisnik->id_korisnik?>" type="button" value="delete"/></td>
                        </tr>
                        <?php endforeach; ?>
                    </tbody>
                </table>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
        <div id="ispisForme" class="row">
            <!-- /.col-lg-6 (nested) -->
            </div>
            <!-- /.row (nested) -->
        </div>
        <!-- /.panel-body -->
    </div>
    <!-- /.panel -->
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->

```

admin/views/admin-insert-korisnikUloga.php

```

<?php
    $uloge = $conn->query("SELECT * FROM uloga")->fetchAll();
?>
<div class="row">
    <div class="col-lg-12">
        <h1 class="page-header">Users Change</h1>
    </div>
    <!-- /.col-lg-12 -->
</div>
<!-- /.row -->
<div class="row">
    <div class="col-lg-12">
        <div class="panel panel-default">
            <div class="panel-heading">
                Uloge korisnika
            </div>
            <div class="panel-body">
                <table width="100%" class="table table-striped table-bordered table-hover"
id="dataTables-example">
                    <thead>
                        <tr>
                            <th>ID_U</th>
                            <th>Uloga</th>
                            <th>Kontrola</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php foreach($uloge as $uloga): ?>
                        <tr class="odd gradeX">
                            <td class="center"><?=$uloga->id_uloga?></td>
                            <td class="center"><?=$uloga->uloga?></td>
                            <td><input class="btn btn-danger btn-md obrisiUlogu" data-
id="<?=$uloga->id_uloga?>" type="button" value="delete"/></td>
                        </tr>
                        <?php endforeach; ?>
                    </tbody>
                </table>
            </div>
        </div>
    </div>
    <div id="ispisiOvde" class="row">
        <div class="col-lg-12">
            <h1 id="naslovForma">Dodaj novu ulogu</h1>
            <form id="forma" role="form">
                <div class="form-group">
                    <label>Uloga</label>
                    <input type="text" id="tbUloga" class="form-control"
placeholder="Naziv nove uloge">

```

```

        </div>
        <div class="form-group">
            <input type="button" id="insertUloga" class="btn btn-
primary btn-md" value="INSERT">
        </div>
        <label id="ispisUloga"> </label>

        </form>
        <!-- /.col-lg-6 (nested) -->
    </div>
    <!-- /.row (nested) -->
</div>
<!-- /.panel-body -->
</div>
<!-- /.panel -->
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->

```

admin/views/admin-insert-recept.php

```

<?php
    $recepti = $conn->query("SELECT *,k.naziv AS naziv_kat FROM recepti r INNER JOIN kategorija k
ON r.id_kat = k.id_kat")->fetchAll();
    $kategorije = $conn->query("SELECT * FROM kategorija")->fetchAll();
?>
<div class="row">
    <div class="col-lg-12">
        <h1 class="page-header">Product Change</h1>
    </div>
    <!-- /.col-lg-12 -->
</div>
<!-- /.row -->
<div class="row">
    <div class="col-lg-12">
        <div class="panel panel-default">
            <div class="panel-heading">
                Recepti
            </div>
            <div class="panel-body">
                <table width="100%" class="table table-striped table-bordered table-hover"
id="dataTables-example">
                    <thead>
                        <tr>
                            <th>ID_R</th>
                            <th>Naziv</th>
                            <th>Nacin pripreme</th>
                            <th>sastojci</th>
                            <th>ID KAT</th>
                            <th>slika</th>
                            <th>Datum kreiranja</th>
                            <th>Vreme pripreme</th>
                            <th>Kalorije</th>
                            <th>Za poslužiti</th>
                            <th>Kontrole</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php foreach($recepti as $recept): ?>
                            <tr class="odd gradeX">
                                <td class="center"><?=$recept->id_r?></td>
                                <td class="center"><?=$recept->naziv?></td>

```

```
 <?=$recept->nacin_pripreme?></td>  <?=$recept->sastojci?></td>  <?=$recept->naziv_kat?></td>  naziv?>" /></td>  <?=$recept->datum_kreiranja?></td>  <?=$recept->vreme_pripreme?></td>  <?=$recept->kalorije?></td>  <?=$recept->za_posluziti?></td>  <input class="btn btn-primary btn-md updateRecept" data-id="<?=$recept->id_r?>" type="button" value="update"/> &nbsp; | | | | | | | | |
```

```

        </div>
        <div class="form-group">
            <label>Kalorije</label>
            <input type="text" name="tbKalorije" id="tbKalorije"
class="form-control" placeholder="Kalorije" required>
        </div>
        <div class="form-group">
            <label>Za poslužiti</label>
            <input type="text" name="tbPoslužiti" id="tbPoslužiti"
class="form-control" placeholder="Poslužiti za koliko osoba?" required>
        </div>
        <div class="form-group">
            <input type="submit" name="insertProizvod"
id="insertProizvod" class="btn btn-primary btn-md" value="INSERT">
        </div>
        <label id="ispisProizvoda"> </label>
    </form>
</div>
<!-- /.col-lg-6 (nested) -->
</div>
<!-- /.row (nested) -->
</div>
<!-- /.panel-body -->
</div>
<!-- /.panel -->
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->

```


admin/php/admin-insertKategorija.php

```
<?php
if(isset($_POST['insertKategorija'])){

    include "../../config/connection.php";

    $naziv = $_POST['tbNazivKat'];
    $slika = $_FILES['fajlSlika'];

    $imeSlike = $slika['name'];
    $tmpImeSlike = $slika['tmp_name'];

    $postojanoImeSlike = "assets/img/bg-img/" . time() . $imeSlike;
    if(move_uploaded_file($tmpImeSlike, "../../$postojanoImeSlike")){

        $upitInsert = $conn->prepare("INSERT INTO kategorija SET id_kat = NULL, naziv = ?,
slika_putanja = ?");
        $upitInsert->bindValue(1, $naziv);
        $upitInsert->bindValue(2, $postojanoImeSlike);

        if($upitInsert->execute()){
            header("Location:../pages/index.php?page=insertKategorija");
        } else {
            echo "Baza trenutno nije dostupna";
        }
    } else {
        http_response_code(422);
    }
}

if(isset($_POST['btnObrisiKategoriju'])){
    include "../../config/connection.php";

    $idK = $_POST['idK'];

    $upitDelete = $conn->prepare("DELETE FROM kategorija WHERE id_kat = ?");
    $upitDelete->bindValue(1, $idK);

    if($upitDelete->execute()){
        $kategorije = $conn->query("SELECT * FROM kategorija")->fetchAll();
        $ispis = '<thead>
            <tr>
                <th>ID_KA</th>
                <th>Naziv</th>
                <th>Slika</th>
                <th>Kontrola</th>
            </tr>
        </thead>
        <tbody>';
        foreach ($kategorije as $kategorija){
            $ispis .= '<tr class="odd gradeX">
                <td class="center">' . $kategorija->id_kat . '</td>
                <td class="center">' . $kategorija->naziv . '</td>
                <td class="center">naziv.'" /></td>
                <td><input class="btn btn-danger btn-md obrisiKategorija" data-
id="' . $kategorija->id_kat.'" type="button" value="delete"/></td>
            </tr>';
        }
        $ispis .= "</tbody>";
        echo $ispis;
    } else {
        echo "Baza trenutno nije dostupna";
    }
}
```

```
}  
}
```

admin/php/admin-insertKorisnik.php

```
<?php  
  
if(isset($_POST['btnForma'])) {  
    include "../../config/connection.php";  
  
    $idK = $_POST['idK'];  
    $upit = $conn->prepare("SELECT * FROM korisnik k INNER JOIN uloga u ON k.id_uloga = u.  
id_uloga WHERE k.id_korisnik = ?");  
    $upit->bindValue(1, $idK);  
    $upit->execute();  
    $korisnik = $upit->fetch();  
  
    $uloge = $conn->query("SELECT * FROM uloga")->fetchAll();  
  
    $ispis = '<div class="col-lg-12">  
<h1 id="naslovForma">Update User</h1>  
<form id="forma" role="form">  
    <div class="form-group">  
        <label>Ime</label>  
        <input type="text" id="tbIme" class="form-control" value="'. $korisnik->name.'">  
    </div>  
    <div class="form-group">  
        <label>Prezime</label>  
        <input type="text" id="tbPrezime" class="form-control" value="'. $korisnik->  
>lastname.'">  
    </div>  
    <div class="form-group">  
        <label>Email</label>  
        <input type="text" id="tbEmail" class="form-control" value="'. $korisnik->email.'">  
    </div>  
    <div class="form-group">  
        <label>Uloga </label>  
        <select id="uloga" class="form-control">;  
            foreach ($uloge as $uloga) {  
                if ($uloga->id_uloga == $korisnik->id_uloga) {  
                    $ispis .= '<option selected value="'. $uloga->id_uloga.'">'. $uloga->  
>uloga.'"></option>';  
                } else {  
                    $ispis .= '<option value="'. $uloga->id_uloga.'">'. $uloga->  
>uloga.'"></option>';  
                }  
            }  
  
            $ispis .= '</select>  
            </div>  
            <div class="form-group">  
                <input type="button" data-id="'. $korisnik->id_korisnik.'" id="updateKorisnik1" class="btn btn-primary btn-md" value="UPDATE">  
            </div>  
            <label id="meni-insert-result"> </label>  
        </form>  
    </div>';  
  
    echo $ispis;  
}  
  
if(isset($_POST['btnUpdate'])) {  
    include "../../config/connection.php";
```

```

$idK = $_POST['idK'];
$time = $_POST['ime'];
$prezime = $_POST['prezime'];
$email = $_POST['email'];
$uloga = $_POST['uloga'];

$upitUpdate = $conn->prepare("UPDATE korisnik SET name = ?, lastname = ?, email = ?,
id_uloga = ? WHERE id_korisnik = ?");
$upitUpdate->bindValue(1, $time);
$upitUpdate->bindValue(2, $prezime);
$upitUpdate->bindValue(3, $email);
$upitUpdate->bindValue(4, $uloga);
$upitUpdate->bindValue(5, $idK);

if($upitUpdate->execute()){
    $korisnici = $conn->query("SELECT * FROM korisnik k INNER JOIN uloga u ON k.id_uloga =
u.id_uloga")->fetchAll();

    $ispis = '<thead>
        <tr>
            <th>ID_K</th>
            <th>Ime</th>
            <th>Prezime</th>
            <th>Email</th>
            <th>Uloga</th>
            <th>Kontrola</th>
        </tr>
    </thead>
    <tbody>';
    foreach ($korisnici as $korisnik){
        $ispis .= '<tr class="odd gradeX">
            <td>'.$korisnik->id_korisnik.'</td>
            <td>'.$korisnik->name.'</td>
            <td>'.$korisnik->lastname.'</td>
            <td class="center">'.$korisnik->email.'</td>
            <td class="center">'.$korisnik->uloga.'</td>
            <td><input class="btn btn-primary btn-md updateKorisnik"
data-id="'.$korisnik->id_korisnik.'" type="button" value="update"/> &nbsp;
            <input class="btn btn-danger btn-md obrisiKorisnik" data-
id="'.$korisnik->id_korisnik.'" type="button" value="delete"/></td>
        </tr>';
    }

    $ispis .= '</tbody>';
    echo $ispis;
} else {
    echo "Baza trenutno nije dostupna";
}

if(isset($_POST['btnObrisi'])){
    include "../config/connection.php";

    $idK = $_POST['idK'];
    $upitObrisi = $conn->prepare("DELETE FROM korisnik WHERE id_korisnik = ?");
    $upitObrisi->bindValue(1, $idK);

    if($upitObrisi->execute()){
        $korisnici = $conn->query("SELECT * FROM korisnik k INNER JOIN uloga u ON k.id_uloga =
u.id_uloga")->fetchAll();

        $ispis = '<thead>
            <tr>
                <th>ID_K</th>
                <th>Ime</th>

```

```

        <th>Prezime</th>
        <th>Email</th>
        <th>Uloga</th>
    </tr>
</thead>
<tbody>';
foreach ($korisnici as $korisnik){
    $ispis .= '<tr class="odd gradeX">
        <td>' . $korisnik->id_korisnik . '</td>
        <td>' . $korisnik->name . '</td>
        <td>' . $korisnik->lastname . '</td>
        <td class="center">' . $korisnik->email . '</td>
        <td class="center">' . $korisnik->uloga . '</td>
        <td><input class="btn btn-primary btn-md updateKorisnik" data-
id="' . $korisnik->id_korisnik . '" type="button" value="update"/> &nbsp;
        <input class="btn btn-danger btn-md obrisiKorisnik" data-
id="' . $korisnik->id_korisnik . '" type="button" value="delete"/></td>
    </tr>';
    }
    $ispis .= '</tbody>';
    echo $ispis;
} else {
    echo "Baza trenutno nije dostupna";
}
}

```

admin/php/admin-insertRecept.php

```

<?php
include "../config/connection.php";
if(isset($_POST['insertProizvod'])){
    include "../config/connection.php";

    $naziv = $_POST['tbNaziv'];
    $nacinPripreme = $_POST['txtNacinPripreme'];
    $sastojci = $_POST['txtSastojci'];
    $kategorija = $_POST['ddlKategorija'];
    $slika = $_FILES['fajlSlika'];
    $datumKreiranja = $_POST['tbDatum'];
    $vremePripreme = $_POST['tbVremePripreme'];
    $kalorije = $_POST['tbKalorije'];
    $posluziti = $_POST['tbPosluziti'];

    $datumKreiranjaPravi = $datumKreiranja . " 00:00:00.000000";
    $imeSlike = $slika['name'];
    $tmpImeSlike = $slika['tmp_name'];

    $postojanoImeSlike = "assets/img/recepti/" . time() . $imeSlike;
    if(move_uploaded_file($tmpImeSlike, "../$postojanoImeSlike")){

        $upitInsert = $conn->prepare("INSERT INTO recepti SET id_r = NULL, naziv = ?,
nacin_pripreme = ?, sastojci = ?, id_kat = ?, slika = ?, datum_kreiranja = ?, vreme_pripreme = ?,
kalorije = ?, za_posluziti = ?");
        $upitInsert->bindValue(1, $naziv);
        $upitInsert->bindValue(2, $nacinPripreme);
        $upitInsert->bindValue(3, $sastojci);
        $upitInsert->bindValue(4, $kategorija);
        $upitInsert->bindValue(5, $postojanoImeSlike);
        $upitInsert->bindValue(6, $datumKreiranjaPravi);
        $upitInsert->bindValue(7, $vremePripreme);
        $upitInsert->bindValue(8, $kalorije);
        $upitInsert->bindValue(9, $posluziti);
    }
}

```

```

        if($upitInsert->execute()){
            header("Location: ../pages/index.php?page=insertRecept");
        } else {
            echo "Baza trenutno nije dostupna";
        }
    } else {
        http_response_code(422);
    }
}

if(isset($_POST['btnObrisiRecept'])){
    include "../config/connection.php";

    $idR = $_POST['idR'];
    $upitDelete = $conn->prepare("DELETE FROM recepti WHERE id_r = ?");
    $upitDelete->bindValue(1, $idR);

    if($upitDelete->execute()){

        $recepti = $conn->query("SELECT *,k.naziv AS naziv_kat FROM recepti r INNER JOIN
kategorija k ON r.id_kat = k.id_kat")->fetchAll();
        $ispis = '<thead>
            <tr>
                <th>ID_R</th>
                <th>Naziv</th>
                <th>Nacin pripreme</th>
                <th>sastojci</th>
                <th>ID_KAT</th>
                <th>slika</th>
                <th>Datum kreiranja</th>
                <th>Vreme pripreme</th>
                <th>Kalorije</th>
                <th>Za poslužiti</th>
                <th>Kontrole</th>
            </tr>
        </thead>
        <tbody>';

        foreach ($recepti as $recept){
            $ispis .= '<tr class="odd gradeX">
                <td class="center">' . $recept->id_r . '</td>
                <td class="center">' . $recept->naziv . '</td>
                <td class="center">' . $recept->nacin_pripreme . '</td>
                <td class="center">' . $recept->sastojci . '</td>
                <td class="center">' . $recept->naziv_kat . '</td>
                <td class="center">naziv.'" /></td>
                <td class="center">' . $recept->datum_kreiranja . '</td>
                <td class="center">' . $recept->vreme_pripreme . '</td>
                <td class="center">' . $recept->kalorije . '</td>
                <td class="center">' . $recept->za_posluziti . '</td>
                <td><input class="btn btn-primary btn-md updateRecept"
data-id="' . $recept->id_r.'" type="button" value="update"/> &nbsp;
                <input class="btn btn-danger btn-md obrisiRecept" data-
id="' . $recept->id_r.'" type="button" value="delete"/></td>
            </tr>';
        }

        $ispis .= "</tbody>";
        echo $ispis;
    } else {
        echo "Baza trenutno nije dostupna!";
    }
}

function updateRecept($x) {
    global $conn;

```

```

$upit = "SELECT * FROM recepti WHERE id_r=$x";
$recept = $conn->query($upit)->fetch();

$ispis = '<div class="form-group">
    <label>Naziv</label>
    <input type="text" name="tbNaziv" id="tbNaziv"
class="form-control" value="'. $recept->naziv.'" required>
</div>
    <div class="form-group">
    <label>Nacin pripreme</label>
    <textarea name="txtNacinPripreme" id="txtNacinPripreme"
class="form-control" required>'. $recept->nacin_pripreme.'"
    </textarea>
    </div>
    <div class="form-group">
    <label>Sastojci</label>
    <textarea name="txtSastojci" id="txtSastojci"
class="form-control" required>'. $recept->sastojci.'"
    </textarea>
    </div>
    <div class="form-group">
    <label>Kategorija</label>
    <select name="ddlKategorija" id="ddlKategorija"
class="form-control">
        <option value="0">Izaberite</option>';
    $kategorije = $conn->query("SELECT * FROM kategorija")-
>fetchAll();
        foreach ($kategorije as $kategorija){
            if($kategorija->id_kat == $recept->id_kat){
                $ispis .= '<option value="'. $kategorija->id_kat.'"
selected>'. $kategorija->naziv.'"</option>';
            } else {
                $ispis .= '<option value="'. $kategorija->
>id_kat.'">'. $kategorija->naziv.'"</option>';
            }
        }
    $ispis .= '</select>
    </div>
    <div class="form-group">
    <label>Slika</label>
    <input type="file" name="fajlSlika" id="fajlSlika"
class="form-control" placeholder="Unesite naziv slike" required>
    </div>
    <div class="form-group">
    <label>Datum kreiranja</label>
    <input type="text" name="tbDatum" id="tbDatum"
class="form-control" value="'. $recept->datum_kreiranja.'" required>
    </div>
    <div class="form-group">
    <label>Vreme pripreme</label>
    <input type="text" name="tbVremePripreme"
id="tbVremePripreme" class="form-control" value="'. $recept->vreme_pripreme.'" required>
    </div>
    <div class="form-group">
    <label>Kalorije</label>
    <input type="text" name="tbKalorije" id="tbKalorije"
class="form-control" value="'. $recept->kalorije.'" required>
    </div>
    <div class="form-group">
    <label>Za poslužiti</label>
    <input type="text" name="tbPoslužiti" id="tbPoslužiti"
class="form-control" value="'. $recept->za_poslužiti.'" required>
    </div>
    <div class="form-group">
    <input type="submit" name="updateRecept"

```



```

id="updateRecept" class="btn btn-primary btn-md" value="UPDATE">
    </div>
    <label id="ispisProizvoda"></label>;
    return $ispis;
}

if(isset($_POST['btnUpdateRecept'])) {
    $idR = $_POST['idR'];
    echo updateRecept($idR);
}

if(isset($_POST['updateRecept'])) {
    $naziv = $_POST['tbNaziv'];
    $nacinPripreme = $_POST['txtNacinPripreme'];
    $sastojci = $_POST['txtSastojci'];
    $kategorija = $_POST['ddlKategorija'];
    $slika = $_FILES['fajlSlika'];
    $datumKreiranja = $_POST['tbDatum'];
    $vremePripreme = $_POST['tbVremePripreme'];
    $kalorije = $_POST['tbKalorije'];
    $posluziti = $_POST['tbPosluziti'];

    if(empty($slika['ime'])) {
        header("Location: ../pages/index.php?page=insertRecept");
        $upitUpdate = "UPDATE recepti SET naziv='$naziv',
nacin_pripreme='$nacinPripreme', sastojci='$sastojci', id_kat='$kategorija',
datum_kreiranja='$datumKreiranja', vreme_pripreme='$vremePripreme', kalorije='$kalorije',
za_posluziti='$posluziti' WHERE id_r=$idR";
        try {
            $conn->query($upitUpdate);
        } catch (PDOException $ex) {
            echo $ex->getMessage();
        }
    } else {
        $imeSlike = $slika['name'];
        $tmpImeSlike = $slika['tmp_name'];
        $postojanoImeSlike = "assets/img/recepti/" . time() . $imeSlike;
        if(move_uploaded_file($tmpImeSlike, "../../$postojanoImeSlike")) {
            $upitUpdate = "UPDATE recepti SET naziv='$naziv',
nacin_pripreme='$nacinPripreme', sastojci='$sastojci', id_kat='$kategorija',
slika='$postojanoImeSlike', datum_kreiranja='$datumKreiranja', vreme_pripreme='$vremePripreme',
kalorije='$kalorije', za_posluziti='$posluziti' WHERE id_r=$idR";
            try {
                $conn->query($upitUpdate);
                header("Location: ../pages/index.php?page=insertRecept");
            } catch (PDOException $ex) {
                echo $ex->getMessage();
            }
        }
    }
}
}

```

admin/php/admin-insertUloga.php

```
<?php

if(isset($_POST['btnInsertUloga'])) {
    include "../../config/connection.php";

    $nazivUloge = $_POST['uloga'];

    $upitInsert = $conn->prepare("INSERT INTO uloga SET id_uloga = NULL, uloga = ?");
    $upitInsert->bindValue(1, $nazivUloge);

    if($upitInsert->execute()) {
        $uloge = $conn->query("SELECT * FROM uloga")->fetchAll();

        $ispis = '<thead>
                <tr>
                    <th>ID_U</th>
                    <th>Uloga</th>
                    <th>Kontrola</th>
                </tr>
            </thead>
            <tbody>';
        foreach ($uloge as $uloga) {
            $ispis .= '<tr class="odd gradeX">
                    <td class="center">'. $uloga->id_uloga. '</td>
                    <td class="center">'. $uloga->uloga. '</td>
                    <td><input class="btn btn-danger btn-md obrisiUlogu" data-
id="'. $uloga->id_uloga. '" type="button" value="delete"/></td>
                </tr>';
        }
        $ispis .= '</tbody>';
        echo $ispis;
    } else {
        echo "Baza trenutno nije dostupna";
    }
}

if(isset($_POST['btnObrisiUlogu'])) {
    include "../../config/connection.php";

    $idU = $_POST['idU'];
    $upitObrisi = $conn->prepare("DELETE FROM uloga WHERE id_uloga = ?");
    $upitObrisi->bindValue(1, $idU);

    if($upitObrisi->execute()) {
        $uloge = $conn->query("SELECT * FROM uloga")->fetchAll();

        $ispis = '<thead>
                <tr>
                    <th>ID_U</th>
                    <th>Uloga</th>
                    <th>Kontrola</th>
                </tr>
            </thead>
            <tbody>';
        foreach ($uloge as $uloga) {
            $ispis .= '<tr class="odd gradeX">
                    <td class="center">'. $uloga->id_uloga. '</td>
                    <td class="center">'. $uloga->uloga. '</td>
                    <td><input class="btn btn-danger btn-md obrisiUlogu" data-
id="'. $uloga->id_uloga. '" type="button" value="delete"/></td>
                </tr>';
        }
    }
```

```
    $ispis .= '</tbody>';  
    echo $ispis;  
  
}else {  
    echo "Baza trenutno nije dostupna";  
}  
}
```

Admin panel: Kodovi – JavaScript

admin/js/script.js

```
$(document).ready(function() {  
  
});  
  
function insertUloga() {  
    $("#insertUloga").on("click", function() {  
        let naziv = $("#tbUloga").val();  
  
        $.ajax({  
            url: "../php/admin-insertUloga.php",  
            method: "POST",  
            data: {  
                uloga: naziv,  
                btnInsertUloga: true  
            },  
            success: function(data) {  
                $("#tbUloga").val(" ");  
                $("#ispisUloga").html("Dodali ste novu ulogu!");  
                $("#dataTables-example").html(data);  
                obrisiUlogu();  
            },  
            error: function(xhr, status, error) {  
                console.log(xhr.status);  
            }  
        });  
    });  
}  
insertUloga();  
  
function obrisiUlogu() {  
    $(".obrisiUlogu").on("click", function() {  
        let idU = $(this).data("id");  
  
        $.ajax({  
            url: "../php/admin-insertUloga.php",  
            method: "POST",  
            data: {  
                idU: idU,  
                btnObrisiUlogu: true  
            },  
            success: function(data) {  
                $("#dataTables-example").html(data);  
                obrisiUlogu();  
            },  
            error: function(xhr, status, error) {  
                console.log(error);  
            }  
        });  
    });  
}  
obrisiUlogu();  
  
function updateKorisnikForma() {  
    $(".updateKorisnik").on("click", function() {  
        let idK = $(this).data("id");  
  
        $.ajax({  
            url: "../php/admin-insertKorisnik.php",  
            method: "POST",  
            data: {  
                idK: idK,  

```

```

        btnForma: true
    },
    success: function (data) {
        $("#ispisForme").html(data);
        updateKorisnik();
    },
    error: function(xhr, status, error) {
        console.log(xhr.status);
    }
});
});
}
updateKorisnikForma();

function updateKorisnik() {
    $("#updateKorisnik1").click(function(){
        let idK = $(this).data("id");
        let ime = $("#tbIme").val();
        let prezime = $("#tbPrezime").val();
        let email = $("#tbEmail").val();
        let uloga = $("#uloga").val();

        $.ajax({
            url: "../php/admin-insertKorisnik.php",
            method: "POST",
            data: {
                idK: idK,
                ime: ime,
                prezime: prezime,
                email: email,
                uloga: uloga,
                btnUpdate: true
            },
            success: function(data) {
                $("#ispisForme").html(" ");
                $("#dataTables-example").html(data);
                obrisiKorisnika();
                updateKorisnikForma();
            }
        });
    });
}

function obrisiKorisnika() {
    $(".obrisiKorisnik").on("click", function(){
        let idK = $(this).data("id");
        $.ajax({
            url: "../php/admin-insertKorisnik.php",
            method: "POST",
            data: {
                idK: idK,
                btnObrisi: true
            },
            success: function (data) {
                $("#dataTables-example").html(data);
                obrisiKorisnika();
                updateKorisnikForma();
            },
            error: function(xhr, status, error) {
                console.log(xhr.status);
            }
        });
    });
}
obrisiKorisnika();

```

```

function obrisiKategoriju(){
    $(".obrisiKategorija").on("click", function(){

        let idK = $(this).data("id");

        $.ajax({
            url: "../php/admin-insertKategorija.php",
            method: "POST",
            data: {
                idK: idK,
                btnObrisiKategoriju: true
            },
            success: function (data) {
                $("#dataTables-example").html(data);
                obrisiKategoriju();
            },
            error: function(xhr, status, error) {
                console.log(xhr.status);
            }
        });
    });
}
obrisiKategoriju();

function obrisiRecept(){
    $(".obrisiRecept").on("click", function(){
        let idR = $(this).data("id");

        $.ajax({
            url: "../php/admin-insertRecept.php",
            method: "POST",
            data: {
                idR: idR,
                btnObrisiRecept: true
            },
            success: function (data) {
                $("#dataTables-example").html(data);
                obrisiRecept();
                //updateRecept();
            },
            error: function(xhr, status, error) {
                console.log(xhr.status);
            }
        });
    });
}
obrisiRecept();

function updateRecept(){
    $(".updateRecept").on("click", function(){
        let idR = $(this).data("id");

        $.ajax({
            url: "../php/admin-insertRecept.php",
            method: "POST",
            data: {
                idR: idR,
                btnUpdateRecept: true
            },
            success: function (data) {
                $("#noviRecept").html(data);
                $("#naslov").html("Update");
            },
            error: function (xhr, status, error) {
                console.log(xhr.status);
            }
        });
    });
}

```



```
    });  
  });  
}  
updateRecept ();
```

Kodovi osnovnih stranica – PHP

index.php

```
<?php
    session_start();
    include "config/pristupStranici.php";
    include "views/fixed/head.php";
    include "views/fixed/navbar.php";

    if(isset($_GET['page']))
    {
        switch ($_GET['page'])
        {
            case "home":
                include "views/pages/slider.php";
                include "views/pages/banner.php";
                include "views/pages/galerija.php";
                break;
            case "registracija":
                include "views/pages/registracija.php";
                break;
            case "logovanje":
                include "views/pages/logovanje.php";
                break;
            case "kategorije":
                include "views/pages/kategorije.php";
                break;
            case "recepti":
                include "views/pages/recepti.php";
                break;
            case "recept":
                include "views/pages/single-recept.php";
                break;
            case "author":
                include "views/pages/autor.php";
                break;
        }
    }
    else
    {
        include "views/pages/slider.php";
        include "views/pages/banner.php";
        include "views/pages/galerija.php";
    }

    include "views/fixed/footer.php";
?>
```

Kodovi include-ovanih stranica – PHP

views/fixed/head.php

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="description" content="">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <!-- The above 4 meta tags *must* come first in the head; any other head content must come
    *after* these tags -->

    <!-- Title -->
    <title>Bueno - Food Blog HTML Template</title>

    <!-- Icons font CSS-->
    <link href="assets/css/material-design-iconic-font.min.css" rel="stylesheet" media="all">
    <link href="assets/css/font-awesome.min.css" rel="stylesheet" media="all">
    <!-- Font special for pages-->
    <link
href="https://fonts.googleapis.com/css?family=Roboto:100,100i,300,300i,400,400i,500,500i,700,700i,9
00,900i" rel="stylesheet">

    <!-- Font Awesome Icon Library -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

    <!-- Favicon -->
    <link rel="icon" href="assets/img/core-img/favicon.ico">

    <!-- Stylesheet -->
    <link rel="stylesheet" href="assets/css/style.css">
    <link href="assets/css/main.css" rel="stylesheet" media="all">
</head>

<body>
<!-- Preloader -->
<div class="preloader d-flex align-items-center justify-content-center">
    <div class="preloader-content">
        <h3>Cooking in progress..</h3>
        <div id="cooking">
            <div class="bubble"></div>
            <div class="bubble"></div>
            <div class="bubble"></div>
            <div class="bubble"></div>
            <div class="bubble"></div>
            <div id="area">
                <div id="sides">
                    <div id="pan"></div>
                    <div id="handle"></div>
                </div>
                <div id="pancake">
                    <div id="pastry"></div>
                </div>
            </div>
        </div>
    </div>
</div>
</div>
```

views/fixed/navbar.php

```
<!-- ##### Header Area Start ##### -->
<header class="header-area">

    <!-- Logo Area -->
    <div class="logo-area">
        <a href="index.php"></a>
    </div>

    <!-- Navbar Area -->
    <div class="bueno-main-menu" id="sticker">
        <div class="classy-nav-container breakpoint-off">
            <div class="container">
                <!-- Menu -->
                <nav class="classy-navbar justify-content-between" id="buenoNav">

                    <!-- Menu -->
                    <div class="classy-menu">

                        <!-- Nav Start -->
                        <div class="classynav">
                            <?php
                                include "config/connection.php";
                                $prikaz = 0;
                                if(isset($_SESSION['korisnik'])) {
                                    if($_SESSION['korisnik']->id_uloga == 1) {
                                        $prikaz = 2;
                                    } else {
                                        $prikaz = 1;
                                    }
                                }

                                switch ($prikaz) {
                                    case 0:
                                        $upit = "SELECT * FROM navmeni WHERE prikaz = 0 or prikaz = 1";
                                        break;
                                    case 1:
                                        $upit = "SELECT * FROM navmeni WHERE prikaz = 0 or prikaz = 2";
                                        break;
                                    case 2:
                                        $upit = "SELECT * FROM navmeni WHERE prikaz = 0 or prikaz = 2
or prikaz = 3";
                                        break;
                                    default:
                                        $upit = "SELECT * FROM navmeni WHERE prikaz = 0 or prikaz = 1";
                                        break;
                                }

                                $navmeni = $conn->query($upit)->fetchAll();
                                $item = "<ul>";
                                foreach ($navmeni as $x) {
                                    $item .= "<li><a href='". $x->putanja. "'>". $x->naziv. "</a></li>";
                                }
                                $item .= "</ul>";

                                echo $item;
                            ?>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```

```
</header>
<!-- ##### Header Area End ##### -->
```

views/fixd/footer.php

```
<!-- ##### Footer Area Start ##### -->
<footer class="footer-area">
    <div class="container">
        <div class="row">
            <div class="col-12 col-sm-5">
                <!-- Copywrite Text -->
                <p class="copywrite-text">
                    Copyright &copy;<script>document.write(new Date().getFullYear());</script>
                    All rights reserved | This template is made with</i><a href="models/kategorije/export-
                    excel.php"></br>Export u Excel</a>
                </p>
            </div>
            <div class="col-12 col-sm-7">
                <!-- Footer Nav -->
                <div class="footer-nav">
                    <?php
                        global $navmeni;
                        $item = "<ul>";
                        foreach ($navmeni as $x){
                            $item .= "<li><a href='". $x->putanja.'">". $x->naziv."</a></li>";
                        }
                        $item .= "</ul>";

                        echo $item;
                    <?>
                </div>
            </div>
        </div>
    </div>
</footer>
<!-- ##### Footer Area Start ##### -->

<!-- ##### All Javascript Script ##### -->
<!-- jQuery-2.2.4 js -->
<script src="assets/js/jquery/jquery-2.2.4.min.js"></script>
<!-- Popper js -->
<script src="assets/js/bootstrap/popper.min.js"></script>
<!-- Bootstrap js -->
<script src="assets/js/bootstrap/bootstrap.min.js"></script>
<!-- All Plugins js -->
<script src="assets/js/plugins/plugins.js"></script>
<!-- Active js -->
<script src="assets/js/active.js"></script>
<!--<script src="assets/js/global.js"></script>-->

<script src="assets/js/registracija.js"></script>
<script src="assets/js/logovanje.js"></script>
<script src="assets/js/ocenjivanje.js"></script>
<script src="assets/js/paginacija.js"></script>
<script src="assets/js/read-more.js"></script>
<script src="assets/js/sortiranje.js"></script>

</body>

</html>
```

views/pages/slider.php

```
<!-- ##### Hero Area Start ##### -->
<div class="hero-area">
    <!-- Hero Post Slides -->
    <div class="hero-post-slides owl-carousel">
        <!-- Single Slide -->
        <div class="single-slide">
            <!-- Blog Thumbnail -->
            <div class="blog-thumbnail">
                <a href="#"></a>
            </div>
        </div>
        <!-- Single Slide -->
        <div class="single-slide">
            <!-- Blog Thumbnail -->
            <div class="blog-thumbnail">
                <a href="#"></a>
            </div>
        </div>
        <!-- Single Slide -->
        <div class="single-slide">
            <!-- Blog Thumbnail -->
            <div class="blog-thumbnail">
                <a href="#"></a>
            </div>
        </div>
        <!-- Single Slide -->
        <div class="single-slide">
            <!-- Blog Thumbnail -->
            <div class="blog-thumbnail">
                <a href="#"></a>
            </div>
        </div>
    </div>
</div>
<!-- ##### Hero Area End ##### -->
```

views/pages/galerija.php

```
<!-- ##### Instagram Area Start ##### -->
<div class="instagram-feed-area d-flex flex-wrap">
    <!-- Single Instagram -->
    <?php
        $slike = executeQuery("SELECT * FROM galerija");
        foreach ($slike as $slika):
    ?>
    <div class="single-instagram">
        
        <!-- Image Zoom -->
        <a href="<?=$slika->slika_putanja?>" class="img-zoom" title="Galerija">+</a>
    </div>
    <?php endforeach; ?>
</div>
<!-- ##### Instagram Area End ##### -->
```

views/pages/banner.php

```
<!-- ##### Catagory Area Start ##### -->
<div class="post-catagory section-padding-100-0 mb-70">
  <div class="container">
    <div class="row justify-content-center">
      <!-- Single Post Catagory -->
      <div class="col-12 col-md-6 col-lg-4">
        <div class="single-post-catagory mb-30">
          
          <!-- Content -->
          <div class="catagory-content-bg">
            <div class="catagory-content">
              <a href="index.php?page=kategorije" class="post-tag">The Best</a>
              <a href="index.php?page=kategorije" class="post-title">Healthy Food</a>
            </div>
          </div>
        </div>
      </div>

      <!-- Single Post Catagory -->
      <div class="col-12 col-md-6 col-lg-4">
        <div class="single-post-catagory mb-30">
          
          <!-- Content -->
          <div class="catagory-content-bg">
            <div class="catagory-content">
              <a href="index.php?page=kategorije" class="post-tag">The Best</a>
              <a href="index.php?page=kategorije" class="post-title">Soups</a>
            </div>
          </div>
        </div>
      </div>

      <!-- Single Post Catagory -->
      <div class="col-12 col-md-6 col-lg-4">
        <div class="single-post-catagory mb-30">
          
          <!-- Content -->
          <div class="catagory-content-bg">
            <div class="catagory-content">
              <a href="index.php?page=kategorije" class="post-tag">The Best</a>
              <a href="index.php?page=kategorije" class="post-title">Vegetarian
Food</a>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
<!-- ##### Catagory Area End ##### -->
```

views/pages/autor.php

```
<!-- ##### Contact Area Start ##### -->
<section class="contact-area section-padding-100">
  <div class="container">
    <div class="row justify-content-center">
      <div class="col-12 col-lg-8 col-xl-9">
        <div class="contact-content mb-100">
          <h4 class="mb-50">O autoru</h4>
          <p>Ja se zovem Marko Nikolić, student sam Visoke ICT škole, broj indeksa 10/16.
Rođen sam u Čupriji, imam 23 godine. Pored studiranja, bavim se i rukometom dugi niz godina.
Interesovanja: muzika, sport, hrana(očigledno), serije, filmovi ...</p>

          </div>
        </div>

        <div class="col-12 col-sm-9 col-md-6 col-lg-4 col-xl-3">
          <div class="sidebar-area">

            <!-- Single Widget Area -->
            <div class="single-widget-area author-widget mb-30">
              <div class="background-pattern bg-img" style="background-image:
url(../../assets/img/core-img/pattern2.png);">
                <div class="author-thumbnail">
                  
                </div>
                <p>Marko Nikolic</p>
              </div>
              <div class="social-info">
                <a href="https://www.instagram.com/marconii11/?hl=sr"
target="_blank"><i class="fa fa-instagram" aria-hidden="true"></i></a>
                <a href="https://www.facebook.com/marko.nikolic.3382"
target="_blank"><i class="fa fa-facebook" aria-hidden="true"></i></a>
                <a href="https://linkedin.com/in/marko-nikolic-10098a1a2"
target="_blank"><i class="fa fa-linkedin" aria-hidden="true"></i></a>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</section>
<!-- ##### Contact Area End ##### -->
```


views/pages/kategorije.php

```
<!-- ##### Catagory Area Start ##### -->
<div class="post-catagory section-padding-100">
  <div class="container">
    <div class="row">
      <!-- Single Post Catagory -->
      <?php
        include "models/kategorije/dohvatiKategorije.php";
        $kategorije = dohvatiKategorije();
        foreach($kategorije as $kategorija):
          ?>
          <div class="col-12 col-sm-6 col-lg-4">
            <div class="single-post-catagory mb-30">
              naziv?>">
              <!-- Content -->
              <div class="catagory-content-bg">
                <div class="catagory-content">
                  <a href="index.php?page=recepti&id=<?=$kategorija->id_kat?>"
class="post-tag">The Best</a>
                  <a href="index.php?page=recepti&id=<?=$kategorija->id_kat?>"
class="post-title"><?=$kategorija->naziv?></a>
                </div>
              </div>
            </div>
          </div>
        <?php endforeach;?>
      </div>
    </div>
  <!-- ##### Catagory Area End ##### -->
```

views/pages/logovanje.php

```
<div class="page-wrapper bg-red p-t-180 p-b-100 font-robo">
  <div class="wrapper wrapper--w960">
    <div class="card card-2">
      <div class="card-heading"></div>
      <div class="card-body">
        <h2 class="title">Login Form</h2>
        <form method="POST">
          <div class="input-group">
            <input class="input--style-2" type="text" placeholder="Email"
id="LogEmail">
            <span id="spanEmail"></span>
          </div>
          <div class="input-group">
            <input class="input--style-2" type="password" placeholder="Password (At
least 6 letters, number required)" id="LogPassword">
            <span id="spanPassword"></span>
          </div>
          <div class="p-t-30">
            <button class="btn btn--radius btn--green" type="submit"
id="btnLogin">Login</button>
            <p>Don't have an account? Register <a
href="index.php?page=registracija">here.</a></p>
          </div>
        </form>
      </div>
    </div>
  </div>
</div>
```

views/pages/registracija.php

```
<div class="page-wrapper bg-red p-t-180 p-b-100 font-robo">
  <div class="wrapper wrapper--w960">
    <div class="card card-2">
      <div class="card-heading"></div>
      <div class="card-body">
        <h2 class="title">Registration Form</h2>
        <form method="POST">
          <div class="input-group">
            <input class="input--style-2" type="text" placeholder="First Name"
id="firstName">
            <span id="spanFirstName"></span>
          </div>
          <div class="input-group">
            <input class="input--style-2" type="text" placeholder="Last Name"
id="LastName">
            <span id="spanLastName"></span>
          </div>
          <div class="input-group">
            <input class="input--style-2" type="text" placeholder="Email" id="email">
            <span id="spanEmail"></span>
          </div>
          <div class="input-group">
            <input class="input--style-2" type="password" placeholder="Password (At
least 6 letters, number required)" id="password">
            <span id="spanPassword"></span>
          </div>
          <div class="p-t-30">
            <button class="btn btn--radius btn--green" type="submit"
id="btnRegister">Register</button>
            <p>Already have an account? Log in <a
href="index.php?page=logovanje">here.</a></p>
          </div>
        </form>
      </div>
    </div>
  </div>
</div>
```

views/pages/recepti.php

```
<!-- ##### Catagory Post Area Start ##### -->
<div class="catagory-post-area section-padding-100">
    <div class="container">
        <div class="row justify-content-center" id="receptiPoKat">
            <!-- Post Area -->
            <?php
                if(isset($_GET['id'])){
                    require_once "config/connection.php";

                    $id = $_GET['id'];

                    include "models/recepti/functions.php";
                    $limit = isset($_GET['limit']) ? $_GET['limit'] : 0;
                    $recepti = dohvatiReceptePoPaginaciji($id, $limit);
                    foreach($recepti as $recept):
                        $datumTmp = strtotime($recept->datum_kreiranja);
                        $datum = date("F j, Y", $datumTmp);

                        ?>
                        <div class="col-12 col-lg-8 col-xl-9">
                            <!-- Single Blog Post -->
                            <div class="single-blog-post style-1 d-flex flex-wrap mb-30">
                                <!-- Blog Thumbnail -->
                                <div class="blog-thumbnail">
                                    naziv?>">
                                </div>
                                <!-- Blog Content -->
                                <div class="blog-content">
                                    <a href="index.php?page=recept&id=<?=$recept->id_r?>" class="post-tag">The
Best</a>

                                    <a href="index.php?page=recept&id=<?=$recept->id_r?>" class="post-
title"><?=$recept->naziv?></a>
                                    <div class="post-meta">
                                        <a href="#" class="post-date"><?=$datum?></a> <!-- DATUM KREIRANJA
SREDITI !!! -->

                                        </div>
                                        <span class="more"><p><?=$recept->nacin_pripreme?></p></span>
                                    </div>
                                </div>
                                <?php endforeach; ?>
                                <?php } ?>

                            </div>
                        </div>
                        <div class="row">
                            <div class="col-12">
                                <div class="pagination-area mt-70">
                                    <nav aria-label="Page navigation example">
                                        <ul class="pagination">
                                            <?php
                                                $broj = 3;
                                                $number = dohvatiPaginaciju($id);

                                                for($i = 0; $i<$number;$i++):
                                                    $index = $i+1;

                                                    ?>

                                                    <li class="page-item">
                                                        <a data-limit="<?=$i ?>" data-id="<?=$id ?>" class="page-link
brojStrana" href="#"><?=$index ?></a>
                                                        </li>

                                                    <?php endfor; ?>
                                                </ul>

```

```

        </nav>
    </div>
</div>
</div>
</div>
</div>

```

views/pages/single-recept.php

```

<!-- ##### Post Details Area Start ##### -->
<section class="post-news-area section-padding-100-0 mb-70">
    <div class="container">
        <div class="row justify-content-center">
            <!-- Post Details Content Area -->
            <?php
                if(isset($_GET['id'])) {

                    $id = $_GET['id'];
                    include 'models/recepti/functions.php';

                    $recept = dohvatiReceptPoId($id);
                    $datumTmp = strtotime($recept->datum_kreiranja);

                    $datum = date("F j, Y", $datumTmp);

                    $sastojci = $recept->sastojci;
                    $sastojciExplode = explode(",", $sastojci);

                }
            ?>
            <div class="col-12 col-lg-4 col-xl-5">
                <div class="post-details-content mb-100">
                    <div class="blog-thumbnail mb-50">
                        <input type="hidden" id="hdnId" data-id="<?=$recept->id_r?>">
                        naziv?>">
                    </div>
                    <div class="blog-content">
                        <h4 class="post-title"><?=$recept->naziv?></h4>
                        <div class="post-meta mb-50">
                            <a href="#" class="post-date"><?=$datum?></a>
                        </div>
                        <h5 class="mb-30">Steps</h5>
                        <p class="mb-30"><?=$recept->nacin_pripreme?></p>
                    </div>
                </div>

                <?php
                    if(isset($_SESSION['korisnik'])) {?>
                        <?php
                            $korisnikId = $_SESSION['korisnik']->id_korisnik;
                            $ocenjivanje = glasanje($korisnikId, $id);

                            if($ocenjivanje->rowCount() == 0) {
                                ?>
                                <div class="rate" id="btnOcena">
                                    <input type="radio" id="star5" name="rate" value="5" />
                                    <label for="star5" title="text">5 stars</label>
                                    <input type="radio" id="star4" name="rate" value="4" />
                                    <label for="star4" title="text">4 stars</label>
                                    <input type="radio" id="star3" name="rate" value="3" />
                                    <label for="star3" title="text">3 stars</label>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>

```

```

        <input type="radio" id="star2" name="rate" value="2" />
        <label for="star2" title="text">2 stars</label>
        <input type="radio" id="star1" name="rate" value="1" />
        <label for="star1" title="text">1 star</label>
    </div>
    <?php
    } else {

        $glasovi = brojGlasovaRecept($id);
        $brojGlasova = $glasovi->rowCount();
        $ukupanBrojOcena = sumOcena($id);
        $sumGlasova = $ukupanBrojOcena->avg;

        $prosOcena = round($sumGlasova/$brojGlasova, 1);
        $ispis = "";
        $ispis = "<label><p class='a'>".$prosOcena." / 5</p> average based on <p
class='a'>".$brojGlasova."</p> reviews.</label>";

        echo $ispis;

    }

    } ?>
</div>

<div class="col-12 col-lg-4 col-xl-4">
    <!-- Info -->
    <div class="recipe-info">
        <h5>Info</h5>
        <ul class="info-data">
            <li>
<span><?=$recept->vreme_pripreme?> min</span></li>
            <li> <span><?=$recept-
>za_posluziti?> servings</span></li>
            <li> <span><?=$recept-
>kalorije?> calories per serve</span></li>
        </ul>
    </div>

    <!-- Ingredients -->
    <div class="ingredients">
        <h5>Ingredients</h5>

        <?php
        foreach($sastojciExplode as $sastojak):
        ?>
        <!-- Custom Checkbox -->
        <div class="custom-control custom-checkbox">
            <input type="checkbox" class="custom-control-input" id="customCheck1">
            <label class="custom-control-label"
for="customCheck1"><?=$sastojak?></label>
        </div>
        <?php endforeach;?>
    </div>
</div>

```

Kodovi – PHP logika (folder models)

models/kategorije/dohvatiKategorije.php

```
<?php

function dohvatiKategorije(){
    global $conn;
    $upit = $conn->query("SELECT * FROM kategorija");
    return $upit->fetchAll();
}
```

models/kategorije/export-excel.php

```
<?php

require_once "../config/connection.php";
include "dohvatiKategorije.php";

$kategorije = dohvatiKategorije();

$excel = new COM("Excel.Application");

$excel->Visible = 1;

$excel->DisplayAlerts = 1;

$workbook = $excel->Workbooks->Open("https://localhost/bueno/models/kategorije/Kategorije.xlsx") or
die ("Did not open filename");

$sheet = $workbook->Worksheets('Sheet1');
$sheet->activate;

$polje = $sheet->Range("A1");
$polje->activate;
$polje->value = "ID";

$polje = $sheet->Range("B1");
$polje->activate;
$polje->value = "Naziv";

$polje = $sheet->Range("C1");
$polje->activate;
$polje->value = "putanja_slike";

$br = 2;
foreach ($kategorije as $kategorija) {
    $polje = $sheet->Range("A{$br}");
    $polje->activate;
    $polje->value = $kategorija->id_kat;

    $polje = $sheet->Range("B{$br}");
    $polje->activate;
    $polje->value = $kategorija->naziv;

    $polje = $sheet->Range("C{$br}");
    $polje->activate;
    $polje->value = $kategorija->slika_putanja;

    $br++;
}
```

```

$workbook->_SaveAs("http://localhost/praktikum_php/lab/termin9/resenje/models/movies/Filmovi.xlsx",
-4143);
$workbook->Save();

$workbook->Saved=true;
$workbook->Close;

$excel->Workbooks->Close();
$excel->Quit();

unset($sheet);
unset($workbook);
unset($excel);

header("Location: ../../index.php");

```

models/korisnik/logout.php

```

<?php

session_start();
if(isset($_SESSION['korisnik'])) {

    session_destroy();
    header("Location: ../../index.php");

}

```

models/Korisnik/obradaLogovanje.php

```

<?php

session_start();

if(isset($_POST['btn'])) {
    include "../../config/connection.php";

    $email = $_POST['email'];
    $pass = $_POST['pass'];

    $greske = [];

    if(!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        array_push($greske, "Wrong email format!");
    }

    $regPass = "/^(?=.*\d)(?=.*[a-z])[0-9a-zA-Z]{6,}$/";
    if(!preg_match($regPass, $pass)) {
        array_push($greske, "Wrong password format!");
    }

    if(count($greske)==0) {

        $password = md5($pass);

        try{
            $select = $conn->prepare("SELECT * FROM korisnik WHERE email = ? AND password = ?");
            $select->execute([$email, $password]);
            $korisnik=$select->fetch();

```

```

        if(!$korisnik){
            http_response_code(404);
        }

        if($korisnik->password == $password){
            $_SESSION['korisnik'] = $korisnik;
            http_response_code(200);
        } else {
            http_response_code(409);
        }

    } catch (PDOException $ex) {
        $ex->getMessage();
        http_response_code(500);
    }

    } else {
        http_response_code(422);
    }
} else {
    http_response_code(403);
}
}

```

models/Korisnik/obradaRegistracije.php

```

<?php

if(isset($_POST['btn'])){
    include "../../config/connection.php";

    $ime = $_POST['ime'];
    $prezime = $_POST['prezime'];
    $email = $_POST['email'];
    $pass = $_POST['pass'];

    $greske = [];

    $regImePrezime = "/^[A-ZČĆŽĐŠ][a-zčćžđš]{2,15}$/";
    if(!preg_match($regImePrezime, $ime)){
        array_push($greske, "Loš format imena!");
    }

    if(!preg_match($regImePrezime, $prezime)){
        array_push($greske, "Loš format prezimena!");
    }

    if(!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        array_push($greske, "Loš format email-a!");
    }

    $regPass = "/^(?=.*\d)(?=.*[a-z])[0-9a-zA-Z]{6,}$/";
    if(!preg_match($regPass, $pass)){
        array_push($greske, "Loš format šifre!");
    }

    if(count($greske) == 0){

        $select = $conn->prepare("SELECT * FROM korisnik WHERE email = ?");
        $select->bindValue(1, $email);
        $select->execute();
        $korisnik = $select->fetch();
    }
}

```



```

        if(!$korisnik){
            $password = md5($pass);

            try{
                $insert = $conn->prepare("INSERT INTO korisnik VALUES ('', ?, ?, ?, ?, '2')");
                $insert->execute([$ime, $prezime, $email, $password]);
                echo "Uspesno ste se registrovali!";
                http_response_code(201);

            }catch (PDOException $ex){
                echo $ex->getMessage();
            }

        } else {
            http_response_code(400);
        }

    } else {
        http_response_code(422);
    }

} else {
}
}

```

models/recepti/functions.php

```

<?php

define("RECEPT_OFFSET", 3);

function dohvatiReceptePoKategoriji($id){
    global $conn;
    $upit = $conn->prepare("SELECT * FROM recepti WHERE id_kat = ?");
    $upit->bindValue(1, $id);

    try{
        $upit->execute();
        return $obj = $upit->fetchAll();
    }catch (PDOException $ex){
        echo $ex->getMessage();
    }
}

function dohvatiReceptPoId($id){
    global $conn;
    $upit = $conn->prepare("SELECT * FROM recepti WHERE id_r = ?");
    $upit -> bindValue(1, $id);
    try{
        $upit->execute();
        return $obj = $upit->fetch();
    }catch (PDOException $ex){
        echo $ex->getMessage();
    }
}

function glasanje($idK, $idR){
    global $conn;
    $upit = $conn->prepare("SELECT * FROM ocena WHERE id_k = ? AND id_r = ?");
    $upit->bindValue(1, $idK);

```

```

$upit->bindValue(2, $idR);
try{
    $upit->execute();
    return $upit;
}catch (PDOException $ex){
    echo $ex->getMessage();
}
}

function brojGlasovaRecept($id){
    global $conn;
    $upit = $conn->prepare("SELECT * FROM ocena WHERE id_r = ?");
    $upit->bindValue(1, $id);
    try{
        $upit->execute();
        return $upit;
    }catch (PDOException $ex){
        echo $ex->getMessage();
    }
}

function sumOcena($id){
    global $conn;
    $upit = $conn->prepare("SELECT SUM(ocena) as avg FROM ocena WHERE id_r = ?");
    $upit->bindValue(1, $id);
    try{
        $upit->execute();
        return $obj = $upit->fetch();
    }catch (PDOException $ex){
        echo $ex->getMessage();
    }
}

function dohvatiBrojStrana($idKat){
    try {
        return executeQueryOneRow("SELECT COUNT(*) as broj FROM recepti WHERE id_kat = $idKat");
    }catch (PDOException $ex) {
        return [
            'message'=> $ex->getMessage()
        ];
    }
}

function dohvatiPaginaciju($idKat){
    $result = dohvatiBrojStrana($idKat);
    $broj = $result->broj;

    return ceil($broj/RECEPT_OFFSET);
}

function dohvatiReceptePoPaginaciji($idKat, $limit = 0){
    global $conn;
    try{
        $upit = $conn->prepare("SELECT * FROM recepti WHERE id_kat = :idKat LIMIT :limit, :offset");
        $limit = ((int) $limit) * RECEPT_OFFSET;
        $offset = RECEPT_OFFSET;

        $upit->bindParam(":idKat", $idKat, PDO::PARAM_INT);
        $upit->bindParam(":limit", $limit, PDO::PARAM_INT);
        $upit->bindParam(":offset", $offset, PDO::PARAM_INT);

        $upit->execute();

        $recepti = $upit->fetchAll();
    }
}

```

```

        return $recepti;
    } catch (PDOException $ex) {
        return [
            'message' => $ex->getMessage()
        ];
    }
}

```

models/ocenjivanjeRecepta.php

```

<?php

session_start();
include "../../config/connection.php";

if(isset($_SESSION['korisnik'])) {

    if(isset($_POST['btn'])) {

        global $conn;
        $korisnikId = $_SESSION['korisnik']->id_korisnik;
        $ocena = $_POST['ocena'];
        $idR = $_POST['id'];

        echo $idR;
        echo $korisnikId;
        echo $ocena;

        $upit = $conn->prepare("SELECT * FROM ocena WHERE id_k = ? AND id_r = ?");
        $upit->bindValue(1, $korisnikId);
        $upit->bindValue(2, $idR);
        $rezultat = $upit->fetch();

        if($rezultat==0) {

            $insertUpit = $conn->prepare("INSERT INTO ocena VALUES ('', ?, ?, ?)");
            $insertUpit->bindValue(1, $korisnikId);
            $insertUpit->bindValue(2, $idR);
            $insertUpit->bindValue(3, $ocena);

            try{
                $insertUpit->execute();
                http_response_code(203);
            } catch (PDOException $ex) {
                echo $ex->getMessage();
                http_response_code(500);
            }

        } else {
            echo "Vec ste jednom glasali!";
            http_response_code(400);
        }

    } else {
        http_response_code(403);
    }

} else {
    http_response_code(403);
}

```

models/recepti/stranice.php

```
<?php

header("Content-Type: application/json");
if(isset($_GET['btn'])){
    include "../config/connection.php";
    include "functions.php";

    $idKat = $_GET['idKat'];
    $limit = $_GET['limit'];

    $recepti = dohvatiReceptePoPaginaciji($idKat, $limit);
    $brojReceptaPoKat = dohvatiPaginaciju($idKat);
    $result = [
        "recepti" => $recepti,
        "brojReceptaPoKat" => $brojReceptaPoKat
    ];
    echo json_encode($result);

} else {
    echo json_encode(["message" => "Limit not passed."]);
    http_response_code(400);
}
```

JavaScript KODOVI (assets/js/)

logovanje.js

```
$(document).ready(function() {

    $("#btnLogin").click(function() {

        let email = $("#LogEmail").val();
        let pass = $("#LogPassword").val();

        let nizGreske = [];

        let regEmail = /^\\w+([\\.-]?\\w+)*@\\w+([\\.-]?\\w+)*\\.\\w{2,3}+$/;
        if(!regEmail.test(email)){
            $("#spanEmail").html("Wrong email format!");
            $("#spanEmail").css('color', 'red');
            nizGreske.push(email);
        }

        let regSifra = /^(?=.*\\d)(?=.*[a-z])[0-9a-zA-Z]{6,}$/;
        if(!regSifra.test(pass)){
            $("#spanPassword").html("Wrong email format!");
            $("#spanPassword").css('color', 'red');
            nizGreske.push(pass);
        }

        if(nizGreske==0){
            $.ajax({
                url: 'models/korisnik/obradaLogovanje.php',
                method: 'POST',
                data: {
                    email: email,
                    pass: pass,
                    btn: true
                },
                success: function(){
                    window.location="index.php";
                },
                error: function(xhr, status, error){
                    console.log(status);
                }
            });
        } else {

        }

    });

});
```

registracija.js

```
$(document).ready(function() {
    $("#btnRegister").click(function(e) {

        e.preventDefault();

        let ime = $("#firstName").val();
        let prezime = $("#LastName").val();
        let email = $("#email").val();
        let password = $("#password").val();
```

```

let nizGreske = [];

let regIme = /^[A-ZČĆŽĐŠ][a-zčćžđš]{2,15}$/;
if(!regIme.test(ime)){
    $("#spanFirstName").html("Wrong name format!");
    $("#spanFirstName").css('color', 'red');
    nizGreske.push(ime);
}

let regPrezime = /^[A-ZČĆŽĐŠ][a-zčćžđš]{2,15}$/;
if(!regPrezime.test(prezime)){
    $("#spanLastName").html("Wrong lastname format!");
    $("#spanLastName").css('color', 'red');
    nizGreske.push(prezime);
}

let regEmail = /^\\w+([\\.-]?\\w+)*@\\w+([\\.-]?\\w+)*\\.\\w{2,3}+$/;
if(!regEmail.test(email)){
    $("#spanEmail").html("Wrong email format!");
    $("#spanEmail").css('color', 'red');
    nizGreske.push(email);
}

let regSifra = /^(?=.*\\d)(?=.*[a-z])[0-9a-zA-Z]{6,}$/;
if(!regSifra.test(password)){
    $("#spanPassword").html("Wrong password format!");
    $("#spanPassword").css('color', 'red');
    nizGreske.push(password);
}

if(nizGreske==0){
    $.ajax({
        url: 'models/korisnik/obradaRegistracije.php',
        method: 'POST',
        data: {
            ime: ime,
            prezime: prezime,
            email: email,
            pass: password,
            btn: true
        },
        success: function(){
            alert('Uspesno ste se registrovali!');
            window.location='index.php?page=logovanje';
        },
        error: function(xhr, status, error){
            if(xhr.status == 400){ alert ("Vec postoji korisnik sa tim email-om!");}
        }
    });
} else {
}

});
});

```

paginacija.js

```

$(document).ready(function(){
    $("body").on("click", ".brojStrana", function(){

        let limit = $(this).data("limit");
        let idKat = $(this).data("id");
    });
});

```

```

$.ajax({
  url: "models/recepti/stranicenje.php",
  method: "GET",
  dataType: "JSON",
  data: {
    limit: limit,
    idKat: idKat,
    btn: true
  },
  success: function (data) {
    console.log(data);

    printRecepte(data.recepti);
    printPaginaciju(data.brojReceptaPoKat, idKat);
  },
  error: function (xhr, status, error) {
    console.log(xhr);
  }
});

});
});

function printRecepte(recepti){
  let html = "";
  for(let recept of recepti) {
    html += `<div class="col-12 col-lg-8 col-xl-9">
      <!-- Single Blog Post -->
      <div class="single-blog-post style-1 d-flex flex-wrap mb-30">
        <!-- Blog Thumbnail -->
        <div class="blog-thumbnail">
          
        </div>
        <!-- Blog Content -->
        <div class="blog-content">
          <a href="index.php?page=recept&id=${recept.id_r}" class="post-tag">The
Best</a>
          <a href="index.php?page=recept&id=${recept.id_r}" class="post-title">${
recept.naziv }</a>
          <div class="post-meta">
            <!--
            <a href="#" class="post-date"><?=$datum?></a> &lt;!&ndash; DATUM
KREIRANJA SREDITI !!! &ndash;&gt;-->
            </div>
            <span class="more"><p>${recept.nacin_pripreme}</p></span>
          </div>
        </div>
      </div>`;
  }
  $("#receptiPoKat").html(html);
}

function prikazRecepta(data){
  let ispis = "";
  for(let x of podaci){
    ispis += `<div class="col-12 col-lg-8 col-xl-9">
      <!-- Single Blog Post -->
      <div class="single-blog-post style-1 d-flex flex-wrap mb-30">
        <!-- Blog Thumbnail -->
        <div class="blog-thumbnail">
          
        </div>
        <!-- Blog Content -->
        <div class="blog-content">
          <a href="index.php?page=recept&id=${x.id_r}" class="post-tag">The Best</a>
          <a href="index.php?page=recept&id=${x.id_r}" class="post-
title">${x.naziv}</a>

```

```

        <div class="post-meta">
<!--
        <a href="#" class="post-date"><?=$datum?></a> &lt;!&ndash; DATUM
KREIRANJA SREDITI !!! &ndash;&gt;-->
        </div>
        <span class="more"><p>${x.nacin_pripreme}</p></span>
        </div>
    </div>
</div>`;
}

$("#receptiPoKat").html(ispis);
readMore();
}

function printPaginaciju(brojReceptaPoKat, idKat){
    let html = "";

    for(let i = 0; i < brojReceptaPoKat; i++){
        html += `<li class="page-item">
                <a data-limit="${ i }" data-id="${ idKat }" class="page-link brojStrana"
href="#">
                    ${ i + 1 }
                </a>
            </li>`;
    }
}

function readMore() {
    let showChar = 250;

    $('.more').each(function() {
        let content = $(this).html();

        if(content.length > showChar) {

            let c = content.substr(0, showChar);

            let html = c + "...";

            $(this).html(html);
        }
    });
}
}

```

ocenjivanje.js

```

$(document).ready(function() {
    $("#btnOcena").click(function() {
        let ocena = $('input[name="rate"]:checked').val();
        let id = $("#hdnId").data("id");

        if(ocena!=null){
            $.ajax({
                url: "models/recepti/ocenjivanjeRecepta.php",
                method: "POST",
                data: {
                    ocena: ocena,
                    id: id,

```



```
        btn: true
    },
    success: function(data) {
        location.reload();
    },
    error: function(xhr, status, error) {
        if(xhr.status == 403) { alert ("Pristup stranici odbijen!"); }
        if(xhr.status == 500) { alert ("Server nije dostupan!"); }
        if(xhr.status == 400) { alert ("Vec ste glasali!"); }
    }
    });
} else {
    // console.log();
}

});
```