

# DOKUMENTACIJA

Web programiranje PHP2

Student:

Marko Nikolić 10/16

Korišćeni programski jezici i mark-up jezici HTML, CSS(bootstrap), JavaScript(jQuerrz, Ajax), PHP, MySQL

Korišćen free template skinut sa <https://w3layouts.com/>

## Opis funkcionalnosti

### Privilegije po ulogama:

Admin – jedini ima pristup admin panelu

Autorizovani korisnici – mogu obaviti kupovinu nakon dodavanja proizvoda u korpu.

Neautorizovani korisnici – mogu da pristupe samo index stranici i stranicama za logovanje i registrovanje. Takođe, mogu da pogledaju proizvode koje žele.

### **Sve stranice:**

Na svim stranicama se nalazi navigacioni meni koji se dinamički učitava iz baze podataka i ispisuje. Navigacioni meni se prikazuje drugačije za autorizovanog korisnika, a drugačije za neautorizovanog. Takođe, adminu se prikazuje drugačiji meni u odnosu na korisnike.

### **admin:**

Samo ulogovani administrator ima pristup ovoj stranici. Sadrži insert, update i delete za delove sajta: korisnici, uloge korisnika, proizvode i brendove.

### index.php:

Na index stranici se nalazi slider, i banner sa kategorijama proizvoda.

### oprema.php:

Klikom na neku od kategorija u padajućem meniju za opremu, odlazi se preko url adrese na stranicu sa selektovanom kategorijom. Na toj stranici se nalaze proizvodi iz koji su dinamičko ispisani iz baze, i prikazuju se 4 proizvoda po stranici(paginacija). Klikom na određeni proizvod, takođe se preko url adrese odlazi do stranice gde su ispisani detalji za selektovan proizvod. Klikom na dugme 'Dodaj u korpu', ajaxom se proizvod dodaje u korpu.

### registracija:

Stranica za registraciju takođe sadrži formu, za registraciju korisnika.(provera unetih podataka se vrši kako na klijentskoj, tako i na serverskoj strani).

### logovanje:

Nakon registracije, korisnik se loguje sa njegovim email nalogom(korisničko ime), i šifrom. Takođe se vrši provera podataka na klijentskoj i serverskoj strani. Logovanjem, u meniju mu se sklanjaju linkovi za logovanje i registraciju, a pojavljuje mu se link za logout i korpa.


## odjava.php

Služi za odjavljivanje korisnika koji je ulogovan.

## korpa.php

U korpi se nalaze proizvodi koje je korisnik ubacio. Na toj stranici se nalazi naziv proizvoda, cena proizvoda, i ukupna cena. Klikom na dugme kupi, odlazi se na stranicu kupovina.php, na kojoj se nalazi forma za popunjavanje – korisnik mora da unese svoje ime i prezime, kao i adresu i broj telefona (svi ovi podaci su regulisani regularnim izrazima na klijentskoj i serverskoj stranici). Klikom na dugme ‘KUPI’, podaci se upisuju u bazu podataka.

## DIZAJN BAZE



# SLIKE SAJTA:

## Admin panel:

SB Admin v2.0

Dodaj - Promeni - Obriši

Korisnici

Uloga korisnika

Proizvodi

Kategorije


Brendovi proizvoda

Korpa


Users Change

ID_K	Ime	Prezime	Email	Uloga	Kontrole
1	Marko	Nikolic	marko@gmail.com	admin	<div>update</div> <div>delete</div>
3	Filip	Petrovic	filip@gmail.com	korisnik	<div>update</div> <div>delete</div>
4	Stefan	Dimitrijevic	stefan@gmail.com	korisnik	<div>update</div> <div>delete</div>
6	Stefan	Akstentijevic	bata@gmail.com	korisnik	<div>update</div> <div>delete</div>
7	Marko	Mutavdzic	mutavdzic@gmail.com	korisnik	<div>update</div> <div>delete</div>
8	Filip	Petrovic	filip.petrovic.pn@gmail.com	korisnik	<div>update</div> <div>delete</div>
9	Mile	Mile	mijuskoalex@gmail.com	admin	<div>update</div> <div>delete</div>
10	Dusan	Srbulovic	dusan@gmail.com	korisnik	<div>update</div> <div>delete</div>
13	Uros	Ristic	urketa@gmail.com	korisnik	<div>update</div> <div>delete</div>
15	Milena	Vesic	milena@gmail.com	korisnik	<div>update</div> <div>delete</div>
16	Dusan	Mitic	dusandusan@gmail.com	korisnik	<div>update</div> <div>delete</div>

index.php



## OPREMA



index.php?page=oprema&kategorija=1



POČETNA

OPREMA

ODJAVI ME

ADMIN PANEL



## Rančevi



**NAZIV**  
Lithium Speed 20 L

POGLEDAJ



**NAZIV**  
Neon Light 12 L

POGLEDAJ



**NAZIV**  
TRAILBLAZER 20

POGLEDAJ



**NAZIV**  
XA 15 SET

POGLEDAJ

1



© Marko Nikolić 2020





## Jakne



**NAZIV**  
Nordwand Pro Hooded

POGLEDAJ



**NAZIV**  
Cambrena Orange

POGLEDAJ



**NAZIV**  
Cambrena Thermo

POGLEDAJ



**NAZIV**  
Stoney

POGLEDAJ





## Štapovi



NAZIV  
Carbon Trekker Poles

POGLEDAJ



NAZIV  
Trekker Walking Poles

POGLEDAJ



NAZIV  
Carbon Walking Poles

POGLEDAJ



NAZIV  
Trekker Walking Poles

POGLEDAJ




index.php?page=korpa


The screenshot displays a web application interface for a shopping cart. The top navigation bar is dark blue with a white logo of a boot and the text "POČETNA", "OPREMA", "ODJAVI ME", and "ADMIN PANEL". A shopping cart icon is also present. Below the navigation bar, a light gray bar contains a link "<< home". The main content area is titled "VAŠA KORPA" and features two items in the cart:

- Carbon Walking Poles** by Karimor, priced at **Din. 2190**. The item image shows two crossed walking poles.
- TRAILBLAZER 20** by Salomon, priced at **Din. 8990**. The item image shows a yellow backpack.


To the right of the items, a section titled "Detalji korpe" shows the **Ukupno** (Total) as **11180 Din** and a **KUPI** (Buy) button. The background of the page is a scenic image of two hikers with backpacks walking on a mountain trail. The footer is light blue with the same boot logo and the copyright notice "© Marko Nikolić 2020".

index.php?page=proizvod&id



[POČETNA](#) [OPREMA](#) [ODJAVI ME](#) [ADMIN PANEL](#) 

POČETNA




**NEON LIGHT 12 L**  
**10990 Din**  
[DODAJ U KORPU](#)

Kategorija: Rančevi

Brend: Mammut


Opis


"Ultra-lightweight and extremely compressible – its short, slim body and integrated gear loops make it ideal for rock or ice climbing. " "



© Marko Nikolić 2020

index.php?page=registracija



 [POČETNA](#) [OPREMA](#) [REGISTRACIJA](#) [PRIJAVI SE](#)

### NAPRAVITE NALOG

Ime


Prezime

Email


Šifra(najmanje 6 karaktera, obavezan broj)


[REGISTRUJ SE](#)

Imate nalog? [Ulogujte se ovde](#)

 © Marko Nikolić 2020

index.php?page=logovanje





POČETNA   OPREMA   REGISTRACIJA   PRIJAVI SE


### PRIJAVI SE

Email

Šifra


[ULOGUJTE SE](#)


Niste se registrovali? [Registrujte se ovde](#)




© Marko Nikolić 2020


index.php?page=kupovina





[POČETNA](#) [OPREMA](#) [ODJAVI ME](#) [ADMIN PANEL](#) 

### Popunite podatke za kupovinu

 © Marko Nikolić 2020

## Admin panel: kodovi – PHP

### admin/pages/index.php

```
<?php session_start(); ?>

<?php include "../../config/connection.php"; ?>
<?php include "../views/admin-head.php"; ?>
<?php include "../views/admin-nav.php"; ?>

<?php if(isset($_SESSION['korisnik']) && ($_SESSION['korisnik']->id_u==1)): ?>

    <div id="page-wrapper">
        <?php if(isset($_GET['page'])) {
            $page=$_GET['page'];
            switch($page){
                case 'insertProizvod':
                    include "../views/admin-insert-proizvod.php";
                    break;
                case 'insertKorisnik':
                    include "../views/admin-insert-korisnik.php";
                    break;
                case 'ulogaKorisnika':
                    include "../views/admin-insert-korisnikUloga.php";
                    break;
                case 'insertKategorija':
                    include "../views/admin-insert-kategorija.php";
                    break;
                case 'insertBrendProizvoda':
                    include "../views/admin-insert-proizvodBrend.php";
                    break;
                case 'korpa':
                    include "../views/admin-korpa.php";
                    break;
                default :
                    include "../views/admin-insert-proizvod.php";
                    break;
            }
        } else {
            include "../views/admin-insert-proizvod.php";
        } ?>
    </div>
    <!-- /#page-wrapper -->

</div>
<!-- /#wrapper -->

<!-- jQuery -->
<script src="../../vendor/jquery/jquery.min.js"></script>

<!-- Bootstrap Core JavaScript -->
<script src="../../vendor/bootstrap/js/bootstrap.min.js"></script>

<!-- Metis Menu Plugin JavaScript -->
<script src="../../vendor/metisMenu/metisMenu.min.js"></script>

<!-- Morris Charts JavaScript -->
<script src="../../vendor/raphael/raphael.min.js"></script>
<script src="../../vendor/morrisjs/morris.min.js"></script>
<script src="../../data/morris-data.js"></script>
```



```

    <!-- Custom Theme JavaScript -->
    <script src="../../../dist/js/sb-admin-2.js"></script>
    <script src="../../../js/jscript.js"></script>

</body>

</html>
<?php else: http_response_code(404); ?>
<?php endif;?>

<?php session_start(); ?>

<?php include "../../../config/connection.php"; ?>
<?php include "../../../views/admin-head.php"; ?>
<?php include "../../../views/admin-nav.php"; ?>

<?php if(isset($_SESSION['korisnik']) && ($_SESSION['korisnik']->id_u==1)): ?>

    <div id="page-wrapper">
        <?php if(isset($_GET['page'])) {
            $page=$_GET['page'];
            switch($page){
                case 'insertProizvod':
                    include "../../../views/admin-insert-proizvod.php";
                    break;
                case 'insertKorisnik':
                    include "../../../views/admin-insert-korisnik.php";
                    break;
                case 'ulogaKorisnika':
                    include "../../../views/admin-insert-korisnikUloga.php";
                    break;
                case 'insertKategorija':
                    include "../../../views/admin-insert-kategorija.php";
                    break;
                case 'insertBrendProizvoda':
                    include "../../../views/admin-insert-proizvodBrend.php";
                    break;
                case 'korpa':
                    include "../../../views/admin-korpa.php";
                    break;
                default :
                    include "../../../views/admin-insert-proizvod.php";
                    break;
            }
        } else {
            include "../../../views/admin-insert-proizvod.php";
        }?>
    </div>
    <!-- /#page-wrapper -->

</div>
<!-- /#wrapper -->

<!-- jQuery -->
<script src="../../../vendor/jquery/jquery.min.js"></script>

<!-- Bootstrap Core JavaScript -->
<script src="../../../vendor/bootstrap/js/bootstrap.min.js"></script>

<!-- Metis Menu Plugin JavaScript -->
<script src="../../../vendor/metisMenu/metisMenu.min.js"></script>

```

```

<!-- Morris Charts JavaScript -->
<script src="../../vendor/raphael/raphael.min.js"></script>
<script src="../../vendor/morrisjs/morris.min.js"></script>
<script src="../../data/morris-data.js"></script>

<!-- Custom Theme JavaScript -->
<script src="../../dist/js/sb-admin-2.js"></script>
<script src="../../js/jscript.js"></script>

</body>

</html>
<?php else: http_response_code(404); ?>
<?php endif;?>

```

## admin/views/admin-head.php

```

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>SB Admin 2 - Bootstrap Admin Theme</title>

    <!-- Bootstrap Core CSS -->
    <link href="../../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">

    <!-- MetisMenu CSS -->
    <link href="../../vendor/metisMenu/metisMenu.min.css" rel="stylesheet">

    <!-- Custom CSS -->
    <link href="../../dist/css/sb-admin-2.css" rel="stylesheet">

    <!-- Morris Charts CSS -->
    <link href="../../vendor/morrisjs/morris.css" rel="stylesheet">

    <!-- Custom Fonts -->
    <link href="../../vendor/font-awesome/css/font-awesome.min.css" rel="stylesheet"
type="text/css">

    <!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media queries -->
    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
    <!--[if lt IE 9]>
        <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
        <script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
    <![endif]-->

</head>

<body>
<div id="wrapper">

```

## admin/views/insert-kategorija.php

```
<?php
$upit = "SELECT * FROM kategorija";
$katgorije = $conn->query($upit)->fetchAll();

?>

<div class="row">
    <div class="col-lg-12">
        <h1 class="page-header">Categories Change</h1>
    </div>
    <!-- /.col-lg-12 -->
</div>
<!-- /.row -->
<div class="row">
    <div class="col-lg-12">
        <div class="panel panel-default">
            <div class="panel-heading">
                Kategorije
            </div>
            <div class="panel-body">
                <table width="100%" class="table table-striped table-bordered table-
hover" id="dataTables-example">
                    <thead>
                        <tr>
                            <th>ID_KA</th>
                            <th>Naziv</th>
                            <th>Kontrola</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php foreach($katgorije as $kategorija): ?>
                            <tr class="odd gradeX">
                                <td class="center"><?= $kategorija->id_ka;?></td>
                                <td class="center"><?= $kategorija-
>naziv_kategorija;?></td>
                                <td><input class="btn btn-danger btn-md
obrisiKategorija" data-id="<?= $kategorija->id_ka;?>" type="button" value="delete"/></td>
                            </tr>
                        <?php endforeach; ?>
                    </tbody>
                </table>
            </div>
        </div>
        <div id="ispisiOvde" class="row">
            <div class="col-lg-12">
                <h1 id="naslovForma">Dodaj novu kategoriju</h1>
                <form id="forma" role="form">
                    <div class="form-group">
                        <label>Naziv</label>
                        <input type="text" id="tbNazivKat" class="form-
control" placeholder="Unesite naziv kategorije">
                    </div>
                    <div class="form-group">
                        <input type="button" id="kategorijaInsert"
class="btn btn-primary btn-md" value="INSERT">
                    </div>
                    <label id="insertKategorija"> </label>
                </form>
            </div>
        </div>
    </div>
</div>
```

```

        </form>
        <!-- /.col-lg-6 (nested) -->
    </div>
    <!-- /.row (nested) -->
</div>
<!-- /.panel-body -->
</div>
<!-- /.panel -->
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->

```

## admin/views/admin-insert-korisnik.php

```

<?php

$upit = "SELECT * FROM korisnik k INNER JOIN uloga u ON k.id_u=u.id_u";
$korisnici = $conn->query($upit)->fetchAll();

?>

<div class="row">
    <div class="col-lg-12">
        <h1 class="page-header">Users Change</h1>
    </div>
    <!-- /.col-lg-12 -->
</div>
<!-- /.row -->
<div class="row">
    <div class="col-lg-12">

        <div class="panel panel-default">
            <div class="panel-heading">
                Korisnici
            </div>
            <div class="panel-body">
                <table width="100%" class="table table-striped table-bordered table-
hover" id="dataTables-example">
                    <thead>
                        <tr>
                            <th>ID_K</th>
                            <th>Ime</th>
                            <th>Prezime</th>
                            <th>Email</th>
                            <th>Uloga</th>
                            <th>Kontrola</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php foreach($korisnici as $korisnik): ?>
                        <?php ?>
                        <tr class="odd gradeX">
                            <td><?= $korisnik->id_k;?></td>
                            <td><?= $korisnik->ime;?></td>
                            <td><?= $korisnik->prezime;?></td>
                            <td class="center"><?= $korisnik->email;?></td>
                            <td class="center"><?= $korisnik->naziv;?></td>
                            <td><input class="btn btn-primary btn-md
updateKorisnik" data-id="<?= $korisnik->id_k;?>" type="button" value="update"/> &nbsp;

```

```

                                <input class="btn btn-danger btn-md obrisiKorisnik"
data-id="<?= $korisnik->id_k;?>" type="button" value="delete"/></td>
                                </tr>
                                <?php endforeach; ?>
                                </tbody>
                                </table>
                                </div>
                                </div>
                                <div id="ispisForme" class="row">

                                <!-- /.col-lg-6 (nested) -->
                                </div>
                                <!-- /.row (nested) -->
                                </div>
                                <!-- /.panel-body -->
                                </div>
                                <!-- /.panel -->
                                </div>
                                <!-- /.col-lg-12 -->
                                </div>
                                <!-- /.row -->

```

## admin/views/admin-insert-korisnikUloga.php

```

<?php
    $upit = "SELECT * FROM uloga";
    $uloge = $conn->query($upit)->fetchAll();

?>

<div class="row">
    <div class="col-lg-12">
        <h1 class="page-header">Users Change</h1>
    </div>
    <!-- /.col-lg-12 -->
</div>
<!-- /.row -->
<div class="row">
    <div class="col-lg-12">

        <div class="panel panel-default">
            <div class="panel-heading">
                Uloge korisnika
            </div>
            <div class="panel-body">
                <table width="100%" class="table table-striped table-bordered table-
hover" id="dataTables-example">
                    <thead>
                        <tr>
                            <th>ID_U</th>
                            <th>Uloga</th>
                            <th>Kontrola</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php foreach($uloge as $uloga): ?>
                            <tr class="odd gradeX">
                                <td class="center"><?= $uloga->id_u;?></td>
                                <td class="center"><?= $uloga->naziv;?></td>
                                <td><input class="btn btn-danger btn-md obrisiUlogu"

```

```

data-id="<?= $uloga->id_u;?>" type="button" value="delete"/></td>
</tr>
<?php endforeach; ?>

</tbody>
</table>
</div>
</div>
<div id="ispisiOvde" class="row">
<div class="col-lg-12">
<h1 id="naslovForma">Dodaj novu ulogu</h1>
<form id="forma" role="form">
<div class="form-group">
<label>Uloga</label>
<input type="text" id="tbUloga" class="form-
control" placeholder="Naziv nove uloge">
</div>
<div class="form-group">
<input type="button" id="insertUloga" class="btn
btn-primary btn-md" value="INSERT">
</div>
<label id="ispisUloga"> </label>

</form>
<!-- /.col-lg-6 (nested) -->
</div>
<!-- /.row (nested) -->
</div>
<!-- /.panel-body -->
</div>
<!-- /.panel -->
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->

```

## admin/views/admin-insert-proizvod.php

```

<?php

$upitProizvod = "SELECT * FROM proizvodi p INNER JOIN brend b ON p.id_b=b.id_b INNER JOIN
kategorija k ON p.id_ka=k.id_ka";
$proizvodi = $conn->query($upitProizvod)->fetchAll();

$upitBrend = "SELECT * FROM brend";
$brend = $conn->query($upitBrend)->fetchAll();

$upitKategorija = "SELECT * FROM kategorija";
$kategorije = $conn->query($upitKategorija)->fetchAll();

?>

<div class="row">
<div class="col-lg-12">
<h1 class="page-header">Product Change</h1>
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->
<div class="row">
<div class="col-lg-12">

```

```

        <div class="panel panel-default">
            <div class="panel-heading">
                Proizvodi
            </div>
            <div class="panel-body">
                <table width="100%" class="table table-striped table-bordered table-
hover" id="dataTables-example">
                    <thead>
                        <tr>
                            <th>ID_P</th>
                            <th>Naziv</th>
                            <th>Slika</th>
                            <th>ID_B</th>
                            <th>Brend</th>
                            <th>Cena</th>
                            <th>Opis</th>
                            <th>ID_K</th>
                            <th>Kategorija</th>
                            <th>Kontrola</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php foreach($proizvodi as $proizvod): ?>
                            <tr class="odd gradeX">
                                <td><?=$proizvod->id_p;?></td>
                                <td><?=$proizvod->naziv;?></td>
                                <td class="center">alt;?>" /></td>
                                <td class="center"><?=$proizvod->id_b;?></td>
                                <td class="center"><?=$proizvod->naziv_brend;?></td>
                                <td class="center"><?=$proizvod->cena;?></td>
                                <td class="center"><?=$proizvod->opis;?></td>
                                <td class="center"><?=$proizvod->id_ka;?></td>
                                <td class="center"><?=$proizvod->
>naziv_kategorija;?></td>
                                <td><input class="btn btn-primary btn-md
updateProizvod" data-id="<?=$proizvod->id_p;?>" type="button" value="update"/> &nbsp;
                                <input class="btn btn-danger btn-md obrisiProizvod"
data-id="<?=$proizvod->id_p;?>" type="button" value="delete"/></td>
                            </tr>
                        <?php endforeach; ?>
                    </tbody>
                </table>
            </div>
        </div>
        <div class="row">
            <div class="col-lg-12">
                <h1 id="naslov">Dodaj novi proizvod</h1>
                <form id="noviProizvod" method="POST"
action="../../../php/admin-insertProizvod.php" role="form" enctype="multipart/form-data">
                    <div class="form-group">
                        <label>Naziv</label>
                        <input type="text" name="tbNaziv" id="tbNaziv"
class="form-control" placeholder="Unesite naziv proizvoda" required>
                    </div>
                    <div class="form-group">
                        <label>Cena</label>
                        <input type="text" name="tbCena" id="tbCena"
class="form-control" placeholder="Unesite cenu proizvoda" required>
                    </div>
                    <div class="form-group">

```

```

        <label>Slika</label>
        <input type="file" name="fajlSlika"
id="fajlSlika" class="form-control" placeholder="Unesite naziv slike" required>
    </div>
    <div class="form-group">
        <label>Alt slike</label>
        <input type="text" name="slikaAlt" id="slikaAlt"
class="form-control" placeholder="Unesite alt slike" required>
    </div>
    <div class="form-group">
        <label>Opis proizvoda</label>
        <textarea placeholder="" name="txtOpis"
id="txtOpis" class="form-control" required>
    </div>
    <div class="form-group">
        <label>Brend </label>
        <select name="ddlBrend" id="ddlBrend"
class="form-control">
            <option value="0">Izaberite</option>
            <?php foreach($brend as $b): ?>
                <option value="<?=$b->id_b;?>"><?=$b->
>naziv_brend;?></option>
            <?php endforeach; ?>
        </select>
    </div>
    <div class="form-group">
        <label>Kategorija </label>
        <select name="ddlKategorija" id="ddlKategorija"
class="form-control">
            <option value="0">Izaberite</option>
            <?php foreach($kategorije as $kategorija): ?>
                <option value="<?=$kategorija->
id_ka;?>"><?=$kategorija->naziv_kategorija;?></option>
            <?php endforeach; ?>
        </select>
    </div>

    <div class="form-group">
        <input type="submit" name="insertProizvod"
id="insertProizvod" class="btn btn-primary btn-md" value="INSERT">
    </div>
    <label id="ispisProizvoda"> </label>

    </form>
</div>

<!-- /.col-lg-6 (nested) -->
</div>
<!-- /.row (nested) -->
</div>
<!-- /.panel-body -->
</div>
<!-- /.panel -->
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->

```



## admin/views/admin-insert-proizvodBrend.php

```
<?php
$upit = "SELECT * FROM brend";
$brend = $conn->query($upit)->fetchAll();

?>

<div class="row">
    <div class="col-lg-12">
        <h1 class="page-header">Brand Change</h1>
    </div>
    <!-- /.col-lg-12 -->
</div>
<!-- /.row -->
<div class="row">
    <div class="col-lg-12">

        <div class="panel panel-default">
            <div class="panel-heading">
                Brend
            </div>
            <div class="panel-body">
                <table width="100%" class="table table-striped table-bordered table-
hover" id="dataTables-example">
                    <thead>
                        <tr>
                            <th>ID_B</th>
                            <th>Naziv</th>
                            <th>Kontrola</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php foreach($brend as $b): ?>
                            <tr class="odd gradeX">
                                <td class="center"><?= $b->id_b;?></td>
                                <td class="center"><?= $b->naziv_brend;?></td>
                                <td><input class="btn btn-danger btn-md obrisiBrend"
data-id="<?= $b->id_b;?>" type="button" value="delete"/></td>
                            </tr>
                        <?php endforeach; ?>
                    </tbody>
                </table>
            </div>
        </div>
        <div id="ispisiOvde" class="row">
            <div class="col-lg-12">
                <h1 id="naslovForma">Dodaj novi brend</h1>
                <form id="forma" role="form">
                    <div class="form-group">
                        <label>Naziv</label>
                        <input type="text" id="tNaziv" class="form-
control" placeholder="Unesite naziv brenda">
                    </div>
                    <div class="form-group">
                        <input type="button" id="brendInsert" class="btn
btn-primary btn-md" value="INSERT">
                    </div>
                    <label id="insertBrend"> </label>
                </form>
            </div>
        </div>
    </div>
</div>
```

```

        </form>
        <!-- /.col-lg-6 (nested) -->
    </div>
    <!-- /.row (nested) -->
</div>
<!-- /.panel-body -->
</div>
<!-- /.panel -->
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->

```

## admin/views/admin-korpa.php

```

<?php
    $upit = "SELECT ko.ime, ko.prezime, ko.adresa, ko.telefon, p.naziv, ko.cena, ko.vreme
FROM korisnik k INNER JOIN korpa ko ON k.id_k=ko.id_k INNER JOIN proizvodi p ON
ko.id_p=p.id_p";
    $korpa = $conn->query($upit)->fetchAll();
?>

<div class="row">
    <div class="col-lg-12">
        <h1 class="page-header">All orders</h1>
    </div>
    <!-- /.col-lg-12 -->
</div>
<!-- /.row -->
<div class="row">
    <div class="col-lg-12">

        <div class="panel panel-default">
            <div class="panel-heading">
                Korpa
            </div>
            <div class="panel-body">
                <table width="100%" class="table table-striped table-bordered table-
hover" id="dataTables-example">
                    <thead>
                        <tr>
                            <th>Ime</th>
                            <th>Prezime</th>
                            <th>Adresa</th>
                            <th>Broj telefona</th>
                            <th>Naziv proizvoda</th>
                            <th>Cena</th>
                            <th>Datum kupovine</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php foreach($korpa as $jednaKupovina): ?>
                            <?php $vremeKupovine=date("d-m-Y h:i:s",$jednaKupovina-
>vreme); ?>

                            <tr class="odd gradeX">
                                <td><?= $jednaKupovina->ime;?></td>
                                <td><?= $jednaKupovina->prezime;?></td>

```

```

        <td><?= $jednaKupovina->adresa;?></td>
        <td class="center"><?= $jednaKupovina->
>telefon;?></td>

        <td class="center"><?= $jednaKupovina->naziv;?></td>
        <td class="center"><?= $jednaKupovina->cena;?></td>
        <td class="center"><?= $vremeKupovine;?></td>
    </tr>
    <?php endforeach; ?>

    </tbody>
</table>
</div>
</div>
<div id="ispis" class="row">

    <!-- /.col-lg-6 (nested) -->
</div>
<!-- /.row (nested) -->
</div>
<!-- /.panel-body -->
</div>
<!-- /.panel -->
</div>
<!-- /.col-lg-12 -->
</div>
<!-- /.row -->

```

## admin/views/admin-nav.php

```

<!-- Navigation -->
<nav class="navbar navbar-default navbar-static-top" role="navigation" style="margin-bottom:
0">
    <div class="navbar-header">
        <button type="button" class="navbar-toggle" data-toggle="collapse" data-
target=".navbar-collapse">
            <span class="sr-only">Toggle navigation</span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
        </button>
        <a class="navbar-brand" href="index.html">SB Admin v2.0</a>
    </div>
    <!-- /.navbar-header -->

    <ul class="nav navbar-top-links navbar-right">

        <!-- /.dropdown -->
        <li class="dropdown">
            <a class="dropdown-toggle" data-toggle="dropdown" href="#">
                <i class="fa fa-user fa-fw"></i> <i class="fa fa-caret-down"></i>
            </a>
            <ul class="dropdown-menu dropdown-user">
                <li><a href="../../../models/odjava.php"><i class="fa fa-sign-out fa-
fw"></i> Logout</a>
            </li>
            </ul>
        </li>
    </ul>

```

```

        <!-- /.dropdown-user -->
    </li>
    <!-- /.dropdown -->
</ul>
<!-- /.navbar-top-links -->

<div class="navbar-default sidebar" role="navigation">
    <div class="sidebar-nav navbar-collapse">

        <ul class="nav" id="side-menu">
            <p>Dodaj - Promeni - Obriši</p>
            <li>
                <a href="index.php?page=insertKorisnik"><i class="fa fa-edit fa-fw"></i> Korisnici</a>
            </li>
            <li>
                <a href="index.php?page=ulogaKorisnika"><i class="fa fa-edit fa-fw"></i> Uloga korisnika</a>
            </li>
            <li>
                <a href="index.php?page=insertProizvod"><i class="fa fa-edit fa-fw"></i> Proizvodi</a>
            </li>
            <li>
                <a href="index.php?page=insertKategorija"><i class="fa fa-edit fa-fw"></i> Kategorije</a>
            </li>
            <li>
                <a href="index.php?page=insertBrendProizvoda"><i class="fa fa-edit fa-fw"></i> Brendovi proizvoda</a>
            </li>
            <li>
                <a href="index.php?page=korpa"><i class="fa fa-shopping-cart fa-fw"></i> Korpa</a>
            </li>

        </ul>
    </div>
    <!-- /.sidebar-collapse -->
</div>
<!-- /.navbar-static-side -->
</nav>

```

## admin/php/admin-insertBrend.php

```

<?php

include "../../config/connection.php";
if(isset($_POST['btnInsertBrend'])) {
    $naziv = $_POST['naziv'];
    $insertBrend = "INSERT INTO brend SET id_b=null, naziv_brend='$naziv'";

    try{
        $conn->query($insertBrend);
        $upit = "SELECT * FROM brend";
        $brend=$conn->query($upit)->fetchAll();
    }
}

```

```

        $ispis='<thead>
        <tr>
            <th>ID_B</th>
            <th>Naziv</th>
            <th>Kontrola</th>
        </tr>
    </thead>
    <tbody>';
    foreach($brend as $b){
        $ispis.='<tr class="odd gradeX">
            <td class="center">'. $b->id_b.'</td>
            <td class="center">'. $b->naziv_brend.'</td>
            <td><input class="btn btn-danger btn-md obrisiBrend" data-id="'. $b->id_b.'"
type="button" value="delete"/></td>
        </tr>';
    }

    $ispis.= '</tbody>';
    echo $ispis;
} catch(PDOException $e){
    echo $e->getMesagge();
}

if(isset($_POST['btnObrisiBrend'])){
    $idB=$_POST['idB'];
    $obrisiBrend = "DELETE FROM brend WHERE id_b='$idB'";

    try{
        $conn->query($obrisiBrend);
        $upit = "SELECT * FROM brend";
        $brend=$conn->query($upit)->fetchAll();
        $ispis='<thead>
        <tr>
            <th>ID_B</th>
            <th>Naziv</th>
            <th>Kontrola</th>
        </tr>
    </thead>
    <tbody>';
        foreach($brend as $b){
            $ispis.='<tr class="odd gradeX">
                <td class="center">'. $b->id_b.'</td>
                <td class="center">'. $b->naziv_brend.'</td>
                <td><input class="btn btn-danger btn-md obrisiBrend" data-id="'. $b->id_b.'"
type="button" value="delete"/></td>
            </tr>';
        }
        $ispis.= '</tbody>';
        echo $ispis;
    } catch(PDOException $e){
        echo $e->getMesagge();
    }
}
?>

```

## admin/php/admin-insertKategorija.php

```
<?php

include "../../config/connection.php";
if(isset($_POST['btnInsertKategorija'])){
    $naziv = $_POST['naziv'];
    $insertKategoriju = "INSERT INTO kategorija SET id_ka=null,
    naziv_kategorija='$naziv'";

    try{
        $conn->query($insertKategoriju);
        $upit = "SELECT * FROM kategorija";
        $kategorije=$conn->query($upit)->fetchAll();

        $ispis='<thead>
        <tr>
            <th>ID_KA</th>
            <th>Naziv</th>
            <th>Kontrola</th>
        </tr>
        </thead>
        <tbody>';
        foreach($kategorije as $kategorija){
            $ispis.='<tr class="odd gradeX">
            <td class="center">' . $kategorija->id_ka . '</td>
            <td class="center">' . $kategorija->naziv_kategorija . '</td>
            <td><input class="btn btn-danger btn-md obrisiKategorija" data-id="' . $kategorija->id_ka . '" type="button" value="delete"/></td>
            </tr>';
        }

        $ispis .= '</tbody>';
        echo $ispis;
    } catch(PDOException $e){
        echo $e->getMessage();
    }
}

if(isset($_POST['btnObrisiKategoriju'])){
    $idKa = $_POST['idKa'];
    $obrisiKategoriju = "DELETE FROM kategorija WHERE id_ka='$idKa'";

    try{
        $conn->query($obrisiKategoriju);
        $upit = "SELECT * FROM kategorija";
        $kategorije = $conn->query($upit)->fetchAll();

        $ispis='<thead>
        <tr>
            <th>ID_KA</th>
            <th>Naziv</th>
            <th>Kontrola</th>
        </tr>
        </thead>
        <tbody>';
        foreach($kategorije as $kategorija){
            $ispis.='<tr class="odd gradeX">
            <td class="center">' . $kategorija->id_ka . '</td>
            <td class="center">' . $kategorija->naziv_kategorija . '</td>
            <td><input class="btn btn-danger btn-md obrisiKategorija" data-id="' . $kategorija->id_ka . '" type="button" value="delete"/></td>
```



```

    }
}

$ispis.='</select>
</div>
<div class="form-group">
    <input type="button" data-id="'. $korisnik->id_k.'"
id="updateKorisnik1" class="btn btn-primary btn-md" value="UPDATE">
</div>
<label id="meni-insert-result"> </label>
</form>
</div>';

echo $ispis;
}

if(isset($_POST['btnUpdate'])){

    $idK = $_POST['idK'];
    $ime = $_POST['ime'];
    $prezime = $_POST['prezime'];
    $email = $_POST['email'];
    $uloga = $_POST['uloga'];

    $upitUpdate = "UPDATE korisnik SET ime=:ime, prezime=:prezime, email=:email,
id_u=:uloga WHERE id_k=:idK";
    $priprema = $conn->prepare($upitUpdate);
    $priprema->bindParam(":ime", $ime);
    $priprema->bindParam(":prezime", $prezime);
    $priprema->bindParam(":email", $email);
    $priprema->bindParam(":uloga", $uloga);
    $priprema->bindParam(":idK", $idK);

    if($priprema->execute()){
        $upit = "SELECT * FROM korisnik k INNER JOIN uloga u ON k.id_u=u.id_u";
        $korisnici = $conn->query($upit)->fetchAll();

        $ispis='<thead>
<tr>
    <th>ID_K</th>
    <th>Ime</th>
    <th>Prezime</th>
    <th>Email</th>
    <th>Uloga</th>
</tr>
</thead>
<tbody>';
        foreach($korisnici as $korisnik){
            $ispis.=
            '<tr class="odd gradeX">
                <td>'. $korisnik->id_k.'</td>
                <td>'. $korisnik->ime.'</td>
                <td>'. $korisnik->prezime.'</td>
                <td class="center">'. $korisnik->email.'</td>
                <td class="center">'. $korisnik->naziv.'</td>
                <td><input class="btn btn-primary btn-md updateKorisnik" data-id="'.
$korisnik->id_k.'" type="button" value="update"/> &nbsp;';

```



```

        <input class="btn btn-danger btn-md obrisiKorisnik" data-id="'. $korisnik-
>id_k.'" type="button" value="delete"/></td>
    </tr>';
}

$ispis .= '</tbody>';
echo $ispis;
} else {
    echo "Baza trenutno nije dostupna";
}

}

if(isset($_POST['btnObrisi'])) {
    $idK = $_POST['idK'];
    $upitObrisi = "DELETE FROM korisnik WHERE id_k=:idK";
    $priprema = $conn->prepare($upitObrisi);
    $priprema->bindParam(":idK", $idK);

    if($priprema->execute()) {
        $upit = "SELECT * FROM korisnik k INNER JOIN uloga u ON k.id_u=u.id_u";
        $korisnici = $conn->query($upit)->fetchAll();

        $ispis='<thead>
        <tr>
        <th>ID_K</th>
        <th>Ime</th>
        <th>Prezime</th>
        <th>Email</th>
        <th>Uloga</th>
        </tr>
        </thead>
        <tbody>';
        foreach($korisnici as $korisnik) {
            $ispis.=
            '<tr class="odd gradeX">
            <td>'. $korisnik->id_k.'</td>
            <td>'. $korisnik->ime.'</td>
            <td>'. $korisnik->prezime.'</td>
            <td class="center">'. $korisnik->email.'</td>
            <td class="center">'. $korisnik->naziv.'</td>
            <td><input class="btn btn-primary btn-md updateKorisnik" data-id="'.
$korisnik->id_k.'" type="button" value="update"/> &nbsp;
            <input class="btn btn-danger btn-md obrisiKorisnik" data-id="'. $korisnik-
>id_k.'" type="button" value="delete"/></td>
            </tr>';
        }

        $ispis .= '</tbody>';
        echo $ispis;
    } else {
        echo "Baza trenutno nije dostupna";
    }
}

?>

```

## admin/php/admin-insertProizvod.php

```
<?php
include "../config/connection.php";

if(isset($_POST['insertProizvod'])){
    $naziv = $_POST['tbNaziv'];
    $cena = $_POST['tbCena'];
    $slika = $_FILES['fajlSlika'];
    $slikaAlt = $_POST['slikaAlt'];
    $brend = $_POST['ddlBrend'];
    $kategorija = $_POST['ddlKategorija'];
    $opis = $_POST['txtOpis'];

    $imeSlike = $slika['name'];
    $tmpImeSlike = $slika['tmp_name'];

    $postojanoImeSlike=time().$imeSlike;
    if(move_uploaded_file($tmpImeSlike,"../vendor/images/$postojanoImeSlike")){

        $upitInsert = "INSERT INTO proizvodi SET id_p=null, naziv=:naziv,
putanja=:slikaPutanja, alt=:slikaAlt, cena=:cena, opis=:opis, id_ka=:kategorija,
id_b=:brend";
        $prepare=$conn->prepare($upitInsert);
        $prepare->bindParam(":naziv", $naziv);
        $prepare->bindParam(":slikaPutanja", $postojanoImeSlike);
        $prepare->bindParam(":slikaAlt", $slikaAlt);
        $prepare->bindParam(":cena", $cena);
        $prepare->bindParam(":opis", $opis);
        $prepare->bindParam(":kategorija", $kategorija);
        $prepare->bindParam(":brend", $brend);

        if($prepare->execute()){
            header("Location:../pages/index.php?page=insertProizvod");
        } else {
            echo "Baza trenutno nije dostupna";
        }
    } else {
        http_response_code(422);
    }
}

function UpdateProizvod($x){
    global $conn;
    $upit="SELECT * FROM proizvodi WHERE id_p=$x";
    $proizvod=$conn->query($upit)->fetch();

    $ispis = '<div class="form-group">
<label>Naziv</label>
<input type="text" name="tbNaziv" id="tbNaziv" class="form-control"
value="'. $proizvod->naziv.'" required>
</div>
<div class="form-group">
<label>Cena</label>
<input type="text" name="tbCena" id="tbCena" class="form-control"
value="'. $proizvod->cena.'" required>
</div>
<input type="hidden" name="idProizvod" value="'. $proizvod->id_p.'" />
<div class="form-group">
<label>Slika</label>
<input type="file" name="fajlSlika" id="fajlSlika" class="form-control">
```

```

placeholder="Unesite naziv slike">
    </div>
    <div class="form-group">
    <label>Alt slike</label>
    <input type="text" name="slikaAlt" id="slikaAlt" class="form-control"
value=" ".$proizvod->alt.'" required>
    </div>
    <div class="form-group">
    <label>Opis proizvoda</label>
    <textarea placeholder="" name="txtOpis" id="txtOpis" class="form-control"
required> ".$proizvod->opis.'"
    </textarea>
    </div>
    <div class="form-group">
    <label>Brend </label>
    <select name="ddlBrend" id="ddlBrend" class="form-control">
    <option value="0">Izaberite</option>;
    $upitBrend = "SELECT * FROM brend";
    $brend=$conn->query($upitBrend)->fetchAll();
    foreach($brend as $b){
        if($b->id_b==$proizvod->id_b){
            $ispis .= '<option value=" '.$b->id_b.'" selected> '.$b->
>naziv_brend.'</option>';
        } else {
            $ispis .= '<option value=" '.$b->id_b.'"> '.$b->naziv_brend.'</option>';
        }
    }
    $ispis .= '</select>
    </div>
    <div class="form-group">
    <label>Kategorija </label>
    <select name="ddlKategorija" id="ddlKategorija" class="form-control">
    <option value="0">Izaberite</option>;
    $upitKategorija = "SELECT * FROM kategorija";
    $kategorije=$conn->query($upitKategorija)->fetchAll();
    foreach($kategorije as $kategorija){
        if($kategorija->id_ka==$proizvod->id_ka){
            $ispis.='<option value=" '.$kategorija->id_ka.'" selected> '.$kategorija->
>naziv_kategorija.'</option>';
        } else {
            $ispis.='<option value=" '.$kategorija->id_ka.'"> '.$kategorija->
>naziv_kategorija.'</option>';
        }
    }
    $ispis .= '</select>
    </div><div class="form-group">
    <input type="submit" name="updateProizvod" id="updateProizvod" class="btn btn-primary
btn-md" value="UPDATE">
    </div>
    <label id="ispisProizvoda"> </label>;
    return $ispis;
}

if(isset($_POST['btnUpdateProizvod'])) {
    $idP=$_POST['idP'];
    echo UpdateProizvod($idP);
}

if(isset($_POST['updateProizvod'])) {
    $idP = $_POST['idProizvod'];
    $naziv = $_POST['tbNaziv'];

```

```

$cena = $_POST['tbCena'];
$slikaAlt = $_POST['slikaAlt'];
$opis = $_POST['txtOpis'];
$brend = $_POST['ddlBrend'];
$kategorija = $_POST['ddlKategorija'];

$slika = $_FILES['fajlSlika'];
if(empty($slika['ime'])){
    header("Location:../pages/index.php?page=insertProizvod");
    $upitUpdate = "UPDATE proizvodi SET naziv='$naziv', alt='$slikaAlt',
cena='$cena', opis='$opis', id_ka='$kategorija', id_b='$brend' WHERE id_p=$idP";
    try{
        $conn->query($upitUpdate);
    } catch(PDOException $e){
        echo $e->getMesagge();
    }
}
else {
    $imeSlike = $slika['name'];
    $tmpImeSlike = $slika['tmp_name'];
    $postojanoImeSlike=time().$imeSlike;
    if(move_uploaded_file($tmpImeSlike,"../images/$postojanoImeSlike")){
        $upitUpdate = "UPDATE proizvodi SET naziv='$naziv',
putanja='$postojanoImeSlike', alt='$slikaAlt', cena='$cena', opis='$opis',
id_ka='$kategorija', id_b='$brend' WHERE id_p=$idP";
        try{
            $conn->query($upitUpdate);
            header("Location:../pages/index.php?page=insertProizvod");
        } catch(PDOException $e){
            echo $e->getMesagge();
        }
    }
}
}

if(isset($_POST['btnObrisiProizvod'])){
    $idP=$_POST['idP'];
    $upitObrisi="DELETE FROM proizvodi WHERE id_p=:idP";
    $prepare=$conn->prepare($upitObrisi);
    $prepare->bindParam(":idP", $idP);

    if($prepare->execute()){

        $upit = "SELECT * FROM proizvodi p INNER JOIN brend b ON p.id_b=b.id_b";
        $proizvodi = $conn->query($upit)->fetchAll();
        $ispis = '<thead><tr>
                <th>ID_P</th>
                <th>Naziv</th>
                <th>Slika</th>
                <th>ID_B</th>
                <th>Brend</th>
                <th>Opis</th>
                <th>ID_K</th>
                <th>Kategorija</th>
                <th>Kontrola</th>
            </tr>
        </thead>
        <tbody>';
        foreach($proizvodi as $proizvod){

```

```

        $ispis .= '<tr class="odd gradeX">
        <td>'.$proizvod->id_p.'</td>
        <td>'.$proizvod->naziv.'</td>
        <td class="center">alt.'" /></td>
        <td class="center">'.$proizvod->id_b.'</td>
        <td class="center">'.$proizvod->naziv_brend.'</td>
        <td class="center">'.$proizvod->opis.'</td>
        <td class="center">'.$proizvod->id_ka.'</td>
        <td><input class="btn btn-primary btn-md updateProizvod" data-
id="'.$proizvod->id_p.'" type="button" value="update"/> &nbsp;
        <input class="btn btn-danger btn-md obrisiProizvod" data-id="'.$proizvod-
>id_p.'" type="button" value="delete"/></td>
        </tr>';
    }

    $ispis .= "</tbody>";
    echo $ispis;
} else {
    echo "Baza trenutno nije dostupna";
}

}

?>

```

## admin/php/admin-insertUloga.php

```

<?php
include "../../config/connection.php";

if(isset($_POST['btnInsertUloga'])) {

    $nazivUloge = $_POST['uloga'];

    $upitInsert = "INSERT INTO uloga SET id_u=null, naziv=:naziv";
    $prepare=$conn->prepare($upitInsert);
    $prepare->bindParam(":naziv", $nazivUloge);

    if($prepare->execute()) {
        $upit="SELECT * FROM uloga";
        $uloge = $conn->query($upit)->fetchAll();

        $ispis='<thead>
        <tr>
            <th>ID_U</th>
            <th>Uloga</th>
            <th>Kontrola</th>
        </tr>
        </thead>
        <tbody>';
        foreach($uloge as $uloga) {
            $ispis .= '<tr class="odd gradeX">
                <td class="center">'.$uloga->id_u.'</td>
                <td class="center">'.$uloga->naziv.'</td>
                <td><input class="btn btn-danger btn-md obrisiUlogu" data-
id="'.$uloga->id_u.'" type="button" value="delete"/></td>
            </tr>';
        }
    }
}

```

```

        $ispis .= '</tbody>';
        echo $ispis;

    } else {
        echo "Baza trenutno nije dostupna";
    }
}

if(isset($_POST['btnObrisiUlogu'])) {
    $idU = $_POST['idU'];
    $upitObrisi="DELETE FROM uloga WHERE id_u=:idU";
    $prepare=$conn->prepare($upitObrisi);
    $prepare->bindParam("idU", $idU);

    if($prepare->execute()){
        $upit="SELECT * FROM uloga";
        $uloge=$conn->query($upit)->fetchAll();

        $ispis='<thead>
        <tr>
            <th>ID_U</th>
            <th>Uloga</th>
            <th>Kontrole</th>
        </tr>
        </thead>
        <tbody>';
        foreach($uloge as $uloga) {
            $ispis .= '<tr class="odd gradeX">
                <td class="center">'.$uloga->id_u.'</td>
                <td class="center">'.$uloga->naziv.'</td>
                <td><input class="btn btn-danger btn-md obrisiUlogu" data-
id="'.$uloga->id_u.'" type="button" value="delete"/></td>
            </tr>';
        }

        $ispis .= '</tbody>';
        echo $ispis;
    } else {
        echo "Baza trenutno nije dostupna";
    }
}

?>

```

## Admin panel: Kodovi – JavaScript

### admin/js/jscript.js

```
$(document).ready(function() {
    //alert();
});

function updateKorisnikForma() {
    $(".updateKorisnik").on("click", function() {
        let idK = $(this).data("id");
        $.ajax({
            url: "../php/admin-insertKorisnik.php",
            method: "POST",
            data: {
                idK: idK,
                btnForma: true
            },
            success: function(data) {
                $("#ispisForme").html(data);
                updateKorisnik();
            },
            error: function(xhr, status, error) {
                console.log(xhr.status);
            }
        });
    });
}
updateKorisnikForma();

function updateKorisnik() {
    $("#updateKorisnik1").click(function() {
        let idK = $(this).data("id");
        let ime = $("#tbIme").val();
        let prezime = $("#tbPrezime").val();
        let email = $("#tbEmail").val();
        let uloga = $("#uloga").val();

        $.ajax({
            url: "../php/admin-insertKorisnik.php",
            method: "POST",
            data: {
                idK: idK,
                ime: ime,
                prezime: prezime,
                email: email,
                uloga: uloga,
                btnUpdate: true
            },
            success: function(data) {
                $("#ispisForme").html(" ");
                $("#dataTables-example").html(data);
                obrisiKorisnika();
                updateKorisnikForma();
            },
            error: function(xhr, status, error) {
                console.log(xhr.status);
            }
        });
    });
}
```

```

function obrisiKorisnika() {
    $(".obrisiKorisnik").on("click", function() {
        let idK = $(this).data("id");
        $.ajax({
            url: "../php/admin-insertKorisnik.php",
            method: "POST",
            data: {
                idK: idK,
                btnObrisi: true
            },
            success: function(data) {
                $("#dataTables-example").html(data);
                obrisiKorisnika();
                updateKorisnikForma();
            },
            error: function(xhr, status, error) {
                console.log(xhr.status);
            }
        });
    });
}
obrisiKorisnika();

function insertUloga() {
    $("#insertUloga").on("click", function() {
        let naziv = $("#tbUloga").val();

        $.ajax({
            url: "../php/admin-insertUloga.php",
            method: "POST",
            data: {
                uloga: naziv,
                btnInsertUloga: true
            },
            success: function(data) {
                $("#tbUloga").val(" ");
                $("#ispisUloga").html("Dodali ste novu ulogu!");
                $("#dataTables-example").html(data);
                obrisiUlogu();
            },
            error: function(xhr, status, error) {
                console.log(xhr.status);
            }
        });
    });
}
insertUloga();

function obrisiUlogu() {
    $(".obrisiUlogu").on("click", function() {
        let idU = $(this).data("id");

        $.ajax({
            url: "../php/admin-insertUloga.php",
            method: "POST",
            data: {
                idU: idU,
                btnObrisiUlogu: true
            },
            success: function(data) {
                $("#dataTables-example").html(data);
                obrisiUlogu();
            },

```



```

        error: function(xhr, status, error) {
            console.log(xhr.status);
        }
    });
});
}
obrisiUlogu();

function updateProizvod() {
    $("#updateProizvod").on("click", function() {
        let idP = $(this).data("id");

        $.ajax({
            url: "../php/admin-insertProizvod.php",
            method: "POST",
            data: {
                idP: idP,
                btnUpdateProizvod: true
            },
            success: function(data) {
                $("#noviProizvod").html(data);
                $("#naslov").html("Update");
            },
            error: function(xhr, status, error) {
                console.log(xhr.status);
            }
        });
    });
}
updateProizvod();

function obrisiProizvod() {
    $("#obrisiProizvod").on("click", function() {
        let idP = $(this).data("id");

        $.ajax({
            url: "../php/admin-insertProizvod.php",
            method: "POST",
            data: {
                idP: idP,
                btnObrisiProizvod: true
            },
            success: function(data) {
                $("#dataTables-example").html(data);
                obrisiProizvod();
                updateProizvod();
            },
            error: function(xhr, status, error) {
                console.log(xhr.status);
            }
        });
    });
}
obrisiProizvod();

function insertBrend() {
    $("#brendInsert").on("click", function() {
        let naziv = $("#tNaziv").val();

        $.ajax({
            url: "../php/admin-insertBrend.php",
            method: "POST",
            data: {
                naziv: naziv,

```

```

        btnInsertBrend: true
    },
    success: function(data) {
        $("#tNaziv").val(" ");
        $("#insertBrend").html("Dodali ste novi brend.");
        $("#dataTables-example").html(data);
    },
    error: function(xhr, status, error) {
        console.log(xhr.status);
    }
});
});
}
insertBrend();

function obrisiBrend() {
    $(".obrisiBrend").on("click", function() {
        let idB = $(this).data("id");

        $.ajax({
            url: "../php/admin-insertBrend.php",
            method: "POST",
            data: {
                idB: idB,
                btnObrisiBrend: true
            },
            success: function(data) {
                $("#dataTables-example").html(data);
                obrisiBrend();
            },
            error: function(xhr, status, error) {
                console.log(xhr.status);
            }
        });
    });
}
obrisiBrend();

function insertKategorija() {
    $("#kategorijaInsert").on("click", function() {
        let naziv = $("#tbNazivKat").val();

        $.ajax({
            url: "../php/admin-insertKategorija.php",
            method: "POST",
            data: {
                naziv: naziv,
                btnInsertKategorija: true
            },
            success: function(data) {
                $("#tbNazivKat").val(" ");
                $("#insertKategorija").html("Dodali ste novu kategoriju");
                $("#dataTables-example").html(data);
            },
            error: function(xhr, status, error) {
                console.log(xhr.status);
            }
        });
    });
}
insertKategorija();

function obrisiKategoriju() {

```

```
$(".obrisiKategorija").on("click", function() {  
    let idKa = $(this).data("id");  
  
    $.ajax({  
        url: "../php/admin-insertKategorija.php",  
        method: "POST",  
        data: {  
            idKa: idKa,  
            btnObrisiKategoriju: true  
        },  
        success: function(data) {  
            $("#dataTables-example").html(data);  
            obrisiKategoriju();  
        },  
        error: function(xhr, status, error) {  
            console.log(xhr.status);  
        }  
    });  
});  
obrisiKategoriju();
```

## Kodovi osnovnih stranica – PHP

### index.php

```
<?php
session_start();
include "config/config.php";
include "views/fixed/head.php";
include "views/fixed/nav.php";

if(isset($_GET['page']))
{
    switch($_GET['page'])
    {
        case "oprema" :
            include 'views/pages/oprema.php';
            break;
        case "registracija":
            include "views/pages/registracija.php";
            break;
        case "home":
            include "views/pages/banner.php";
            include "views/pages/home.php";
            break;
        case "logovanje":
            include "views/pages/logovanje.php";
            break;
        case "korpa":
            include "views/pages/korpa.php";
            break;
        case "kupovina":
            include "views/pages/kupovina.php";
            break;
        case "proizvod":
            include "views/pages/proizvod.php";
            break;
        default:
            include "views/pages/banner.php";
            include "views/pages/home.php";
            break;
    }
}
else
{
    include "views/pages/banner.php";
    include "views/pages/home.php";
}
include "views/fixed/footer.php";
?>
```

## Kodovi include-ovanih stranica – PHP

### views/fixed/head.php

```
<!DOCTYPE html>
<html>
<head>
<title>HiKing</title>
<link href="<?= BASE_URL ?>vendor/css/bootstrap.css" rel='stylesheet' type='text/css' />
<script src="<?= BASE_URL ?>vendor/js/jquery.min.js"></script>
<link href="<?= BASE_URL ?>vendor/css/style.css" rel="stylesheet" type="text/css"
media="all" />
<link rel="stylesheet" href="<?= BASE_URL ?>vendor/css/etalage.css">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta name="keywords" content="" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); }
</script>
<link href='http://fonts.googleapis.com/css?family=Roboto:500,900,100,300,700,400'
rel='stylesheet' type='text/css'>
<?php
    if(isset($_GET['page']))
    {
        if($_GET['page']=="registracija" || $_GET['page']=="logovanje") echo "<link
href='".BASE_URL."vendor/css/styleRegistracija.css' rel='stylesheet' type='text/css'
media='all' />";
    }
?>
<script src="<?= BASE_URL ?>vendor/js/jquery.easymove.js"></script>
<link href="<?= BASE_URL ?>vendor/css/nav.css" rel="stylesheet" type="text/css"
media="all"/>
<script type="text/javascript" src="<?= BASE_URL ?>vendor/js/move-top.js"></script>
<script type="text/javascript" src="<?= BASE_URL ?>vendor/js/easing.js"></script>
<script type="text/javascript">
    jQuery(document).ready(function($) {
        $(".scroll").click(function(event){
            event.preventDefault();
            $('html,body').animate({scrollTop:$(this.hash).offset().top},900);
        });
    });
</script>

</head>
<body>
```

## views/fixe d/nav.php

```
<div class="banner-bg banner-bg1">
  <div class="container">
    <div class="header">
      <div class="logo">
        <a href="<?=BASE_URL?>index.php"></a>
      </div>
      <div class="top-nav">
        <label class="mobile_menu" for="mobile_menu">
          <span>Menu</span>
        </label>
        <input id="mobile_menu" type="checkbox">

        <?php

include "config/connection.php";
$prikaz=0;
if(isset($_SESSION['korisnik'])){
    if($_SESSION['korisnik']->id_u == 1){
        $prikaz = 2;
    } else {
        $prikaz = 1;
    }
}

switch($prikaz){
    case 0:
        $upit = "SELECT * FROM navmeni where prikaz = 0 or prikaz = 1";
        break;
    case 1:
        $upit = "SELECT * FROM navmeni where prikaz = 0 or prikaz = 2";
        break;
    case 2:
        $upit = "SELECT * FROM navmeni where prikaz = 0 or prikaz = 2 or prikaz
= 3";
        break;
    default:
        $upit = "SELECT * FROM glavnimeni where prikaz = 0 or prikaz = 1";
        break;
}

$navmeni = $conn->query($upit)->fetchAll();

$item = "<ul class='nav'>";

foreach($navmeni as $x){
    if($x->parent == null){
        $item .= "<li class='dropdown1'><a href='".BASE_URL.$x->putanja.'">".$x->
naziv."</a>";
        $idParent = $x->id_n;
        switch($prikaz){
            case 0:
                $upit1 = "SELECT * FROM navmeni where parent = $idParent and
(prikaz = 0 or prikaz = 1)";
                break;
            case 1:
                $upit1 = "SELECT * FROM navmeni where parent = $idParent and
(prikaz = 0 or prikaz = 2)";
                break;
```

```

        case 2:
            $upit1 = "SELECT * FROM navmeni where parent = $idParent and
(prikaz = 0 or prikaz = 2 or prikaz = 3)";
            break;
        default:
            $upit1 = "SELECT * FROM navmeni where parent = $idParent and
(prikaz = 0 or prikaz = 1)";
            break;
    }

    $x2 = $conn->query($upit1);

    if($x2->rowCount()==0){
        $item .= "</li>";
    } else {
        $navmeni2= $x2 -> fetchAll();
        $item .= "<ul>";

        foreach ($navmeni2 as $podaci){
            $item .= "<li><a href='".BASE_URL.$podaci->putanja.'">".$podaci-
>naziv."</a></li>";
        }
        $item .= "</ul></li>";
    }
}
}
echo $item;
?>

<?php
if(isset($_SESSION['korisnik'])){
    if($_SESSION['korisnik']->id_u == 1 || $_SESSION['korisnik']->id_u ==
2){ ?>
        <a class="shop" href='<?=BASE_URL?>index.php?page=korpa'><img
src='<?=BASE_URL?>vendor/images/cart.png' alt=""/></a>
        <?php }
    }
}

?>

</div>
<div class="clearfix"></div>
</div>
</div>

```

## views/fixed/footer.php

```
<!-->
<div class="footer">
  <div class="container wrap">
    <div class="logo2">
      <a href="index.php"></a>
    </div>
    <div class="lindedinProfil">
      <a target ="_blank" href="https://www.linkedin.com/in/marko-nikolić-10098a1a2/">&copy; Marko Nikolić 2020</a>
    </div>
    <div class="clearfix"></div>
  </div>
<!-->
<!--banner-->
<script type="text/javascript" src="vendor/js/registracijaScript.js"></script>
<script type="text/javascript" src="vendor/js/logovanjeScript.js"></script>
<script type="text/javascript" src="vendor/js/paginacija.js"></script>
<script type="text/javascript" src="vendor/js/dodajUKorpu.js"></script>
<script type="text/javascript" src="vendor/js/izbacivanjeIzSesije.js"></script>
<script type="text/javascript" src="vendor/js/naruci.js"></script>

<script src="vendor/js/jquery.etalage.min.js"></script>
<script>
  jQuery(document).ready(function($) {

    $('#etalage').etalage({
      thumb_image_width: 400,
      thumb_image_height: 400,
      source_image_width: 800,
      source_image_height: 1000,
      show_hint: true,
      click_callback: function(image_anchor, instance_id){
        alert('Callback example:\nYou clicked on an image with the anchor:
"' + image_anchor + '"\n(in Etalage instance: "' + instance_id + '")');
      }
    });

  });
</script>

<script>
  $(document).ready(function(c) {
    $('.close1').on('click', function(c){
      $('.cart-header').fadeOut('slow', function(c){
        $('.cart-header').remove();
      });
    });
  });
</script>

<script>
  $(document).ready(function(c) {
    $('.close2').on('click', function(c){
      $('.cart-header2').fadeOut('slow', function(c){
        $('.cart-header2').remove();
      });
    });
  });
</script>
```



```
<script src="vendor/js/responsiveslides.min.js"></script>
<script>
    $(function () {
        $("#slider").responsiveSlides({
            auto: true,
            nav: true,
            speed: 500,
            namespace: "callbacks",
            pager: true,
        });
    });
</script>
</body>
</html>
```

## views/pages/banner.php

```
<div class="caption">
  <div class="slider">
    <div class="callbacks_container">
      <ul class="rslides" id="slider">
        <li><h1>RANČEVI</h1></li>
        <li><h1>JAKNE</h1></li>
        <li><h1>ŠTAPOVI</h1></li>
      </ul>
      <p><span>Izaberite</span> najbolju <span>opremu </span> za
<span>planinarenje</span></p>
    </div>
  </div>
</div>
<div class="dwn">
</div>
</div>
```

## views/pages/home.php

```
<div id="cate" class="categories">
  <div class="container">
    <h3>OPREMA</h3>
    <div class="categorie-grids">
      <a href="oprema.php?kategorija=1"><div class="col-md-3 cate-grid grid1">
        <h4>RANČEVI</h4>
        <a class="store"
href=<?=BASE_URL?>index.php?page=oprema&kategorija=1>POGLEDAJ</a>
        </div></a>
      <a href="oprema.php?kategorija=2"><div class="col-md-3 cate-grid grid2">
        <h4>JAKNE</h4>
        <a class="store"
href=<?=BASE_URL?>index.php?page=oprema&kategorija=2>POGLEDAJ</a>
        </div></a>
      <a href="oprema.php?kategorija=3"><div class="col-md-3 cate-grid grid3">
        <h4>ŠTAPOVI</h4>
        <a class="store"
href=<?=BASE_URL?>index.php?page=oprema&kategorija=3>POGLEDAJ</a>
        </div></a>
      </div>
    </div>
  </div>
```

## views/pages/korpa.php

```
<div class="cart">
  <div class="container container1">
    <div class="cart-top">
      <a href="index.php"><< home</a>
    </div>

    <div class="col-md-9 cart-items">
      <h2>VAŠA KORPA</h2>

      <?php
      if(isset($_SESSION['oprema'])) {

        $nizOpreme = $_SESSION['oprema'];
        if(empty($nizOpreme)) {
          $ukupnaCena = 0;
          echo "<h2>Nije ništa poručeno!</h2>";
        } else {

          include "models/functions/functionProizvod.php";

          $ispis = '';
          $ukupnaCena = 0;
          foreach ($nizOpreme as $opremaId):

            $oprema = dohvatiProizvod($opremaId);
            $ukupnaCena+=$oprema->cena;?>

            <div class="cart-header">
              <div class="close1" data-id="<?=$oprema->id_p?>"></div>
              <div class="cart-sec">
                <div class="cart-item cyc">
                  
                </div>
                <div class="cart-item-info">
                  <h3><?=$oprema->naziv ?><span><?=$oprema-
>naziv_brend?></span></h3>
                  <h4><span>Din. </span><?=$oprema->cena?></h4>
                </div>
              </div>
              <div class="clearfix"></div>
            </div>

            <?php endforeach; ?>
            <?php      }
          }else{
            echo "<h2>Nemate nista poruceno!</h2>";
            $ukupnaCena = 0;
          }

          ?>

        </div>

        <div class="col-md-3 cart-total">
          <div class="price-details">
            <h2>Detalji korpe</h2>
            <div class="clearfix"></div>
          </div>
          <h4 class="last-price">Ukupno</h4>
          <span class="total final"><?=$ukupnaCena?> Din</span>
```

```

        <div class="clearfix"></div>
        <a class="order" href="index.php?page=kupovina">KUPI</a>

    </div>
</div>
</div>
</div>

```

## views/pages/kupovina.php

```

<?php if(!isset($_SESSION['oprema'])){
header('location:index.php');
}?>
<div class="contact">
    <div class="container">
        <h3>Popunite podatke za kupovinu</h3>
        <form>
            <input type="text" placeholder="Ime" name='tIme' id='tIme' required="">
            <input type="text" placeholder="Prezime" id='tPrezime' name='tPrezime' required="">
            <input class="user" type="text" placeholder="Adresa" id='tbAdresa'
name='tbAdresa' required=""><br>
            <input class="user" type="text" placeholder="Broj telefona" id='tbTelefon'
name='tbTelefon' required=""><br>
            <input type="button" name="btnKupi" id="btnKupi" value="KUPI">
        </form>
        <span id="poruka"></span>
    </div>
</div>
</div>

```

## views/pages/logovanje.php

```
<div class="main">
  <section class="signup">
    <!--  -->
    <div class="container">
      <div class="signup-content">
        <?php
          if(isset($_SESSION['korisnik'])) {
            echo "<p>Vec ste logovani.<a href='index.php'>Pocetna</a></p>";
          } else { ?>
            <form method="POST" id="signup-form" class="signup-form">
              <h2 class="form-title">Prijavi se</h2>
              <div class="form-group">
                <input type="email" class="form-input" name="tbEmail"
id="tbEmail" placeholder="Email"/>
              </div>
              <div class="form-group">
                <input type="password" class="form-input" name="tbPassword"
id="tbPassword" placeholder="Sifra"/>
                <span toggle="#password" class="zmdi zmdi-eye field-icon toggle-
password"></span>
              </div>
              <div class="form-group">
                <input type="button" name="btnLog" id="btnLog" class="form-
submit" value="Ulogujte se"/>
              </div>
            </form>
            <p class="loginhere">
              Niste se registrovali? <a href="index.php?page=registracija"
class="loginhere-link">Registrujte se ovde</a>
            </p>
            <?php
          }
        ?>
      </div>
    </div>
  </section>
</div>
</div>
```

## views/pages/oprema.php

```
<?php
    if(isset($_GET['kategorija'])){
        require "config/connection.php";

        $kategorija = $_GET['kategorija'];

        include "models/functions/functionKategorija.php";

        $proizvodi = dohvatiProizvodePoKategoriji($kategorija);

        $nazivKategorija = dohvatiKategoriju($kategorija);
        $nazivKategorija = $nazivKategorija->naziv_kategorija;

        ?>
        <div class="bikes">
            <div class="mountain-sec">
                <h2><?=$nazivKategorija?></h2>
            <?php
                foreach($proizvodi as $proizvod):
                    ?>
                    <a href="index.php?page=proizvod&id=<?= $proizvod->id_p ?>">
                        <div class="bike">
                            alt ?>" />
                            <div class="bike-cost">
                                <div class="bike-mdl">
                                    <h4>NAZIV<span><?= $proizvod->naziv ?></span></h4>
                                </div>
                                <div class="bike-cart">
                                    <a class="buy" href=index.php?page=proizvod&id=<?= $proizvod-
>id_p ?>>Pogledaj</a>
                                </div>
                                <div class="clearfix"></div>
                            </div>
                        </a>
                    <?php endforeach; ?>
                    <div class="cleaner"></div>
                </div>
            </div>
        <?php

include "models/functions/functionPaginacija.php";
$broj = 4;
$number = brojProizvodaPoKategoriji($kategorija);

$brojStrana = ceil($number->broj/$broj);

?>

<div id="stranicenje" class="paginacija">
    <?php
        for($i=0; $i<$brojStrana;$i++):
            $index = $i+1;

            ?>
            <span id="<?= $i ?>" data-id="<?= $kategorija ?>" class='brojStrana'><?= $index
?></span>
        <?php endfor; ?>
```

```

    <div class='cleaner'></div>
</div>

<?php } ?>

```

## views/pages/proizvod.php

```

<?php

if(isset($_GET['id'])){

    $id = $_GET['id'];

    include "models/functions/functionProizvod.php";

    $proizvod = dohvatiProizvod($id);
    //var_dump($proizvod);

} else {

}
?>
<div class="product">
    <div class="container container1">
        <div class="cntnt-bar cntnt">
            <div class="content-bar">
                <div class="product-head">
                    <a href="index.php">Početna</a> <span></span>
                </div>
                <div class="details-left-slider">
                    <div class="grid images_3_of_2">
                        <ul id="etalage">
                            <li>
                                <img class="etalage_thumb_image" src=<?= $proizvod->putanja ?> class="img-responsive" />
                                <img class="etalage_source_image" src=<?= $proizvod->putanja ?> class="img-responsive" title="" />
                            </li>
                        </ul>
                    </div>
                </div>
            </div>
        </div>
        <div class="details-left-info">
            <h3><?= $proizvod->naziv ?></h3>
            <h4></h4>
            <p><label><?= $proizvod->cena ?> Din </label></p>
            <div class="btn_form">
                <a href="#" class="dodajUKorpu" data-id="<?= $proizvod->id_p ?>">Dodaj u korpu</a>
            </div>
            <div class="bike-type">
                <p>Kategorija: <?= $proizvod->naziv_kategorija ?></p>
                <p>Brend: <?= $proizvod->naziv_brend ?></p>
            </div>
            <h5>Opis</h5>
            <p class="desc"><?= $proizvod->opis ?></p>
        </div>
        <div class="clearfix"></div>
    </div>

```

## views/pages/registracija.php

```
<div class="main">
  <section class="signup">
    <!-- 
    <div class="container">
      <div class="signup-content">
        <form method="POST" id="signup-form" class="signup-form">
          <h2 class="form-title">Napravite nalog</h2>
          <div class="form-group">
            <input type="text" class="form-input" name="tbIme" id="tbIme"
placeholder="Ime"/>
          </div>
          <div class="form-group">
            <input type="text" class="form-input" name="tbPrezime"
id="tbPrezime" placeholder="Prezime"/>
          </div>
          <div class="form-group">
            <input type="email" class="form-input" name="tbEmail"
id="tbEmail" placeholder="Email"/>
          </div>
          <div class="form-group">
            <input type="password" class="form-input" name="tbPassword"
id="tbPassword" placeholder="Šifra(najmanje 6 karaktera, obavezan broj)"/>
            <span toggle="#password" class="zmdi zmdi-eye field-icon toggle-
password"></span>
          </div>
          <div class="form-group">
            <input type="button" name="btnPosalji" id="btnPosalji"
class="form-submit" value="Registruj se"/>
          </div>
        </form>
        <p class="loginhere">
          Imate nalog? <a href="index.php?page=logovanje" class="loginhere-
link">Ulogujte se ovde</a>
        </p>
      </div>
    </div>
  </section>
</div>
</div>
```



## Kodovi – PHP logika (folder models)

### dodajUKorpu.php

```
<?php
session_start();
include "../config/connection.php";

if(isset($_POST['btn'])){
    $narucena = [];
    $idP = $_POST['idP'];

    if(isset($_SESSION['oprema'])) {
        $narucena = $_SESSION['oprema'];
        if(in_array($idP, $narucena)) {
            echo "Ovaj proizvod vec imate u korpi!";
        } else {
            array_push($narucena, $idP);
            $_SESSION['oprema'] = $narucena;
        }
    } else {
        $narucena = [];
        array_push($narucena, $idP);
        $_SESSION['oprema'] = $narucena;
    }
}

if(isset($_POST['btnIzbaci'])) {
    $id = $_POST['izbaciIzSesijeId'];
    $sesija = $_SESSION['oprema'];

    $pozicija = array_search($id, $sesija);

    unset($_SESSION['oprema'][$pozicija]);

    echo "Uspesno izbacen";
}

?>
```

## obradaKupovina.php

```
<?php
session_start();
if(isset($_POST['btn'])) {

    $ime= $_POST['ime'];
    $prezime= $_POST['prezime'];
    $adresa= $_POST['adresa'];
    $brojTelefona= $_POST['brojTelefona'];
    $vreme = time();

    $idK = $_SESSION['korisnik']->id_k;

    $greske = [];

    $regImePrezime = "/^[A-ZČĆŽĐŠ][a-zčćžđš]{2,15}$/";
    if(!preg_match($regImePrezime, $ime)){
        array_push($greske, "Loš format imena!");
    }

    if(!preg_match($regImePrezime, $prezime)){
        array_push($greske, "Loš format prezimena!");
    }

    $regAdresa = "/^[A-Z][a-z]{2,15}(\s[A-Z][a-z]{2,15})*\s[0-9]{1,4}(\/[0-9]{1,4})?$/";
    if(!preg_match($regAdresa, $adresa)){
        array_push($greske, "Loš format adrese!");
    }

    $regBrojTelefona="/^06[0-9]{1}[0-9]{6}([0-9]{1})?$/";
    if(!preg_match($regBrojTelefona, $brojTelefona)){
        array_push($greske, "Loš format broja telefona!");
    }

    if(count($greske)==0){

        try{
            $idOdNarucenih = $_SESSION['oprema'];
            require_once "../config/connection.php";
            include "functions/functionKupovina.php";
            foreach($idOdNarucenih as $idOdNarucenog){

                $proizvod = dohvatiProizvodPoId($idOdNarucenog);

                $cena = $proizvod->cena;
                $idP = $proizvod->id_p;

                $insertUpit = insertNaruceneOpreme($ime, $prezime, $adresa, $brojTelefona,
                $vreme, $cena, $idP, $idK);

            }

            echo "Uspesno ste realizovali kupovinu!";
            http_response_code(201);
        }
        catch(PDOException $e){
            http_response_code(500);
            echo $e->getMessage();
        }

    } else {
        http_response_code(422);
    }
}
```

```
    }  
  } else {  
    http_response_code(403);  
  }  
?  
>
```

## obradaLogovanje.php

```
<?php
session_start();
include "../config/connection.php";

if(isset($_POST['btn'])){

    $email = $_POST['email'];
    $pass = $_POST['pass'];

    $greske = [];

    if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
        array_push($greske, "Loš format email-a!");
    }

    $regPass = "/^(?=.*\d)(?=.*[a-z])[0-9a-zA-Z]{6,}$/";
    if(!preg_match($regPass, $pass)){
        array_push($greske, "Loš format šifre!");
    }

    if(count($greske)==0){

        $sifra=md5($pass);

        try{
            include "functions/functionKorisnik.php";
            $korisnik = dohvatiRegistrovanogKorisnika($email);
            if(!$korisnik){
                http_response_code(404);
            }
            if($korisnik->sifra == $sifra){
                $_SESSION['korisnik'] = $korisnik;
                http_response_code(200);
            } else{
                http_response_code(409);
            }
        }catch (PDOException $ex){
            $ex->getMessage();
            http_response_code(500);
        }

    } else {
        http_response_code(422);
    }

} else {
    http_response_code(403);
}

?>
```

## obradaRegistracija.php

```
<?php

include "../config/connection.php";

if(isset($_POST['btn'])) {

    $ime = $_POST['ime'];
    $prezime = $_POST['prezime'];
    $email = $_POST['email'];
    $pass = $_POST['pass'];
    $greske = [];

    $regImePrezime = "/^[A-ZČĆŽBŠ][a-zčćžbš]{2,15}$/";
    if (!preg_match($regImePrezime, $ime)) {
        array_push($greske, "Loš format imena!");
    }

    if (!preg_match($regImePrezime, $prezime)) {
        array_push($greske, "Loš format prezimena!");
    }

    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        array_push($greske, "Loš format email-a!");
    }

    $regPass = "/^(?=.*\d)(?=.*[a-z])[0-9a-zA-Z]{6,}$/";
    if (!preg_match($regPass, $pass)) {
        array_push($greske, "Loš format šifre!");
    }

    if (count($greske) == 0) {

        include "functions/functionKorisnik.php";
        $korisnik = dohvatiRegistrovanogKorisnika($email);

        if (!$korisnik) {

            $sifra = md5($pass);
            try {
                $noviKorisnikUpit = "INSERT INTO korisnik VALUES ('', ?, ?, ?, ?, '2')";
                global $conn;
                $priprema = $conn->prepare($noviKorisnikUpit);
                $rezultat=$priprema->execute([$ime, $prezime, $email, $sifra]);
                echo "Uspesno ste se registrovali!";
                http_response_code(201);

            } catch (PDOException $e) {
                echo $e->getMessage();
            }
        } else {
            http_response_code(400);
        }
    } else {
        http_response_code(422);
    }
}

?>
```

## odjava.php

```
<?php
session_start();
if(isset($_SESSION['korisnik']))
    session_destroy();
    header("Location: ../index.php");
?>
```

## stranice.php

```
<?php
include "../config/connection.php";

if(isset($_POST['btn'])){
    $kategorija = $_POST['kategorija'];
    $broj = $_POST['broj'];
    $broj1 = $broj*4;

    $upit = "SELECT * FROM proizvodi p INNER JOIN kategorija k ON p.id_ka = k.id_ka WHERE
p.id_ka = $kategorija LIMIT 4 OFFSET $broj1;";
    $data = $conn->query($upit)->fetchAll();

    echo json_encode($data);
}
?>
```

## PHP logika u okviru foldera functions(models/functions)

### functionKategorija.php

```
<?php

function dohvatiProizvodePoKategoriji($kategorija){
    global $conn;
    $upit = "SELECT * FROM proizvodi WHERE id_ka = :kategorija LIMIT 0, 4";

    $prepare=$conn->prepare($upit);
    $prepare -> bindParam(":kategorija", $kategorija);
    try{
        $prepare->execute();
        $proizvodi = $prepare->fetchAll();
        return $proizvodi;
    }catch(PDOException $e){
        echo $e->getMessage();
    }
}

function dohvatiKategoriju($kategorija){
    global $conn;
    $upit = "SELECT * FROM kategorija WHERE id_ka = :kategorija";
    $prepare = $conn->prepare($upit);
    $prepare->bindParam(":kategorija", $kategorija);
    try{
        $prepare->execute();
        $kategorija = $prepare->fetch();
        return $kategorija;
    }catch(PDOException $e){
        echo $e->getMessage();
    }
}
```

## functionKorisnik.php

```
<?php

function dohvatiRegistrovanogKorisnika($email){
    global $conn;

    $upit = "SELECT * FROM korisnik WHERE email = :email";
    $prepare=$conn->prepare($upit);
    $prepare->bindParam("email", $email);
    $prepare->execute();
    if($prepare->rowCount() == 0){
        return false;
    } else {
        return $prepare->fetch();
    }
}

function insertNovogKorisnika($ime, $prezime, $email, $sifra){

    global $conn;
    $upit = "INSERT INTO korisnik ('id_k', 'ime', `prezime`, `email`, `sifra`, `id_u`) VALUES ('', :ime, :prezime, :email, :pass, '2')";
    $priprema = $conn->prepare($upit);
    $priprema->bindParam("ime", $ime);
    $priprema->bindParam("prezime", $prezime);
    $priprema->bindParam("email", $email);
    $priprema->bindParam("sifra", $sifra);

    try{
        $priprema->execute();
    }catch (PDOException $ex){
        $ex->getMessage();
    }
}
```



## functionKupovina.php

```
<?php

function dohvatiProizvodPoId($id) {
    global $conn;
    $upit = "SELECT * FROM proizvodi WHERE id_p= :id";

    $prepare = $conn->prepare($upit);
    $prepare->bindParam(":id", $id);
    try{
        $prepare->execute();
        $proizvod = $prepare->fetch();
        return $proizvod;
    }catch(PDOException $e){
        return $e->getMessage();
    }
}

function insertNaruceneOpreme($ime, $prezime, $adresa, $telefon, $vreme, $cena, $idP, $idK){
    global $conn;
    $insertUpit = "INSERT INTO korpa VALUES ('',?, ?, ?, ?, ?,?, ?,?)";

    $prepare = $conn->prepare($insertUpit);
    try{
        $prepare->execute([$ime,$prezime,$adresa,$telefon,$vreme,$cena,$idK,$idP]);
        return true;
    } catch(PDOException $e){
        return $e->getMessage();
    }
}
```

## functionPaginacija.php

```
<?php

function brojProizvodaPoKategoriji($kategorija){
    global $conn;
    $upit = "SELECT COUNT(*) as broj FROM proizvodi WHERE id_ka = :kategorija";
    $prepare=$conn->prepare($upit);
    $prepare->bindParam(":kategorija", $kategorija);
    try{
        $prepare->execute();
        $broj=$prepare->fetch();
        return $broj;
    }catch(PDOException $e){
        echo $e->getMessage();
    }
}
```

## functionProizvod.php

```
<?php

function dohvatiProizvod($id) {
    global $conn;
    $upit = "SELECT * FROM proizvodi p INNER JOIN kategorija k ON p.id_ka = k.id_ka INNER
JOIN brend b ON p.id_b = b.id_b WHERE id_p = :id";

    $prepare = $conn->prepare($upit);
    $prepare ->bindParam("id", $id);
    try{
        $prepare->execute();
        $proizvod = $prepare->fetch();
        return $proizvod;
    }catch(PDOException $e){
        echo $e->getMessage();
    }
}
```

## JavaScript KODOVI(vendor/js/)

### dodajUKorpu.js

```
$(document).ready(function() {
    $(".dodajUKorpu").click(function(e) {
        e.preventDefault();
        var data = $(this).data("id");
        var idP = data;

        $.ajax({
            url: "models/dodajUKorpu.php",
            method: "POST",
            data: {
                idP: idP,
                btn: true
            },
            success: function(data) {
                console.log(data);
                //alert(data);
                $(".dodajUKorpu").html("Ubačeno u korpu");
                $(".dodajUKorpu").attr("disabled", true);
            },
            error: function(xhr, status, error) {
                console.log(xhr.status);
            }
        });
    });
});
```

### izbacivanjeIzSesije.js

```
$(document).ready(function() {
    $(".close1").on("click", function() {
        var id = $(this).attr("data-id");
        //console.log(id);
        $(this)
            .parent()
            .fadeOut(1000);

        $.ajax({
            url: "models/dodajUKorpu.php",
            method: "POST",

            data: {
                izbaciIzSesijeId: id,
                btnIzbaci: true
            },
            success: function(data) {
                console.log(data);
            },
            error: function(sd) {
                alert(1);
            }
        });
    });
});
```

```
});  
});
```

## logovanjeScript.js

```
$(document).ready(function() {  
    $('#btnLog').click(function() {  
  
        var email = $('#tbEmail').val();  
        var password = $('#tbPassword').val();  
  
        var nizGreske = [];  
  
        var regEmail = /^\\w+([\\.-]?\\w+)*@\\w+([\\.-]?\\w+)*\\.\\w{2,3}+$/;  
        if(!regEmail.test(email)) {  
            $('#tbEmail').css('border-color', "red");  
            nizGreske.push(email);  
        } else {  
            $('#tbEmail').css('border-color', "green");  
        }  
  
        var regPass = /^(?=.*\\d)(?=.*[a-z])[0-9a-zA-Z]{6,}$/;  
        if(!regPass.test(password)) {  
            $('#tbPassword').css('border-color', "red");  
            nizGreske.push(password);  
        } else {  
            $('#tbPassword').css('border-color', "green");  
        }  
  
        if(nizGreske==0) {  
            $.ajax({  
                url: 'models/obradaLogovanje.php',  
                method: 'POST',  
                data: {  
                    email: email,  
                    pass: password,  
                    btn: true  
                },  
                success: function(podaci)  
                {  
                    window.location='index.php';  
                },  
                error: function(xhr, status, error){  
                    console.log(status);  
                }  
            });  
        } else {  
  
        }  
    });  
});  
});
```

## naruci.js

```
$(document).ready(function() {
    $("#btnKupi").click(function() {
        // alert();
        var ime = $("#tIme").val();
        var prezime = $("#tPrezime").val();
        var adresa = $("#tbAdresa").val();
        var brojTelefona = $("#tbTelefon").val();

        var greske = [];

        var regIme = /^[A-ZČĆŽĐŠ][a-zčćžđš]{2,15}$/;
        if (!regIme.test(ime)) {
            $("#tIme").css("border-color", "red");
            greske.push(ime);
        } else {
            $("#tIme").css("border-color", "green");
        }

        var regPrezime = /^[A-ZČĆŽĐŠ][a-zčćžđš]{2,15}$/;
        if (!regPrezime.test(prezime)) {
            $("#tPrezime").css("border-color", "red");
            greske.push(prezime);
        } else {
            $("#tPrezime").css("border-color", "green");
        }

        var regBrojTelefona = /^06[0-9]{1}[0-9]{6}([0-9]{1})?$/;
        if (!regBrojTelefona.test(brojTelefona)) {
            $("#tbTelefon").css("border-color", "red");
            greske.push(brojTelefona);
        } else {
            $("#tbTelefon").css("border-color", "green");
        }

        var regAdresa = /^[A-Z][a-z]{2,15}(\s[A-Z][a-z]{2,15})*\s[0-9]{1,4}(\/[0-9]{1,4})?$/;
        if (!regAdresa.test(adresa)) {
            $("#tbAdresa").css("border-color", "red");
            greske.push(adresa);
        } else {
            $("#tbAdresa").css("border-color", "green");
        }

        if (greske.length == 0) {
            $.ajax({
                url: "models/obradaKupovina.php",
                method: "POST",
                data: {
                    ime: ime,
                    prezime: prezime,
                    adresa: adresa,
                    brojTelefona: brojTelefona,
                    btn: true
                },
                success: function(data) {
                    $("#poruka").html(data);
                    //alert("Uspesno ste obavili kupovinu!");
                    //window.location = "index.php";
                },
                error: function(xhr, status, error) {
                    if (xhr.status == 400) {

```

```
        alert("Vasa kupovina nije realizovana!");  
    }  
    }  
    });  
    } else {  
    }  
    });  
});
```

## paginacija.js

```
$('.brojStrana').on("click", function(){
    //alert("Radi");
    var id= $(this).attr("id");
    var kategorija = $(this).attr("data-id");

    prikaz(id, kategorija);
});

function prikaz(id, kategorija){
    $.ajax({
        url: 'models/stranicenje.php',
        type: 'POST',
        data: {
            broj: id,
            kategorija: kategorija,
            btn: true
        },
        dataType: 'json',
        success: function(data) {
            prikazKat(data);
            console.log(data);
        },
        error: function(xhr, status, error){
            console.log(xhr);
        }
    });
}

function prikazKat(data) {
    var ispis = "";
    ispis += '<div class="bikes">';
    ispis += '<div class="mountain-sec">';
    ispis += '<h2>'+data[0]['naziv_kategorija']+</h2>';
    //console.log(data);

    for(var i=0;i<data.length;i++){
        ispis += '<a href="index.php?page=proizvod&id='+data[i]['id_p']+'">';
        ispis += '<div class="bike">';
        ispis += '';
        ispis += '<div class="bike-cost">';
        ispis += '<div class="bike-mdl">';
        ispis += '<h4>NAZIV<span>'+data[i]['naziv']+'</span></h4>';
        ispis += '</div>';
        ispis += '<div class="bike-cart">';
        ispis += '<a class="buy" href="index.php?page=proizvod&id='+data[i]['id_p']+'">Pogledaj</a>';
        ispis += '</div>';
        ispis += '<div class="clearfix"></div>';
        ispis += '</div>';
        ispis += '</div>';
        ispis += '</a>';
    }

    ispis += '<div class="cleaner"></div>';
    ispis += '</div>';

    $('.mountain-sec').html(ispis);
}
```

## registracijaScript.js

```
$(document).ready(function() {
    $('#btnPosalji').click(function() {

        //alert("dadasdasdasd");

        var ime = $('#tbIme').val();
        var prezime = $('#tbPrezime').val();
        var email = $('#tbEmail').val();
        var password = $('#tbPassword').val();
        var nizGreske = [];

        var regIme = /^[A-ZČĆŽĐŠ][a-zčćžđš]{2,15}$/;
        if(!regIme.test(ime)){
            $('#tbIme').css('border-color', "red");
            nizGreske.push(ime);
        } else {
            $('#tbIme').css('border-color', "green");
        }

        var regPrezime = /^[A-ZČĆŽĐŠ][a-zčćžđš]{2,15}$/;
        if(!regPrezime.test(prezime)){
            $('#tbPrezime').css('border-color', "red");
            nizGreske.push(prezime);
        } else {
            $('#tbPrezime').css('border-color', "green");
        }

        var regEmail = /^\\w+([\\.-]?\\w+)*@\\w+([\\.-]?\\w+)*\\.\\w{2,3}+$/;
        if(!regEmail.test(email)){
            $('#tbEmail').css('border-color', "red");
            nizGreske.push(email);
        } else {
            $('#tbEmail').css('border-color', "green");
        }

        var regSifra = /^(?=.*\\d)(?=.*[a-z])[0-9a-zA-Z]{6,}$/;
        if(!regSifra.test(password)){
            $('#tbPassword').css('border-color', "red");
            nizGreske.push(password);
        } else {
            $('#tbPassword').css('border-color', "green");
        }

        if(nizGreske==0){
            $.ajax({
                url: 'models/obradaRegistracije.php',
                method: 'POST',
                data: {
                    ime: ime,
                    prezime: prezime,
                    email: email,
                    pass: password,
                    btn: true
                },
                success: function() {
```



```
        alert("Uspesno ste se registrovali!");  
        window.location="index.php?page=logovanje";  
    },  
    error: function(xhr, status, error){  
        if(xhr.status == 400){ alert ("Vec postoji korisnik sa tim email-om!");}  
    }  
    });  
} else {  
  
}  
  
});  
});
```