


Thread - 2025-11-27

<https://x.com/RiikonenMarko/status/1993876917364093123>

1/20 - 2025-11-27 02:57 UTC


26/27 Nov 2025 Rovaniemi. Just this quick single image now. Rapid changes in fog:ice-fog proportion. The best bursts were sheer optical brutality, possibly the most extreme I have seen in beam together with the 7/8 Dec 2008 display. Don't know how much there is to stack due to fast changes. Anyway, I am happy to see this photo has already what I was aiming for, although I botched the other thing I had in mind for the night.





2/20 - 2025-11-28 12:53 UTC

26/27 Nov 2025 Rovaniemi. In the spot where I set the camp, it was still quite windy when

the action started. Random well represented. 22° halo and tanarc are overexposed, the latter was not well defined, too much tilts, and thus no rare white arcs visible. 116° blue circle is of the first water. 46° halo at the bottom draws a straight line. The smaller circle surrounding the flip-anthelic point is fogbow. It was ever-present in the night's photos. 4 x 30s.








3/20 - 2025-11-28 13:28 UTC

26/27 Nov 2025 Rovaniemi. All 25 photos from the first set in chronological order. Green dots mark the ones chosen in the above stack. I should of probably included also the rightmost photo in the second last row, but left it out because there is an additional display from car headlights on the right. 30s exposures in all. I wrote above that no rare white arcs are present, but actually a ghost of flip-helic arc is seen in many frames.



4/20 - 2025-11-28 20:37 UTC

26/27 Nov 2025 Rovaniemi. The display improved. This is a stack of 14 x 15s select frames. The thing I was aiming for, when I realized in the field that no plate orientation was involved (never saw parhelia), was to catch Parry flip-parhelic circle. And when I looked at the single image I posted above, I thought I had succeeded - that the flip-parhelic circle segment emanating from flipanthelic point is not from plates, or plate-Parry mix, but from pure unalloyed Parry (column orientation doesn't make flip-parhelic circle).


But now, having made this stack, I see slight brightenings on 46° halo and flip-parheliion just happens to match location (light elevation about -19). Plates involved after all? Even if that were so, the parheliion spots are so exceedingly weak - hardly elevating above the 46° halo intensity - that they do not quite warrant for the plate flip-parhelic circle.


The brightenings might be just part of the lens-made artefact ring between tanarc and flipsun – a feature which is seen going for much longer around the sky in an earlier image I published: <https://t.co/Gk3tqNVYRA>).


Anyway, Parry explanation is not without its own baggage. I'll return to that tomorrow.


There is another feature of interest in this stack, something I must admit I was not prepared for: just outside the fliphelic arc on the supralatarc extension / fliphelic supralatarc are spots that look like flip-Tape arcs. Already the season's first display coughed out what seems like flip-Tape arc of the infralateral type: <https://t.co/C2yzZO5R3B> This latest supralateral type is a notch or two more convincing because the feature is visible on both sides.

But of course this, too, must await for the nod or shake from the community. I have already made some simulations but it's getting late. Be back tomorrow.









5/20 - 2025-11-29 20:00 UTC


26/27 Nov 2025 Rovaniemi. I said above that Parry explanation is not without its own baggage, but late night wear was already setting in and I just had not found the right parameters. In the morning, a simulation with slightly flatted Parry crystals produced an acceptable compromise, as shown in the first and second images, the latter a more fine-resolution version transformed b-r.


Based on the simulation, the display's apparent Parry upper flip parhelic circle and flip lower supralat Tape (531) look real enough to me. Simulation produces also strong anthelic supralata arc extension and somewhat weaker infralat counterpart (in the image I have given also alternative names).

Are these present in the display? There is an arc where the former should be, but it has blue emphasized instead of red, which is contrary to simulation. Maybe it's got something

to do with the outer fogbow. However, the stack has something looking like the infralat version, especially on the right. But I am not excited, could as well be artefact. The anthelic supralatarc extension has been photographed a couple of times, but no convincing documentations exists, in my mind, of the anthelic infralatarc extension. Both anthelic latarcs themselves are also waiting for their discovery.

The third image is a simulation with near hemisphere horizon centered view. It has the same parameters as in previous images. In the right only the Parry population is shown, with lower supralat Tape and its flip counterpart denoted. The fourth image gives the parameters.





HALOPOINT 2.0

File Tools Analysis Info

Save work-file
Save light work-file
Open in Analysis Window

Start Simulation **Add to the Simulation**

General Parameters

Sun Elevation [°] -20
Sun Diameter True Diameter
Number of rays 100000000
Colour of Light:
☐ Single Wavelength (nm) 600
☒ Wavelength Range
From 400 nm to 700 nm
Number of hits allowed: 20

Simulation View

Lens Type Fisheye, equal area
Focal Length [mm] 7.6
Sensor Size [mm] W: 36 H: 24
☐ Custom parameters a: 2 b: 0.5
Center of Image Horizon, sunsid
Azimuth: 0
Elevation: 90
☐ Portrait
☒ Landscape Rotation (CW) 0

Appearance

Dots Coloured
Background User Defined
Shade Levels 16
☐ Show Coordinate Grid
Major Step [°] 10
Minor Step [°] 1
Style Faint
☒ Horizon ☐ Hide Subhorizon

Ice Crystal Population Parameters

	%	C - axis			Rotation			Prism Aspect Ratio			Upper Pyramid				Lower Pyramid			
		Mean	Std	Distribution	Mean	Std	Distribution	Mean	Std	Distribution	Apex	h	Std	Distribution	Apex	h	Std	Distribution
1	100	90	0	Gaussian	90	360	Gaussian	0.8	0.5	Uniform	56,14	0	0	Uniform	56,14	0	0	Uniform
2	15	90	0.5	Gaussian	90	0.5	Gaussian	1.5	0.2	Uniform	56,14	0	0	Uniform	56,14	0	0	Gaussian
3	400	90	0.5	Gaussian	90	30	Gaussian	1.2	0.2	Uniform	56,142	0	0	Uniform	56,142	0	0	Gaussian
4	10	0	1.5	Gaussian	90	360	Uniform	0.15	0.02	Uniform	56,142	0	0	Uniform	56,142	0	0	Uniform
5	170	90	25	Gaussian	90	360	Uniform	0.4	0.1	Uniform	56,14	0	0	Gaussian	56,14	0	0	Gaussian
6	10	0	1.5	Uniform	90	360	Uniform	0.4	0.1	Uniform	34	0	0	Gaussian	56,14	0	0	Gaussian
7	20	0	1.5	Gaussian	90	360	Uniform	0.2	0.02	Uniform	56,14	0	0	Uniform	56,14	0	0	Gaussian
8	1	0	0.1	Gaussian	90	360	Uniform	0.02	0.04	Uniform	56,14	0.1	0	Gaussian	39.2	0	0	Gaussian
9	120	0	0	Gaussian	90	360	Uniform	0.3	0.3	Uniform	56,142	0.1	0	Gaussian	56,142	0	0	Gaussian
10	400	90	0	Gaussian	90	0	Gaussian	3	0.5	Uniform	56,142	0	0	Gaussian	56,142	0	0	Gaussian

Ice Crystal Visualisation

View Angle Control
y
z
Reset

Line Width, Front 2
Line Width, Back 1
Dash Length (Back) 5
Dash Spacing (Back) 5
Back Line Colour Gray
Ice Crystal Population 2
Draw Selected Crystal

Prism Face Distances

Apply	Face Distance from c-axis								Std of Distance								Sync	Distribution
	3	4	5	6	7	8	3	4	5	6	7	8						
1	2	1	2	1	2	1	0	0	0	0	0	0	0	0	Uniform			
2	0.8	1	1	0.8	1	1	0.2	0	0	0.2	0	0	0	0	Uniform			
3	1.2	1	1.2	1	1.2	1	0.2	0	0.2	0	0.2	0	0	0	Uniform			
4	0.1	1	1	0.1	1	1	0	0	0	0	0	0	0	0	Uniform			
5	0.5	1	1	0.5	1	1	0.3	0	0	0.3	0	0	0	0	Uniform			
6	1.2	1	1.2	1	1.2	1	0.1	0	0.1	0	0.1	0	0	0	Uniform			
7	0.1	1	1	0.1	1	1	0	0	0	0	0	0	0	0	Uniform			
8	0.5	1	1	0.5	1	1	0.3	0	0	0.3	0	0	0	0	Uniform			
9	1.2	1	1.2	1	1.2	1	0.2	0	0.2	0	0.2	0	0	0	Uniform			
10	2	1	1	2	1	1	0	0.3	0	0	0.3	0	0	0	Uniform			


6/20 - 2025-11-30 11:25 UTC


26/27 Nov 2025 Rovaniemi. And here is a simulation testing the idea that the slight intensity increases on 46° halo could be flip parhelia (arrows), allowing for the possibility of the the upper flip parhelic circle being plate instead of Parry made (the second image is the stack with those intensifications). Well, the message simulation conveys is that even if those were flip parhelia, they are so faint that no flip parhelic circle is produced.

Moreover, the brightenings seem to be not on the flipsun level, but closer to horizon. I think the brightenings are, as I have stated above, just part of the lens artefact ring, and so the flip parhelic circle is solely Parry made.

If that is accepted by the community, then we have unalloyed cases of all the three flip parhelic circles photographed: plate, Lowitz and Parry. For plate and Parry there are the upper and lower versions (the Parry lower flip parhelic circle still to be captured). The Lowitz flip parhelic circle has no upper and lower differentiation because, due to the spinning of the crystals, it is the same raypaths that are making it, no matter whether the light is above or below horizon. It's the same thing as with tanarc - no upper and lower arc, just one arc that has 2 contact points.


Limited rotation changes the calculus, however. Then the raypaths are not the same, meaning upper Lowitz flip parhelic circle and lower Lowitz flip parhelic circle could be differentiated. As we know, Lowitz crystals are, according to halo simulations, almost always wobbling rather than spinning, and the same is at least sometimes true of column orientation. I don't know how this should be dealt with. Thus far I have been preferring to go with the theoretical full orientation and so no upper / lower separation.






7/20 - 2025-11-30 18:56 UTC

26/27 Nov 2025 Rovaniemi. The Parry upper flip pch dissected, light -20° . Parry crystals are h/d 1.2 dev 0.2, 0.8 / 0.8 flattened. It seems impossible to get the simulated flip phc to the level of the display. Try increase its intensity (with either increasing ray numbers or changing crystal shape) and other Parry orientation halos gain too much dominance. This 14f stack was made of quite different looking frames (I will later publish a thumbnail table of the whole stretch including those frames), which may to some extent make matching simulation more difficult to get. I can send the raws should anyone want to craft bespoke stacks.



8/20 - 2025-11-30 20:00 UTC

26/27 Nov 2025 Rovaniemi. The sequence from where I picked the 14 frames for the stack, 9110, 11, 13, 17, 18, 22, 23, 25, 28-31, 35, 36. Clearly there is room for trying shorter stacks of most extreme frames. Exposures 30s.











9/20 - 2025-12-01 13:11 UTC

26/27 Nov 2025 Rovaniemi. To have better idea on what is what, I stacked the three frames where halos are the best (9129-9131), and the three frames where outer fogbow is the best (9112, 9119, 9126). These stacks are, respectively, on the left and right in the four image collage.

From this, I am more confident that the left side stage has the anthelic supralat arc extension. And I am also getting to lean more on the possibility of the anthelic infralat arc extension being there as well, on the right side of the display. It is not seen in the fogbow stack. In the 14f stack that signal would seem to be present also on the left side.


In the other two images the 9129-31 stack is compared to the simulation that I made for the 14f stack. What's noteworthy in this peak stage is the weak 46° halo. Thus, what appears to be 116° blue circle is actually the related and similar looking effect from column orientation. It differs from the 116° blue circle by weakening towards the zenith. But probably this is not the first observation, if that's what it indeed is.






10/20 - 2025-12-01 13:43 UTC

26/27 Nov 2025 Rovaniemi. One final stack 16 frames - 14 successive frames from the end plus 9110 and 9118. The grayscale images are b-r and g-b. Not much difference between them. The other pair is light bgr and usm.





11/20 - 2025-12-01 15:09 UTC


26/27 Nov 2025 Rovaniemi. The third Canon set. This set started 50 min after the end of previous set. The lens was warm again after having been caressed by the heater blow in the idling car. In the intervening time I photographed with Nikon. Haven't looked yet at those photos.

In the intervening time I also had changed the camp some 20 meters to the east because crystals left the spot where I was – just endless fog. It can be a matter of meters with diamond dust. Your head may be in fog, but your hand at the end of your straightened arm is in diamond dust. Steep gradients are particularly true at close proximity to the guns, or, as it was in this case, a gun. They can be surprisingly steady.

The first dark frame, second on the second row, is probably where I changed the Olight Javelot Turbo battery before it up and dies. If this is where I did it, the lamp had been burning non-stop 2h 10m. A fresh battery is supposed to give more light, and that's how it indeed looks.

Long burn time is important. I have 9 batteries for my Acebeam L19 and they last, I think, max half-hour (need to actually measure those times). If you haven't done this sport, it may sound like enough, but what it feels like is that you are just running back-and-forth to change batteries, wasting valuable time, being stressed about the lamp going out and missing display peaks when it dies at a critical moment.

Anyway, as to the thumbnail table here, looks like it is possible to stack a longer quality segment than in the previous set.





12/20 - 2025-12-01 16:09 UTC


26/27 Nov 2025 Rovaniemi. 17x30s of the 3rd set, 9166-9181, 9191. Image versions: b-g, b-r, bgr and usm. The first two have been also bgr'd, a standard procedure.


This time the display is more pure column, less Parry. I am now even more confident of both anthelic latarc extensions being present. There is the whole schmeer of them, as also the infralat arc extension is visible. The infralat arc extension and anthelic infralat arc extension are seen on the left side of the display, probably because it is the darker side.

I am getting qualms on the Parry flip parhelic circle I have so much gushed above. Could it be that it's just part of the artefact ring, not halo?










13/20 - 2025-12-02 04:22 UTC

26/27 Nov 2025 Rovaniemi. I had above duplicated the b-r at the expense of bgr. Here is the bgr.




14/20 - 2025-12-02 14:15 UTC

26/27 Nov 2025 Rovaniemi. The Parry upper flip parhelic circle - real or arte? In these images the best three frame stack (9129-31) of the earlier stage where Parry was better represented is compared to three frame stack from the same set where halos were minimal (9095-97). The latter shows particularly well the lens artefact ring making full round of the sky. The comparison rather tells me that the Parry parhelic circle is real. The artefact ring, for one thing, passes a little below the flipanthelic point.

A nasty arte this ring. It's Sigma 4.5 mm.

[video: 1995859463870226803-G7K1sF4XcAA7GZK.mp4]



[video: 1995859463870226803-G7K1sF6WsAA5beH.mp4]



15/20 - 2025-12-02 16:18 UTC

26/27 Nov 2025 Rovaniemi. I am worried about the steep "ridge" in supralat arc extension in the latter stage stack. I managed to simulate the likes of it with Haloray, but the parameters as well as the rest of the simulation are bonkers. Maybe there is a way to have the ridge in an acceptable approximation of the display, but my quick attempts were not successful. The Chinese simulation masters – any ideas?



(As is evident, this limited rotation makes a flip-parhelic circle segment emanating from the flipanthelic point. The halos are still column orientation halos by their looks. Is it so, then, that column orientation can, after all, make flip parhelic circle? There are no hard and fast lines in halo classification.)




16/20 - 2025-12-03 07:31 UTC

26/27 Nov 2025 Rovaniemi. All right, morning was again wiser than evening, bringing improvement to the previous post's simulation. At least there is now tanarc and Wegener. Also the infralatarc extension more realistic. But of course this still is far from passing muster and crystal parameters beggar belief. In the third image the crystal is in proper Parry orientation, showing that the ridge feature is an incipient flip lower Ounasvaara arc.


Given the meagre Parry contribution in this display, I shudder to think what would have been seen had the Parry been present in more equal terms to the column, or even dominating. The discovery of new halos is all but over. A guy in a major Parry swarm in a dark location with the option of full 180 degree light elevation range is bound to gain on his belt more than just one new notch.






17/20 - 2025-12-03 12:18 UTC



26/27 Nov 2025 Rovaniemi. A set from Nikon while Canon was warming up in the car. Some aurora disturbing.




18/20 - 2025-12-03 14:40 UTC

26/27 Nov 2025 Rovaniemi. 14 x 30s. At least two details call for attention: Tricker arc is missing and in the two b-r versions the Greener arc arms have a narrow dark stripe inserted in the middle. Possibly the strong fogbow action had done away with Tricker. Frames 7109-7115, 7117-7118, 7121-7125. I may have no more next sets to stack. I think this was it, gentlemen.








19/20 - 2025-12-03 15:10 UTC

26/27 Nov 2025 Rovaniemi. I turned the camera for a while towards the lamp, but because of the fog glow, it was not worth it. Out of seven frames got only this one 10s frame where the display happened to be a bit stronger, but it's nothing like in the most clear moments. I could have, though, photographed front hemisphere from the side of the beam with another camera. The display would have asymmetric intensity, but it would still be valuable extra info. I need to construct another blocker.



20/20 - 2026-04-20 06:48 UTC

26/27 Nov 2025 Rovaniemi. Here is an account of the night. It was written before I had looked at the photos.

Alarm goes off at 9 pm after about one hour of eye shut. That will take me through the night, if need be. In an meanwhile FMI has updated its next hours forecast from partially clear to fog. As I am hauling myself and equipment to the car, fog starts to enshroud the scene. I feel the excitement rising: temp at railway station -9 C.

At racetrack it's becoming more foggy, too. Still a bit windy but already turning into diamond dust. I ponder where to set up the camp. At the far end of the racetrack a flimsy wooden stand allows to do extreme negative elevations, but it is rather exposed to the headlights of youth driving the main road back and forth. There is the whole Fury Road of them - cars, buggies, motorcycles and some doomsday lightbars on the roof. So I drive inside the fenced racetrack area, place the Olight Javelot Turbo at the bottom of the pit, camera up on top of a snow mound. Not fully insulated from the passing cars' lights, but much better than at the stand.

What comes to diamond dust, I soon see that my choice of the exact spot is not optimal. After a little action with not so well oriented crystals, it becomes almost solely fog, with only occasional transformations to diamond dust, whereas some 150 meteres to the left the two stadium building lights are giving a display. The spot where I am has a slightly back-angle view to those lights and I see only parhelic circle sticking out of them, but that's enough to understand that something of massive proportions must be going on there. To save seconds I take the car to go to inspect Even if these are just floodlights, the display is insane. I ponder what to do. I could move the camp to the other side of the

stadium building for a hopefully better ice fog environment. It's risky, the change could mark a permanent shift to the west, but I decide to do nothing, half out of laziness. A good move, for once. Not that many minutes later the super-swarm shifts again and comes where we are waiting.

The best diamond dust transformation burts are pure crystalline ultraviolence. But then it craps again. This time I see the core of the action has moved to the opposite direction to my left; only 20 meters or so to the left crystals are glittering more constantly. I can see this when I point my Acebeam that way. I hesitate, but it is getting only worse, becoming constant water fog. I recall some cases where the display stayed hours in one exact spot. Like once in Himos with Jari Luomanen, where moving 100 meters to any direction on the lake ice was fatal. The streelight Bottlinger in Kangasala (likewise with Luomanen) was also stationary, small scale affair. Horror images of waiting in this spot all night for the diamond dust to shift eventually compel to pack up and move the camp 20 meters to the left.

Better covered now with action, the display is still not that impressive. Tanarc is not well defined, which I put down to still too windy conditions. But then the material quality start improving with diffuse arc and flip-helic arc entering the scene in gushes of crystal transformation. I pay attention also to the supralateral arc extension reaching the zenith. It's my second time to have visual of this halo.

I see no parhelia / flip-parhelia whatsoever. And this sets my agenda for the night: photograph a purebreed Parry upper flip-parhelic circle. At the outset, it doesn't augur good: I don't see any indication of Parry orientation, no eponymous shallowcave arc against the ground, no helic arc. And I can't have consolation from Robert Greenler saying that Parry orientation is subset of column orientation. Yes, stopping the spinning of column oriented crystals so that a prism face is horizontal gives you Parry crystals, but the reality of the actual crystal clouds do not agree well with this subset take. In diamond dust displays Parry orientation halos almost always occur in displays with plate halos. True, these displays always have at least a little bit of column, but interestingly, column displays without plate halos are almost always without Parry (I know only one exception).

So, at the outset it looks a forlorn hope for the Parry crystals to enter this swarm. But without trying you won't know, so I set my chin to photograph straight up because, of all displays, this is the one to have a try. The lamp is some -18 degree elevation and the zenith view covers the both the upper flipsun and flip-anthelic point. If Parry enters the scene, its upper flip-parhelic circle will appear, just like flip-Liljequist, at the back hemisphere near the flip-anthelic point, while at the same time lacking of flip-parhelia on the front hemisphere would proof that plate orientation was absent and so plate upper flip-parhelic circle is not an option for explanation for the stripes.

Parry flip-parhelic circle hunt aside, it is of course true that straight up view is the default, but this time its role was risen to higher prominence by the fog. Even during the most violent crystal transformations fog never disappeared completely, the massive glow on the lamp side of which rendered photographing front hemisphere pretty useless (took only some example shots). And talking of fogbow(s), which was ever-present feature, in the past my experience has been that halos and fogbows tend be exclusive of each other, i.e. that fog and diamond dust do not have tendency to be mixed. Although I have photographed displays which proof otherwise, they have been short-live affairs - I have

never experienced such hours long swarm as now, where fog and fogbow is constant even during the highest crystal transformations.

But even if fog was ever-present this time, it was always in proportion to the diamond dust. The more intense the halo display, the weaker the fogbows and vice versa. I wouldn't have minded if those fogbows not messing up the view, but then again, without that thick fog those bursts of crystal transformation would not likely have reached such ravaging levels of brutality (the likes of which I have only experienced before in the 7/8 Dec 2008 display in Rovaniemi).

All forecasts, FMI, Meteoblue and Yr predict increasing winds and warming starting 3-4 am. Even though there may thus be only one to two hours left of the action, as a safety caution I drive to the apartment to put in the charger the other one of the two Canon batteries I have, because it was starting to run on empty after heavy use. It is not one time that the forecasted wind speed increase due to an arriving front has been significantly delayed. I leave my Nikon at the site continuing to take photos in the Olight beam, it is only 5 minute drive to the apartment. It's not like

Upon coming back Nikon had stopped photographing. It has problems with interval timer, the "infinite" setting is actually very much finite. However, possibly nothing was missed as the last shots were of pure fog and it was fog when I arrived (didn't check the time on arrival to see how much was missed).

In addition to the flip upper Parry parhelic circle, another new halo I had in mind was the solar side counterpart of the Greenler arc. It is an extreme elevation feature, so possible from the wooden stand. I wonder how much fogbow might hamper its visibility, but then convince myself that those extreme crystals transformations would hands down win over the fogbow. As diamond dust doesn't seem to be coming back to the current spot, I pack up and drive to the wooden stand to give the Greenler arc non-basal face reflection counterpart the old college try.

But this time it is TLHS: a huge tangent arc greets me from a single floodlight down at the horsetrack as I curve to the location and then, at the drop of a hat, the action is gone. Just fog. All the same, as fortune favours the prepared I set up the equipment, lamp on the ground, camera on tripod at the top the stand. But now even the fog disappears. Moreover, the twigs of bushes and tree saplings start to wave; wind is increasing. I am about to wrap it up when fog engulfs the scene again. But I see nowhere pillars. The gunning is not able to transform anymore this fog into diamond dust anywhere, an effect from the wind. Wind just increases and capturing the Greenler arc counterpart is left for next adventures. I pack up and leave for good, back at the apartment 3:40 am.
