K B WINDOWS
architectural window solutions

53 Lillee Crescent
Tullamarine 3043
Phone: (03) 9310 3896
Website: www.kbwindows.com.au
ABN: 22 700 500 538
Email: sales@kbwindows.com.au

Quote No:	-5375- -Ver 3	**Customer Name:**	CASH SALE QUOTES
Quote Title:	4 Laurence Avenue, Airport West	**Customer Address:**	
Valid Until Date:	23/04/2026	**Customer Phone:**	**Customer Fax:**
Sales Person:	Dawn Bautista	**Customer Mobile:**	
Phone:		**Customer Email:**	

Quote Comments:

Item No 1. **Unit 1** **Quantity 1**

Item No 2. **W01- Entry** **Quantity 1**



Deflection: 250 **SLS:** 400 pa **ULS:** 900 pa **Pw:** 150 pa

Code:	516-AWM-1 F (Fixed)
Framing:	516 MOD 1 Light Awning
Dimension:	2,100 mm x 910 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Not Required
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	No Screen
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	49.333 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 3. **W02- Living** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-3 AFA (Awning Fixed Awning)
Framing:	516 MOD 3 Light Awning
Dimension:	2,100 mm x 2,410 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	129.58 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)

*Accepted Customer Signature:*_____

Item No 4. **D01- Meals** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	DS-3 FXX (Fxd <Slide <Slide)
Framing:	542 3 Panel DStacker
Dimension:	2,400 mm x 3,000 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	NONE
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Hardware Type:	ANDO Double Cylinder 2 point with 'D' Pull Handle (93692)
Hardware Colour:	Std Finish
Decal	Adhesive Decal (94076)
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Sub Frame Only
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE

Frame Weight: 181.02 kg

Item Comments: Uw= 3.8 SHGCw= 0.61

Accepted Customer Signature:_____

Item No 5. **W03- WIP** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-1 F (Fixed)
Framing: 516 MOD 1 Light Awning
Dimension: 600 mm x 900 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Not Required
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals
Screen: No Screen
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NO (Not Required)
Lugs: NONE (Not Required)
Architraves: NONE (Not Required)
Frame Weight: 16.467 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 6. **D02- Laundry** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: ED-1 LEFT OI (Hinges to the Left Open In)
Framing: 549 Entry Door Sill
Dimension: 2,400 mm x 800 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: NONE
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Hardware Type: ANDO Lever 4.point Lock
Hardware Colour: Std Finish
Decal Adhesive Decal (94076)
Reveals: 138 mm FJ Primed Pine Reveals
Screen: No Screen
Trims: NONE (No Trims)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NONE

Lugs:	NONE (Not Required)
Architraves:	NONE
Frame Weight:	52.814 kg

Item Comments: Uw= 3.9 SHGCw=0.52

Accepted Customer Signature:_____

Item No 7. **W04- Bedroom 2** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 1,800 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tah/10/5 Clr Tah
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	89.855 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

Accepted Customer Signature:_____

Item No 8. **W05- Master Bed** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 1,800 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tgh/10/5 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	89.855 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)

Accepted Customer Signature:_____

Item No 9. **W06- Bath** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-1 F (Fixed)
Framing:	516 MOD 1 Light Awning
Dimension:	610 mm x 1,500 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 DecSat Tgh/12/4 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Not Required
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	No Screen
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)

Frame Weight: 26.278 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 10. **W07- Bedroom 3** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-2 AF (Awning Fixed)
Framing: 516 MOD 2 Light Awning
Dimension: 1,800 mm x 1,800 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tgh/10/5 Clr Tgh
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Keyed Chain Winder,Not Restricted
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals
Screen: Flyscreen,Fibre Mesh
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NO (Not Required)
Lugs: NONE (Not Required)
Architraves: NONE (Not Required)
Frame Weight: 89.855 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTTRICTED

Accepted Customer Signature:_____

Item No 11. **W08- Ensuite** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-1 F (Fixed)
Framing: 516 MOD 1 Light Awning
Dimension: 1,200 mm x 700 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 4 Clr Tgh/12/4 DecSat Tgh
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Not Required
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals
Screen: No Screen

Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	23.872 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 12. **W09- Stairs** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 FF (Fixed Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 1,800 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 5 Clr Tgh/10/5 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Not Required
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	No Screen
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	94.289 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 13. **W10-Bedroom 4** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-2 AF (Awning Fixed)
Framing: 516 MOD 2 Light Awning
Dimension: 1,800 mm x 1,800 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tgh/10/5 Clr Tgh
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Keyed Chain Winder,Not Restricted
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals
Screen: Flyscreen,Fibre Mesh
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NO (Not Required)
Lugs: NONE (Not Required)
Architraves: NONE (Not Required)
Frame Weight: 89.855 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 14. **Unit 2** **Quantity 1**

Item No 15. **W01- Stairs** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-1 F (Fixed)
Framing: 516 MOD 1 Light Awning
Dimension: 1,200 mm x 600 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Not Required
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals
Screen: No Screen
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NO (Not Required)
Lugs: NONE (Not Required)
Architraves: NONE (Not Required)
Frame Weight: 21.093 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 16. **W02- Living** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-3 AFA (Awning Fixed Awning)
Framing:	516 MOD 3 Light Awning
Dimension:	2,100 mm x 2,410 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	129.58 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)

Accepted Customer Signature:_____

Item No 17. **D01- Meals** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	DS-3 XXF (Slide> Slide> Fxd)
Framing:	542 3 Panel DStacker
Dimension:	2,400 mm x 2,700 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	NONE
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Hardware Type:	ANDO Double Cylinder 2 point with 'D' Pull Handle (93692)
Hardware Colour:	Std Finish
Decal	Adhesive Decal (94076)
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Sub Frame Only
Trims:	NONE (No Trims Required)
Protection:	Polywrap

Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE
Frame Weight:	165.09 kg

Item Comments: Uw= 3.8 SHGCw= 0.61

Accepted Customer Signature:_____

Item No 18. **W03- Bedroom 2** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 1,800 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tah/10/5 Clr Tah
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	89.855 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

Accepted Customer Signature:_____

Item No 19. **W04- Stairs** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-1 F (Fixed)
Framing: 516 MOD 1 Light Awning
Dimension: 1,800 mm x 900 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Not Required
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals
Screen: No Screen
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NO (Not Required)
Lugs: NONE (Not Required)
Architraves: NONE (Not Required)
Frame Weight: 42.393 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 20. **W05- Master Bed** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-3 AFA (Awning Fixed Awning)
Framing: 516 MOD 3 Light Awning
Dimension: 1,800 mm x 2,400 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Keyed Chain Winder,Not Restricted
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals
Screen: Flyscreen,Fibre Mesh
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NO (Not Required)
Lugs: NONE (Not Required)
Architraves: NONE (Not Required)
Frame Weight: 110.55 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

*Accepted Customer Signature:*_____

Item No 21. **W06- Ensuite** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-1 F (Fixed)
Framing:	516 MOD 1 Light Awning
Dimension:	1,800 mm x 900 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 DecSat Tgh/12/4 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Not Required
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	No Screen
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	42.393 kg

Item Comments: Uw= 3.3 SHGCw=0.65

*Accepted Customer Signature:*_____

Item No 22. **W07-Bedroom 4** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 1,800 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tah/10/5 Clr Tah
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap

Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	89.855 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

*Accepted Customer Signature:*_____

Item No 23. **W08- Sitting/Rumpus** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2L
Framing:	516 MOD 2 Light Awning with LowLight
Dimension:	1,800 mm x 1,810 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	80.759 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)

*Accepted Customer Signature:*_____

Item No 24. **W09- Bedroom 3** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-2 AF (Awning Fixed)
Framing: 516 MOD 2 Light Awning
Dimension: 1,800 mm x 1,800 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tgh/10/5 Clr Tgh
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Keyed Chain Winder,Not Restricted
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals
Screen: Flyscreen,Fibre Mesh
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NO (Not Required)
Lugs: NONE (Not Required)
Architraves: NONE (Not Required)
Frame Weight: 89.855 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

Accepted Customer Signature:_____

Item No 25. **Unit 3** **Quantity 1**

Item No 26. **W01- Living** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-3 AFA (Awning Fixed Awning)
Framing: 516 MOD 3 Light Awning
Dimension: 2,100 mm x 2,410 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Keyed Chain Winder,Not Restricted
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals
Screen: Flyscreen,Fibre Mesh
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE

Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	129.58 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)

Accepted Customer Signature:_____

Item No 27. **W02- Stairs** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-1 F (Fixed)
Framing:	516 MOD 1 Light Awning
Dimension:	1,200 mm x 600 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Not Required
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	No Screen
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	21.093 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 28. **D01- Meals** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: DS-3 FXX (Fxd <Slide <Slide)
Framing: 542 3 Panel DStacker
Dimension: 2,400 mm x 2,700 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: NONE
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Hardware Type: ANDO Double Cylinder 2 point with 'D' Pull Handle (93692)
Hardware Colour: Std Finish
Decal Adhesive Decal (94076)
Reveals: 138 mm FJ Primed Pine Reveals
Screen: Sub Frame Only
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NO (Not Required)
Lugs: NONE (Not Required)
Architraves: NONE
Frame Weight: 165.09 kg

Item Comments: Uw= 3.8 SHGCw= 0.61

Accepted Customer Signature:_____

Item No 29. **W03- Ensuite** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-1 F (Fixed)
Framing: 516 MOD 1 Light Awning
Dimension: 1,800 mm x 900 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 4 DecSat Tgh/12/4 Clr Tgh
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Not Required
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals
Screen: No Screen
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NO (Not Required)
Lugs: NONE (Not Required)
Architraves: NONE (Not Required)
Frame Weight: 42.393 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 30. **W04- Master Bed** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-3 AFA (Awning Fixed Awning)
Framing:	516 MOD 3 Light Awning
Dimension:	1,800 mm x 2,410 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	110.95 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

Accepted Customer Signature:_____

Item No 31. **W05- Stairs** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-1 F (Fixed)
Framing:	516 MOD 1 Light Awning
Dimension:	1,800 mm x 910 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Not Required
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	No Screen
Trims:	NONE (No Trims Required)
Protection:	Polywrap

Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	42.792 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 32. **W03- Bedroom 2** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 1,800 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tah/10/5 Clr Tah
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	89.855 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

Accepted Customer Signature:_____

Item No 33. **W06- Bedroom 3** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 1,800 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tgh/10/5 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	89.855 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

*Accepted Customer Signature:*_____

Item No 34. **W07- Sitting/Rumpus** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2L
Framing:	516 MOD 2 Light Awning with LowLight
Dimension:	1,800 mm x 1,810 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)

Architraves: NONE (Not Required)
Frame Weight: 80.759 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)

Accepted Customer Signature:_____

Item No 35. **W08-Bedroom 4** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-2 AF (Awning Fixed)
Framing: 516 MOD 2 Light Awning
Dimension: 1,800 mm x 1,800 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tah/10/5 Clr Tah
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Keyed Chain Winder,Not Restricted
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals
Screen: Flyscreen,Fibre Mesh
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NO (Not Required)
Lugs: NONE (Not Required)
Architraves: NONE (Not Required)
Frame Weight: 89.855 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

Accepted Customer Signature:_____

Item No 36. **Unit 4** **Quantity 1**

Item No 37. **W01- Stairs** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-1 F (Fixed)
Framing: 516 MOD 1 Light Awning
Dimension: 1,200 mm x 600 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Not Required
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals
Screen: No Screen
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NO (Not Required)
Lugs: NONE (Not Required)
Architraves: NONE (Not Required)
Frame Weight: 21.093 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 38. **W02- Living** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-3 AFA (Awning Fixed Awning)
Framing: 516 MOD 3 Light Awning
Dimension: 2,100 mm x 2,410 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Keyed Chain Winder,Not Restricted
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals
Screen: Flyscreen,Fibre Mesh
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NO (Not Required)
Lugs: NONE (Not Required)
Architraves: NONE (Not Required)
Frame Weight: 129.58 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)

*Accepted Customer Signature:*_____

Item No 39. **D01- Meals** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	DS-3 XXF (Slide> Slide> Fxd)
Framing:	542 3 Panel DStacker
Dimension:	2,400 mm x 2,700 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	NONE
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Hardware Type:	ANDO Double Cylinder 2 point with 'D' Pull Handle (93692)
Hardware Colour:	Std Finish
Decal	Adhesive Decal (94076)
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Sub Frame Only
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE
Frame Weight:	165.09 kg

Item Comments: Uw= 3.8 SHGCw= 0.61

*Accepted Customer Signature:*_____

Item No 40. **W03- Bedroom 2** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 1,800 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tgh/10/5 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)

Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	89.855 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

Accepted Customer Signature:_____

Item No 41. **W04- Stairs** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-1 F (Fixed)
Framing:	516 MOD 1 Light Awning
Dimension:	1,800 mm x 910 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 5 Clr Tgh/10/5 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Not Required
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	No Screen
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	50.422 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 42. **W05- Master Bed** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-3 AFA (Awning Fixed Awning)
Framing:	516 MOD 3 Light Awning
Dimension:	1,800 mm x 2,410 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	110.95 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

*Accepted Customer Signature:*_____

Item No 43. **W06- Ensuite** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-1 F (Fixed)
Framing:	516 MOD 1 Light Awning
Dimension:	1,800 mm x 900 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 DecSat Tgh/12/4 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Not Required
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	No Screen
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)

Architraves: NONE (Not Required)
Frame Weight: 42.393 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 44. **W07-Bedroom 4** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-2 AF (Awning Fixed)
Framing: 516 MOD 2 Light Awning
Dimension: 1,800 mm x 1,800 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tgh/10/5 Clr Tgh
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Keyed Chain Winder,Not Restricted
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals
Screen: Flyscreen,Fibre Mesh
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NO (Not Required)
Lugs: NONE (Not Required)
Architraves: NONE (Not Required)
Frame Weight: 89.855 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

Accepted Customer Signature:_____

Item No 45. **W08- Sitting/Rumpus** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-2L
Framing: 516 MOD 2 Light Awning with LowLight
Dimension: 1,800 mm x 1,810 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Keyed Chain Winder,Not Restricted
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals

Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	80.759 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)

Accepted Customer Signature:_____

Item No 46. **W09- Bedroom 3** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 1,800 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tah/10/5 Clr Tah
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	89.855 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

Accepted Customer Signature:_____

Item No 47. **Unit 5** **Quantity 1**

Item No 48. **D01- Meals** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: DS-3 XXF (Slide> Slide> Fxd)
Framing: 542 3 Panel DStacker
Dimension: 2,400 mm x 2,700 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: NONE
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: 20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Hardware Type: ANDO Double Cylinder 2 point with 'D' Pull Handle (93692)
Hardware Colour: Std Finish
Decal Adhesive Decal (94076)
Reveals: 138 mm FJ Primed Pine Reveals
Screen: Sub Frame Only
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NO (Not Required)
Lugs: NONE (Not Required)
Architraves: NONE
Frame Weight: 165.09 kg

Item Comments: Uw= 3.8 SHGCw= 0.61

Accepted Customer Signature:_____

Item No 49. **W01- Stairs** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-1 F (Fixed)
Framing: 516 MOD 1 Light Awning
Dimension: 1,800 mm x 910 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 5 Clr Tgh/10/5 Clr Tgh
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Not Required
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals
Screen: No Screen
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NO (Not Required)
Lugs: NONE (Not Required)
Architraves: NONE (Not Required)
Frame Weight: 50.422 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 50. **W02-Master Bed** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 2,100 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tah/10/5 Clr Tah
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	104.43 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

Accepted Customer Signature:_____

Item No 51. **W03- Ensuite** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-1 A (Awning)
Framing:	516 MOD 1 Light Awning
Dimension:	1,800 mm x 600 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 DecSat Tgh/12/4 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Restricted Chain Winder
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap

Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	30.919 kg

Item Comments: Uw= 3.3 SHGCw=0.65
UPSTAIRS / RESTRICTED

Accepted Customer Signature:_____

Item No 52. **W04-Bedroom 4** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 1,800 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 4 DecSat Tgh/12/4 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	79.685 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

Accepted Customer Signature:_____

Item No 53. **W05- Bedroom 3** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 1,800 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tah/10/5 Clr Tah
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	89.855 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

*Accepted Customer Signature:*_____

Item No 54. **W06- Bedroom 2** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 1,800 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tah/10/5 Clr Tah
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)

Architraves: NONE (Not Required)
Frame Weight: 89.855 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

Accepted Customer Signature:_____

Item No 55. **W07- Bath** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code: 516-AWM-1 F (Fixed)
Framing: 516 MOD 1 Light Awning
Dimension: 1,200 mm x 900 mm
Finish: Monument Colorbond Matt (D1000-GP290A)
Window Glass: 20mm ThermoTech 4 DecSat Tgh/12/4 Clr Tgh
Lowlight Glass: NONE
Louvre Glass: NONE
Door Glass: NONE
Hardware Type: Not Required
Hardware Colour: Std Finish
Reveals: 138 mm FJ Primed Pine Reveals
Screen: No Screen
Trims: NONE (No Trims Required)
Protection: Polywrap
Sub Head Type: NONE
Sub Sill Type: NO (Not Required)
Lugs: NONE (Not Required)
Architraves: NONE (Not Required)
Frame Weight: 29.431 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 56. **Unit 6** **Quantity 1**

Item No 57. **D01- Living** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	DS-3 FXX (Fxd <Slide <Slide)
Framing:	542 3 Panel DStacker
Dimension:	2,400 mm x 2,700 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	NONE
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Hardware Type:	ANDO Double Cylinder 2 point with 'D' Pull Handle (93692)
Hardware Colour:	Std Finish
Decal	Adhesive Decal (94076)
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Sub Frame Only
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE
Frame Weight:	165.09 kg

Item Comments: Uw= 3.8 SHGCw= 0.61

Accepted Customer Signature:_____

Item No 58. **W01-Living** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	2,100 mm x 1,800 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tgh/10/5 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	107.5 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)

Accepted Customer Signature:_____

Item No 59. **W02-Bedroom 4** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 1,800 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	79.685 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

Accepted Customer Signature:_____

Item No 60. **W03- Bedroom 3** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 1,800 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tgh/10/5 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh

Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	89.855 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

Accepted Customer Signature:_____

Item No 61. **W04- Bedroom 2** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 1,800 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh, 20mm ThermoTech 5 Clr Tgh/10/5 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	89.855 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

Accepted Customer Signature:_____

Item No 62. **W05- Ensuite** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-1 F (Fixed)
Framing:	516 MOD 1 Light Awning
Dimension:	1,800 mm x 600 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 DecSat Tgh/12/4 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Not Required
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	No Screen
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	30.456 kg

Item Comments: Uw= 3.3 SHGCw=0.65

Accepted Customer Signature:_____

Item No 63. **W06- Master Bed** **Quantity 1**



Deflection:250 **SLS:**400 pa **ULS:**900 pa **Pw:**150 pa

Code:	516-AWM-2 AF (Awning Fixed)
Framing:	516 MOD 2 Light Awning
Dimension:	1,800 mm x 2,100 mm
Finish:	Monument Colorbond Matt (D1000-GP290A)
Window Glass:	20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh
Lowlight Glass:	NONE
Louvre Glass:	NONE
Door Glass:	NONE
Hardware Type:	Keyed Chain Winder,Not Restricted
Hardware Colour:	Std Finish
Reveals:	138 mm FJ Primed Pine Reveals
Screen:	Flyscreen,Fibre Mesh
Trims:	NONE (No Trims Required)
Protection:	Polywrap
Sub Head Type:	NONE
Sub Sill Type:	NO (Not Required)
Lugs:	NONE (Not Required)
Architraves:	NONE (Not Required)
Frame Weight:	91.623 kg

Item Comments: Uw= 4.1 SHGCw=0.55 (Awning)

Uw= 3.3 SHGCw=0.65 (Fixed)
UPSTAIRS / RESTRICTED

*Accepted Customer Signature:*_____

Item No 64.	**W07- WIR**	**Quantity 1**



Deflection: *250* **SLS:** *400 pa* **ULS:** *900 pa* **Pw:** *150 pa*

Code:	*516-AWM-1 A (Awning)*
Framing:	*516 MOD 1 Light Awning*
Dimension:	*1,800 mm x 600 mm*
Finish:	*Monument Colorbond Matt (D1000-GP290A)*
Window Glass:	*20mm ThermoTech 4 Clr Tgh/12/4 Clr Tgh*
Lowlight Glass:	*NONE*
Louvre Glass:	*NONE*
Door Glass:	*NONE*
Hardware Type:	*Keyed Chain Winder,Not Restricted*
Hardware Colour:	*Std Finish*
Reveals:	*138 mm FJ Primed Pine Reveals*
Screen:	*Flyscreen,Fibre Mesh*
Trims:	*NONE (No Trims Required)*
Protection:	*Polywrap*
Sub Head Type:	*NONE*
Sub Sill Type:	*NO (Not Required)*
Lugs:	*NONE (Not Required)*
Architraves:	*NONE (Not Required)*
Frame Weight:	*30.919 kg*

Item Comments: Uw= 4.1 SHGCw=0.55
UPSTAIRS / RESTRICTED

*Accepted Customer Signature:*_____

Item No 65.	**Delivery**	**Quantity 1**

Sub Total:	**$ 72,325.45**
GST Incl:	**$ 7,232.55**
Quote Total:	**$ 79,558.00**

QUOTATION NOTES/TRADING TERMS:
When referred to in these notes, **"The Company"** refers to: **K&B Windows Pty Ltd**

We are pleased to submit this quotation for your acceptance in accordance with the above comments and our terms and conditions of sale. Please check the foregoing schedule that the quantity, sizes and handing of joinery is correct. **(All units are shown from an external view point).**

It is your responsilbility to ensure that the details contained in this document are accurate in every aspect before signing the acceptance. **Responsibility of accurate ordering rests entirely with 'you'.**

All windows supplied need to be carefully installed and checked for squareness.
No liability is accepted for faulty installation or for frames manufactured if sizes or details change.
All variations will be charged. No plumbing or electrical work is included unless specifically stated.
Shop Drawings are not provided unless specifically stated and will incure an addition cost if requested.

ORDER CHECKLIST:
Please check your quotation carefully before signing.

1. Are frame sizes correct. Please check both "Frame Size" (overall aluminium) and Stud Opening size as they are different.
2. Is the glass correct on all windows and doors?
3. Are the reveal linings correct on each window, as they may differ around the building in different construction methods.
4. Are the hand of all windows and doors correct? Do doors hinge or slide the correct way? Do Hinged doors open IN or OUT?
5. All diagrams in this quotation are depicted from an external view point.
6. Hardware colour (locks,winders, handles, hinges and flushbolts) are black as standard for all products unless otherwise nominated on this quotation. Specially coloured hardware can be more costly and take up to 5 weeks lead times for availability.
7. Have you allowed for recessed door sills in the overall height, this is especially important for laundry combo windows.

Once the quotation has been accepted, **"the company"** will not be responsible for any incorrect sizes (other than those stated on this signed acceptence of the quote) or installation querieson site.

Once the quotation has been accepted and materials have been ordered, changes thereafter will incur a fee for any additional cost of labour and materials as required.

A service fee is applicable if a representative of **"the company"** is required on site due to incorrect installation.

A storage fee may be applicableif windows are required to be held in our factory beyond the agreed delivery date.

I, _____ have read and understood the quotation and reviewed the checklist and hereby accept the quotation & above conditions.

This quotation is subject to the following terms of payment: A 40% deposit is required on order placement, with the balance due prior to delivery. Account customers are bound to the terms and conditions as outlined on their approval of application.

Payment Option: Credit Card charge of 1.5% will be added for Credit Card payments

*Print Name:*_____

*Customer Signature:*_____ *Date:*_____