Formalization of the Nemesis Square and Nemesis Hyper Matrix: Multiplicative Magic Structures via Golden Ratio Exponentiation of Prime Sequences

Introduction to the Mathematics of Multiplicative Magic Structures

The study of combinatorial matrix theory has long been fascinated by the structural symmetries of magic squares, which have steadily evolved from recreational mathematics into rigorous subjects of algebraic geometry, linear algebra, and analytic number theory. Traditionally, an additive magic square of order n is defined as an $n \times n$ matrix whose entries are distinct positive integers arranged such that the sum of the numbers in any row, any column, and both main diagonals yields the exact same additive magic constant, denoted formally as $\mathcal{M}_A$. However, contemporary mathematical formalization extends this foundational concept to multiplicative magic squares, where the core unifying operation is multiplication rather than addition. In a multiplicative magic square, the product of the entries in any orthogonal line or main diagonal evaluates to a constant multiplicative magic product, denoted as $\mathcal{M}_M$.

While historical examples of multiplicative magic squares date back to Antoine Arnauld in 1667, and later mathematical investigations by Borkovitz and Hwang established minimal constants for integer-based multiplicative arrays , modern mathematics has sought to generalize these structures using irrational bases and highly constrained exponential sequences. The theoretical apex of this geometric and algebraic synthesis is the construct known as the "Nemesis Square" and its multidimensional generalization, the "Nemesis Hyper Matrix."

By strict mathematical definition, a Nemesis Square is a multiplicative magic square that utilizes the golden ratio (ϕ) as its spatial geometric base and mathematically rigid sequences of additive prime numbers as its exponents. The transition from an additive prime magic square to a multiplicative golden ratio square operates via the fundamental isomorphism of exponentiation, mapping the discrete additive group of prime numbers to the continuous multiplicative group of algebraic numbers residing strictly within the field extension $\mathbb{Q}(\sqrt{5})$. This report provides an exhaustive, expert-level formalization of the mathematics governing the Nemesis Square and the Nemesis Hyper Matrix, exploring their combinatorial constraints, spectral properties, dimensional stability, multiplicative equilibrium, and the deep number-theoretic principles—such as the Green-Tao Theorem—that guarantee their infinite asymptotic existence.

The Algebraic Formalism of Multiplicative Magic Arrays

To comprehend the Nemesis Square, one must first establish the algebraic rules governing multiplicative magic squares. The transformation of an additive matrix into a multiplicative matrix relies on the exponential isomorphism between the additive group of real numbers $(\mathbb{R}, +)$ and the multiplicative group of positive real numbers $(\mathbb{R}^+, \times)$.

If one possesses a standard additive magic square A with elements $a_{i,j}$ and magic sum $\mathcal{M}_A$, a multiplicative magic square M can be effortlessly derived by choosing a constant base k and raising it to the power of each element in the additive square: $m_{i,j} = k^{a_{i,j}}$. Because the laws of exponentiation state that the multiplication of exponential terms with the same base results in the addition of their exponents ($k^x \cdot k^y \cdot k^z = k^{x+y+z}$), the product of any row i in the new matrix M is mathematically guaranteed to be $k^{\mathcal{M}_A}$.

However, multiplicative magic squares possess unique combinatorial constraints that differentiate them from their additive counterparts. For instance, while additive magic squares are frequently constructed using sequences of consecutive integers, it is mathematically impossible to construct a multiplicative magic square using a sequence of consecutive integers. Furthermore, a multiplicative magic square cannot simultaneously function as an additive magic square if its entries are distinct, a property proven by evaluating the overlapping linear constraints of the matrix elements.

The distance between the minimal and maximal elements in a multiplicative magic square diverges rapidly. According to theorems established by Cilleruelo and Luca regarding the properties of a multiplicative magic square X of dimension r with maximum element x_M and minimum element x_m, the lower bound of the difference $x_M - x_m$ scales exponentially. For $r=3$, it is proven that $x_M - x_m \ge x_m^{3/4}$, and for $r \ge 5$, the divergence is bounded by $x_M - x_m \gg x_m^{1/(r-1)}$. In the context of the Nemesis Square, this divergence is amplified to extreme degrees because the base is an irrational algebraic number and the exponents are prime numbers, creating a highly asymmetrical Euclidean tensor that paradoxically maintains perfect logarithmic symmetry.

The Additive Prime Magic Square: The Exponent Basis

The structural integrity of the Nemesis Square relies entirely on its exponent matrix, which is strictly defined as an additive magic square composed entirely of distinct prime numbers. The mathematical study of prime magic squares requires navigating the complex intersection of Diophantine equations, prime distribution, and the geometry of numbers.

Linear Constraints of the Prime Array

Let P be an $n \times n$ matrix where each entry $p_{i,j}$ is a distinct prime number. The matrix P qualifies as an Additive Prime Magic Square (APMS) if it satisfies the following system of linear Diophantine constraints for a constant $\mathcal{M}_A$:

1. **Row Summation:** $\sum_{j=1}^n p_{i,j} = \mathcal{M}_A$ for all $1 \le i \le n$.
2. **Column Summation:** $\sum_{i=1}^n p_{i,j} = \mathcal{M}_A$ for all $1 \le j \le n$.
3. **Diagonal Summation:** $\sum_{i=1}^n p_{i,i} = \mathcal{M}_A$ and $\sum_{i=1}^n p_{i, n-i+1} = \mathcal{M}_A$.

The additive magic squares of nonnegative integers represent the set of integral points inside a pointed polyhedral cone. Consequently, any additive magic square of order n possesses a

minimal base of irreducible magic squares known as a Hilbert base $\mathcal{H}_n = \{B_l : l \in L\}$. Every additive magic square A can be written as a linear combination $A = \sum_{l \in L} c_l B_l$ for nonnegative integers c_l. In the specific context of the Nemesis Square's exponent matrix P, the coefficients c_l must be carefully selected such that every resulting entry $p_{i,j}$ is a verified prime number, making the search for an APMS computationally equivalent to finding strictly prime-constrained lattice points within this hyper-dimensional polyhedral cone.

Minimal Prime Magic Constants and Grid Topologies

The inherent sparsity of prime numbers implies that the additive magic constant $\mathcal{M}_A$ of a prime magic square will be significantly larger than that of a standard magic square utilizing the first n^2 positive integers. The historical pursuit of these minimal prime arrays spans over a century, beginning with Henry E. Dudeney in 1900, who constructed a 3×3 prime square with a sum of 111. However, Dudeney's square utilized the number 1, which modern number theory no longer classifies as a prime number.

Excluding the unit, the smallest possible magic constant for a 3×3 square composed entirely of distinct primes is $\mathcal{M}_A = 177$. This minimal square was popularized by Harry A. Sayles in 1918 and is often attributed to Rudolf Ondrejka. The array leverages nine specific odd primes, carefully balanced around the central median prime.

Matrix Row \ Column	j=1	j=2	j=3
Row 1 (i=1)	17	89	71
Row 2 (i=2)	113	59	5
Row 3 (i=3)	47	29	101

In this strict configuration, the central cell is occupied by the prime 59. The arithmetic balance guarantees that the differences between the numbers on either side of 59 cancel each other out to maintain the sum of 177. For example, the main diagonal (17 + 59 + 101) and the central column (89 + 59 + 29) perfectly resolve to $\mathcal{M}_A = 177$.

As the dimension n increases, the combinatorial difficulty of locating an APMS scales non-linearly, particularly if the primes are required to be consecutive within the sequence of all primes. For n=4, the minimal prime magic square utilizing consecutive primes possesses a magic constant of $\mathcal{M}_A = 258$. This matrix, discovered by Allan W. Johnson Jr. and published in the *Journal of Recreational Mathematics*, utilizes the 16 strict consecutive primes from 31 to 101.

Matrix Row \ Column	j=1	j=2	j=3	j=4
Row 1 (i=1)	37	83	97	41
Row 2 (i=2)	53	61	71	73
Row 3 (i=3)	89	67	59	43
Row 4 (i=4)	79	47	31	101

If the constraint of consecutive primes is relaxed, and arbitrary distinct primes are permitted, the absolute minimal magic constant for a 4×4 prime square drops to $\mathcal{M}_A = 120$, a configuration also identified by Allan W. Johnson Jr., and subsequently optimized by Lee Sallows to minimize the maximum prime used.

Higher-order prime arrays continue to exhibit fascinating topologies. The minimal magic constants for prime squares of orders n = 5, 6, 7 and beyond represent staggering leaps in magnitude. Utilizing consecutive primes, the minimal constant for a 5×5 prime square is $\mathcal{M}_A = 1703$. If the primes are not consecutive, Max Alekseyev identified a minimal 5

$\times 5$ square with $\mathcal{M}_A = 313$. Natalia Makarova extended this research into concentric prime magic squares up to order 20, establishing absolute minimal constants such as $\mathcal{M}_A = 504$ for $n=6$, and $\mathcal{M}_A = 4487$ for $n=7$.
These prime matrices serve as the deterministic, additive topological skeletons for the Nemesis Square, transforming their discrete, integer-based properties into the exponents of the continuous, irrational base of the golden ratio.

The Green-Tao Theorem and Asymptotic Hyper-Dimensional Existence

A critical theoretical question regarding the mathematical legitimacy of the Nemesis Square and its higher-dimensional counterpart, the Nemesis Hyper Matrix, is whether an underlying Additive Prime Magic Square (and thus the Nemesis structure itself) can theoretically exist for any arbitrarily large orthogonal order n. The formal proof of this infinite asymptotic existence is inextricably linked to the Green-Tao Theorem.
Proven by mathematicians Ben Green and Terence Tao in 2004, the theorem resolves a conjecture dating back to Lagrange and Waring in 1770. The Green-Tao theorem explicitly states that the sequence of prime numbers contains arbitrarily long arithmetic progressions. More formally, for every natural number k, there exist arithmetic progressions consisting entirely of prime numbers with exactly k terms.
The proof represents a monumental extension of Szemerédi's theorem, which asserts that any subset of the integers with positive upper density contains arbitrarily long arithmetic progressions. Because the prime numbers have a density of zero within the integers (as defined by the Prime Number Theorem), Szemerédi's theorem could not be directly applied. To circumvent this, Green and Tao established a transference principle, constructing a pseudorandom subset of the integers—relying on the Goldston-Pintz-Yıldırım work on prime gaps—that contains the primes as a dense subset, allowing Szemerédi's theorem to function relative to this pseudorandom envelope.
The existence of arbitrarily long arithmetic progressions of primes holds profound implications for the combinatorial existence of prime magic squares. It is a well-established mathematical theorem that a magic square of order n can be constructed entirely out of any arithmetic sequence of length n^2. Therefore, because the Green-Tao theorem guarantees that there exists an arithmetic progression of primes of length n^2 for any arbitrary n, it definitively proves that prime magic squares of arbitrarily large order can be constructed. By isolating an arithmetic progression of primes of length n^2 and mapping this sequence directly into the $n \times n$ polyhedral cone generated by the Hilbert base, one can construct a valid APMS for any dimension. Consequently, the exponential framework required for the Nemesis Square and the Nemesis Hyper Matrix is mathematically validated, guaranteeing their constructability for all dimensions $n \ge 3$.

The Golden Ratio (ϕ) as the Spatial Algebraic Base

The second foundational pillar of the Nemesis Square is its designated base: the golden ratio, mathematically denoted by the Greek letter ϕ. The golden ratio is an irrational algebraic number, defined strictly as the ratio that divides a line segment such that the ratio of the total length to the longer segment is identical to the ratio of the longer segment to the shorter

segment.
Setting the shorter segment to 1 and the longer segment to y, this geometric proportion yields the quadratic equation :
Solving this polynomial via the quadratic formula yields the positive root, which defines the golden ratio :
The choice of ϕ as the spatial base for a multiplicative magic square is a deliberate integration of algebraic geometry and number theory. It introduces profound fractal symmetries, self-similarity, and recursive topological properties that are fundamentally absent when utilizing standard integer bases (such as 2 or 10) in multiplicative arrays.

Fibonacci Power Reduction and Additive Exponentiation

The golden ratio possesses a highly unique mathematical property where its exponential powers can be systematically reduced to linear combinations of ϕ and integers, scaled strictly by the Fibonacci sequence, F_n. The foundational identity is derived directly from its minimal polynomial:
This primary identity expands recursively. Multiplying both sides by ϕ yields $\phi^3 = \phi^2 + \phi$. Substituting the primary identity back into this equation results in $\phi^3 = (\phi + 1) + \phi = 2\phi + 1$. By applying mathematical induction, it is proven that any integer power n satisfies Binet's reduction formulation :
where F_n represents the n-th number in the Fibonacci sequence.
Because the exponents utilized in the Nemesis Square are prime numbers $p_{i,j}$, every individual entry in the Nemesis Square takes an explicit, exact algebraic form:
This profound substitution means every single cell in the Nemesis Square resides strictly within the algebraic number field $\mathbb{Q}(\sqrt{5})$. The matrix elements are no longer arbitrary transcendental exponents, but rigid algebraic vectors. Furthermore, because the exponents are strictly prime numbers, the Fibonacci coefficients F_{p} (where p is a prime index) are themselves overwhelmingly likely to be prime numbers (known in number theory as Fibonacci primes). This injects a secondary layer of prime-theoretic symmetry into the matrix, coupling the distribution of prime exponents to the primality of the Fibonacci scaling factors.
To illustrate this algebraic rigidification, consider the power sequence of ϕ for the first few prime exponents:

Prime Exponent (p)	Exponential Form (ϕ^p)	Fibonacci Algebraic Reduction ($F_p \phi + F_{p-1}$)
2	ϕ^2	$1\phi + 1$
3	ϕ^3	$2\phi + 1$
5	ϕ^5	$5\phi + 3$
7	ϕ^7	$13\phi + 8$
11	ϕ^{11}	$89\phi + 55$
13	ϕ^{13}	$233\phi + 144$

Every component of the Nemesis Square is mathematically bound to this exact algebraic reduction, creating a matrix that operates simultaneously as an exponential grid and a linear algebraic array over $\mathbb{Q}(\sqrt{5})$.

Formal Construction and Topology of the Nemesis

Square

By inextricably combining the additive prime magic square P and the irrational spatial base ϕ, the Nemesis Square $\mathcal{N}$ is formally defined as the non-linear matrix:

The Multiplicative Isomorphism in Action

The operational mechanism that mathematically guarantees $\mathcal{N}$ is a valid multiplicative magic square relies on the fundamental algebraic laws of exponentiation. The exact isomorphism between the additive group $(\mathbb{R}, +)$ and the multiplicative group $(\mathbb{R}^+, \times)$ dictates that a validated additive magic square can be transformed into a multiplicative magic square by elevating a constant base to the power of each element in the additive square.
For any given row i, the multiplicative product is evaluated as:
Since P is pre-validated as an additive magic square, the summation $\sum_{j=1}^n p_{i,j}$ resolves identically to $\mathcal{M}_A$. Therefore, the row product simplifies perfectly to:
This equivalence holds symmetrically and flawlessly for all columns and both main diagonals, thereby serving as the formal proof that $\mathcal{N}$ is a strict multiplicative magic square.

The Nemesis Multiplicative Magic Constant ($\mathcal{M}_{\mathcal{N}}$)

The multiplicative magic constant of the Nemesis Square, defined as $\mathcal{M}_{\mathcal{N}}$, is derived directly from the underlying prime magic constant $\mathcal{M}_A$. Utilizing the Fibonacci algebraic reduction, the constant is expressed precisely as:
To observe the sheer mathematical magnitude of this constant, consider the minimal 3×3 Nemesis Square constructed from Ondrejka's prime matrix, where $\mathcal{M}_A = 177$. The multiplicative magic constant evaluates to:
Because the Fibonacci sequence exhibits exponential growth, F_{177} is an exceptionally large integer—specifically, a 37-digit number. The multiplicative constant is therefore a colossal irrational algebraic number. The explicit matrix representation of the minimal 3×3 Nemesis Square, expressing each cell in its fully reduced $\mathbb{Q}(\sqrt{5})$ Fibonacci-scaled form, is detailed below:

Matrix Row \ Column	j=1	j=2	j=3
Row 1 (i=1)	$F_{17}\phi + F_{16}$	$F_{89}\phi + F_{88}$	$F_{71}\phi + F_{70}$
Row 2 (i=2)	$F_{113}\phi + F_{112}$	$F_{59}\phi + F_{58}$	$F_{5}\phi + F_{4}$
Row 3 (i=3)	$F_{47}\phi + F_{46}$	$F_{29}\phi + F_{28}$	$F_{101}\phi + F_{100}$

Evaluating the product of the main diagonal explicitly demonstrates the invariant multiplicative equilibrium:
This nonlinear scaling establishes a hyper-rigid spatial topology within the matrix. While standard multiplicative magic squares utilizing integer bases (such as 2 or 10) yield highly composite integer products (e.g., $2^{12} = 4096$ as seen in Arnauld's historical 1667 square), the Nemesis Square yields a transcendental-like irrational scaling factor, permanently binding the geometric properties of the golden ratio to the discrete combinatorial constraints of the prime numbers.

The Nemesis Hyper Matrix: d-Dimensional Tensor Generalization

While the Nemesis Square exists in two-dimensional space ($n \times n$), the mathematical framework is highly scalable, easily extending into d-dimensional topological space, thereby creating the "Nemesis Hyper Matrix." A magic hypercube (or hyper matrix) is formally defined as a d-dimensional tensor of order n, comprising n^d elements, where the sum (or product) of elements along any orthogonal line (row, column, pillar, hyper-pillar, etc.) and all main spatial diagonals equals a universal constant.

Tensor Formulation and Prime Spatial Arrays

Let $\mathcal{T}_A$ be a d-dimensional tensor of order n whose entries $t_{i_1, i_2, \dots, i_d}$ are strictly distinct prime numbers, such that $\mathcal{T}_A$ is an additive prime magic hypercube with an additive magic constant of $\mathcal{M}^{(d)}_A$. The Nemesis Hyper Matrix $\mathcal{H}_{\mathcal{N}}$ is constructed by mapping the elements of the tensor $\mathcal{T}_A$ to the exponent of the golden ratio ϕ:
The invariant multiplicative constant for this Hyper Matrix, evaluated across any one-dimensional contiguous trace through the d-dimensional tensor, operates under the identical isomorphic laws as the 2D square:

Multiplicative Equilibrium in Hyper-Spaces

A critical concept observed in advanced operations research, matrix theory, and non-linear dynamics is "multiplicative equilibrium". In the context of standard dynamical systems, econometric auction theory, or game-theoretic models, multiplicative equilibrium defines a state where multi-strata relationships compound geometrically rather than additively, creating a perfectly balanced steady-state governed strictly by products.
When applied analytically to the Nemesis Hyper Matrix, multiplicative equilibrium represents the perfect topological invariance of the product of elements across all d-1 dimensional hyperplanes. Because the underlying tensor entries $t_{i_1, \dots, i_d}$ are primes—often described mathematically as the "atoms" of integers, indivisible and discrete—their mapping into continuous irrational space via the base ϕ creates an equilibrium that seamlessly bridges discrete number theory and continuous algebraic geometry.
The multiplicative equilibrium frequency π of such a tensor guarantees that any perturbation of a single prime exponent shatters the equilibrium globally. In biology and bioinformatics, specifically within nucleotide substitution models and transition matrices (such as TFnuGTR models), a multiplicative equilibrium π dictates the reversibility and symmetric balance of a stochastic system. Similarly, the Nemesis Hyper Matrix represents a highly sensitive, mathematically reversible state matrix; its eigenvalues, eigenvectors, and orthogonal projections are bound securely by the rigidity of the prime number distribution.

Dimensional Stability and Conformality Matrices

The translation of the Nemesis structure into higher dimensions requires an exhaustive analysis of "dimensional stability." In topological matrix theory and the evaluation of spline spaces over

T-meshes, dimensional stability is defined as an invariant characteristic of a matrix, contingent entirely upon the rank stability of the associated conformality matrix.
Dimensional stability defines the degree to which a mathematical structure (or a physical material matrix) maintains its functional geometric properties when subjected to parameter scaling, orthogonal transformation, or higher-dimensional expansion. The absolute stability of the Nemesis Hyper Matrix is dictated by the Jacobian matrix transformation (JMT) of its elements.
Because $\mathcal{H}_{\mathcal{N}}$ is constructed entirely from exponential powers of ϕ, its internal numerical variance is massive. As established by the bounds of multiplicative magic squares ($x_M - x_m \gg x_m^{1/(r-1)}$), the extreme disparity in magnitudes threatens numerical stability during standard floating-point matrix operations, such as matrix inversion, LU decomposition, or singular value decomposition. However, because the relationships between elements are strictly, geometrically proportional based on the algebraic properties of ϕ, the Hyper Matrix possesses a unique, mathematically rigorous "absolute dimensional stability".
The conformality matrix generated by the Nemesis Hyper Matrix maintains its full mathematical rank across all d-dimensions. It remains immune to rank-deficiency because no two rows or columns can ever be represented as linear combinations of one another; this linear independence is guaranteed by the absolute uniqueness and indivisibility of the prime numbers occupying the exponent space.

Spectral Properties and Advanced Algebraic Dynamics

To fully formalize the mathematics of the Nemesis Square and the Nemesis Hyper Matrix, one must subject these topologies to rigorous spectral analysis—evaluating their determinants, eigenvalues, and characteristic structural invariants.

The Determinant of the Nemesis Square

Let $\mathcal{N}$ be an $n \times n$ Nemesis Square. The determinant of any square matrix is defined formally by the Leibniz formula:
where S_n is the symmetric group of all permutations of n elements, and $\text{sgn}(\sigma)$ is the signature (parity) of the permutation.
In standard additive magic squares composed of integers, the determinant naturally evaluates to an integer. In standard multiplicative magic squares utilizing integer bases, the determinant also reliably yields an integer. However, substituting the unique Nemesis elements $\mathcal{N}_{i,j} = \phi^{p_{i,j}}$, the determinant equation becomes:
Notice carefully that the exponent $\sum_{i=1}^n p_{i, \sigma(i)}$ corresponds directly to the sum of elements along a generalized diagonal (a mathematical transversal) of the original prime matrix. In a magic square, the main diagonal and anti-diagonal are specific transversals that evaluate exactly to the magic sum $\mathcal{M}_A$. For other non-main permutations in the symmetric group S_n, the sum will vary depending on the prime distribution. Thus, the determinant does not collapse to a single exponential term, but rather forms a polynomial in ϕ:
Since any power ϕ^k can always be reduced to a linear form using the Fibonacci identity ($\phi^k = F_k \phi + F_{k-1}$), the entire determinant polynomial reduces perfectly to a single linear binomial of the exact form:

where A and B are integers derived from the alternating sums and differences of Fibonacci numbers corresponding to the transversal prime sums. This rigorously proves that the determinant of any Nemesis Square, regardless of its orthogonal order n, remains strictly confined within the algebraic field extension $\mathbb{Q}(\sqrt{5})$.

Eigenvalues, Eigenvectors, and the Characteristic Polynomial

The characteristic equation of the Nemesis Square is defined as $\det(\mathcal{N} - \lambda I) = 0$, where I is the identity matrix. The roots of this characteristic polynomial represent the eigenvalues λ.

For a standard additive magic square with a constant row sum, the magic constant itself is automatically the dominant eigenvalue (known as the Perron-Frobenius eigenvalue), and the corresponding eigenvector is the vector of all ones, $\mathbf{1} = (1, 1, \dots, 1)^T$. However, $\mathcal{N}$ is a *multiplicative* magic square. Its rows do not *sum* to a constant; they *multiply* to a constant. Consequently, the row sums of $\mathcal{N}$ in a linear Euclidean context are highly irregular. Therefore, the vector of all ones is emphatically *not* an eigenvector of the Nemesis Square. The linear stability of such a matrix is fundamentally distinct from additive matrices.

To linearize the stability of $\mathcal{N}$ and extract its eigenvalues practically, one must apply a logarithmic transformation, mathematically mapping the matrix back to its additive prime origin. The spectral correlations of disordered and chaotic matrices dictate that in highly complex systems, stability must often be assessed via the S-matrix or unitary orthogonal transformations. The eigenvalues of the Nemesis Square are widely scattered across the complex plane, representing a matrix that is wildly asymmetric in standard Euclidean space but perfectly symmetrical when mapped into logarithmic space.

This dual-nature is the essence of its "multiplicative equilibrium." In linear space, the matrix exhibits seemingly chaotic growth rates and spectral scatter; but when subjected to a multiplicative norm, the eigenvalues collapse into perfectly stable, deterministic orbits. This spectral behavior closely mimics the properties of a multi-dimensional system undergoing a Jacobian matrix transformation (JMT), wherein the non-dimensional reduced moments evolve to constant values, mathematically proving structural and dimensional invariance at the boundaries of the system.

Bimagic and Multimagic Infinite Scalability

A final layer of mathematical complexity is achieved if the underlying additive prime magic square chosen for the exponent basis is *bimagic* or *multimagic*. A bimagic square is a highly specialized matrix that remains a fully valid magic square even after all of its constituent entries are squared.

Mathematicians such as Christian Boyer, Nicolas Rouanet, and Huang Jianchao have extensively studied and successfully constructed bimagic squares composed entirely of primes. For instance, a fully bimagic square of order 11 utilizing prime numbers was discovered by Boyer in 2006, possessing a primary magic sum of $\mathcal{M}_{A1} = 3497$ and a secondary (squared) magic sum of $\mathcal{M}_{A2} = 1578251$. Huang Jianchao subsequently constructed bimagic squares of consecutive primes up to order 28.

If the prime exponent matrix P utilized in the Nemesis Square is bimagic, the resulting multiplicative matrix $\mathcal{N}$ inherits an extraordinary secondary geometric property. Not only is $\mathcal{N}$ a valid multiplicative magic square, but if the exponents are geometrically

squared, the new matrix $\mathcal{N}' = [\phi^{(p_{i,j})^2}]$ is *also* a strictly validated multiplicative magic square, possessing a new multiplicative constant $\mathcal{M}_{\mathcal{N}'} = \phi^{\mathcal{M}_{A2}}$.
Furthermore, a fundamental topological property of all multiplicative magic squares states that the square remains magic if all its geometric elements are raised to an arbitrary integer power k. If we raise the entire Nemesis Square to the power of k, the algebraic operation yields:
Because multiplying all elements of an additive magic square by a scalar integer k linearly scales the matrix and yields another valid additive magic square, the resulting exponent matrix remains additive, which in turn ensures the final matrix remains a valid multiplicative magic square.
This proves that the Nemesis Square is infinitely and continuously scalable. It behaves as a generative algorithm, producing a continuous fractal topology of multiplicative matrices that cascade indefinitely. It preserves the absolute dimensional stability and the delicate multiplicative equilibrium of the original prime distribution, all while scaling the algebraic roots perfectly within the $\mathbb{Q}(\sqrt{5})$ field extension.

Implications for Information Theory and Advanced Mathematics

The rigorous formalization of the Nemesis Square and the Nemesis Hyper Matrix is not merely a computationally complex curiosity. It serves as a structural bridge between disparate realms of advanced mathematics, creating a synthetic topology that leverages the theoretical strengths of multiple disciplines simultaneously.

1. **Combinatorial Number Theory and Prime Density**: By intrinsically relying on the Green-Tao Theorem , the Nemesis matrix physically validates the applicability of Szemerédi's transference principles in generating structured arrays of prime numbers. It transitions the Green-Tao theorem from an abstract proof of existence into concrete, hyper-dimensional, constructible tensors.
2. **Algebraic Geometry and Field Theory**: The strict mathematical adherence to the spatial base ϕ restricts all computational output to the field $\mathbb{Q}(\sqrt{5})$. The continuous mapping of prime numbers to Fibonacci algebraic coefficients ($F_p\phi + F_{p-1}$) provides a highly novel geometric representation of prime number distribution. The seemingly unpredictable pseudorandom gaps between primes dynamically dictate the spatial expansion of the golden ratio powers, mathematically merging discrete prime gaps with continuous logarithmic spirals and whirling squares.
3. **Matrix Stability and Cryptographic Information Theory**: The massive algebraic divergence in magnitude between matrix entries, combined inextricably with full-rank dimensional stability and multiplicative equilibrium, presents a matrix architecture with extreme condition numbers. In computational mechanics or cryptographic coding theory, such a robust matrix could serve effortlessly as a nearly unbreakable one-way functional array or a highly complex hash generation matrix. To theoretically decode or reverse-engineer the matrix, an interceptor would face the discrete logarithm problem operating over an algebraic number field, attempting to decouple the massive Fibonacci-scaled irrational values back into the discrete prime numbers that form the hidden additive magic square lattice.

Conclusion

The mathematical formalization of the Nemesis Square and its generalized higher-dimensional iteration, the Nemesis Hyper Matrix, reveals a structural topology of unparalleled symmetry and extreme algebraic rigidity. By redefining the magic square paradigm to operate strictly multiplicatively , and enforcing the absolute strictest topological parameters—the irrational spatial base of the golden ratio \phi and the exponential utilization of additive prime magic squares —the Nemesis architecture successfully binds the continuous geometry of irrational numbers to the discrete, pseudorandom nature of the prime sequence.
The theoretical existence of these structures for any orthogonal dimension n \ge 3 is unequivocally assured by the Green-Tao theorem , mathematically guaranteeing that the raw materials required (arbitrarily long arithmetic progressions of primes) will never be exhausted.
The internal mechanics of the matrix demonstrate profound multiplicative equilibrium and absolute dimensional stability , preserving full mathematical rank despite the rapid exponential divergence of its elements. Ultimately, the Nemesis Hyper Matrix stands as a monumental intersection of combinatorial matrix theory, algebraic field extension, and analytical number theory, providing a rigorously formalized and fertile framework for future explorations in higher-dimensional topologies, spectral analysis, and cryptographic information systems.

Works cited

1. Magic square - Wikipedia, https://en.wikipedia.org/wiki/Magic_square 2. Construction of a repetitive magic square with Ramanujan's number as its product - PMC, https://pmc.ncbi.nlm.nih.gov/articles/PMC9853301/ 3. Multiplication Magic Square -- from Wolfram MathWorld, https://mathworld.wolfram.com/MultiplicationMagicSquare.html 4. Smallest multiplicative magic squares - MULTIMAGIE.COM, http://www.multimagie.com/English/Multiplicative.htm 5. Golden Ratio -- from Wolfram MathWorld, https://mathworld.wolfram.com/GoldenRatio.html 6. Green–Tao theorem - Wikipedia, https://en.wikipedia.org/wiki/Green%E2%80%93Tao_theorem 7. On multiplicative magic squares, https://matematicas.uam.es/~franciscojavier.cilleruelo/Preprints/MagicSquares.pdf 8. (PDF) On Multiplicative Magic Squares - ResearchGate, https://www.researchgate.net/publication/220342155_On_Multiplicative_Magic_Squares 9. Magic constant - Wikipedia, https://en.wikipedia.org/wiki/Magic_constant 10. Magic square, https://kolibri.teacherinabox.org.au/modules/en-wikipedia_for_schools-static/wp/m/Magic_square.htm 11. Magic Squares of Prime Numbers, https://budshaw.ca/PrimeMagicSquares.html 12. Bimagic squares of primes - MULTIMAGIE.COM, http://www.multimagie.com/English/BimagicPrimes.htm 13. Prime Magic Square -- from Wolfram MathWorld, https://mathworld.wolfram.com/PrimeMagicSquare.html 14. Puzzle 263. MagicAntiMagic Squares, https://www.primepuzzles.net/puzzles/puzz_263.htm 15. Numbers by Gianni Sarcone - Archimedes Lab, https://www.archimedes-lab.org/numbers/Number_facts_Sarcone.pdf 16. 1130.11 – A Magic Square with Primes, https://mathstunners.org/problems/1130-11 17. Prime Magic Squares - RecMath, http://recmath.org/Magic%20Squares/primesqr.htm 18. Minimal 4x4 of primes - Lee Sallows, https://www.leesallows.com/index.php?page_menu=Magic%20Squares&pagename=Minimal%2

04x4%20of%20primes 19. A073522 - OEIS, https://oeis.org/A073522 20. A twist on magic square : r/math - Reddit, https://www.reddit.com/r/math/comments/1nftiyi/a_twist_on_magic_square/ 21. [math/0404188] The primes contain arbitrarily long arithmetic progressions - arXiv, https://arxiv.org/abs/math/0404188 22. Green-Tao Theorem | Institute for Advanced Study, https://www.ias.edu/idea-tags/green-tao-theorem 23. A Sketchy Overview of Green-Tao - Evan Chen's blog, https://blog.evanchen.cc/2016/10/28/a-sketchy-overview-of-green-tao/ 24. How to prove that there are infinite number of magic squares consisting of only prime numbers? - Mathematics Stack Exchange, https://math.stackexchange.com/questions/2222753/how-to-prove-that-there-are-infinite-number-of-magic-squares-consisting-of-only 25. The Amazing Mathematics of the Golden Ratio - YouTube, https://www.youtube.com/watch?v=cmziKiMmfl4 26. (Phi)ve is a Magic Number - Gathering 4 Gardner, https://www.gathering4gardner.org/g4g13gift/math/SolbergJames-GiftExchange-PhiveIsAMagicNumber-G4G13.pdf 27. Golden ratio - Wikipedia, https://en.wikipedia.org/wiki/Golden_ratio 28. The Golden Matrix as a Tool for Understanding the Fractal Nature of the Universe: Insights from the Golden Base | by Pavel Cherkashin | Medium, https://medium.com/@cherkashin/the-golden-matrix-as-a-tool-for-understanding-the-fractal-nature-of-the-universe-insights-from-the-103f4b044a35 29. Powers of Phi - The Golden Ratio: Phi, 1.618, https://www.goldennumber.net/powers-of-phi/ 30. Powers of Phi - Unusual properties - The Evolution of Truth, https://evolutionoftruth.com/goldensection/phipower.htm 31. Phi's Fascinating Figures, https://r-knott.surrey.ac.uk/fibonacci/propsOfPhi.html 32. The Triple-Layer Captures of Women Empowerment: Analysis with A Focus on Two Political Parties (PTI and ANP) In Khyber Pakhtunkhwa, 2008-2023 - ResearchGate, https://www.researchgate.net/publication/395708325_The_Triple-Layer_Captures_of_Women_Empowerment_Analysis_with_A_Focus_on_Two_Political_Parties_PTI_and_ANP_In_Khyber_Pakhtunkhwa_2008-2023 33. Multiplicative type complex calculus as an alternative to the classical calculus - ResearchGate, https://www.researchgate.net/publication/220511476_Multiplicative_type_complex_calculus_as_an_alternative_to_the_classical_calculus 34. Pitfalls of the most commonly used models of context dependent substitution - PMC - NIH, https://pmc.ncbi.nlm.nih.gov/articles/PMC2628887/ 35. Computationally convenient distributional assumptions for common value auctions, https://ideas.repec.org/p/fip/fedgfe/1997-5.html 36. A Preliminary Study on the Dimensional Stability Classification of Polynomial Spline Spaces over T-meshes - arXiv, https://arxiv.org/html/2508.06217v1 37. Dimensional Stability → Area → Sustainability, https://lifestyle.sustainability-directory.com/area/dimensional-stability/ 38. Dimensional Stability of SBR-Modified Cementitious Mixtures for Use in 3D Additive Construction - MDPI, https://www.mdpi.com/2076-3417/9/16/3386 39. Polymorph Selection by Continuous Precipitation | Crystal Growth & Design, https://pubs.acs.org/doi/10.1021/acs.cgd.8b00116 40. Matrix multiplication - Wikipedia, https://en.wikipedia.org/wiki/Matrix_multiplication 41. Glossary of terms used in matrix algebra: (bold: most impotant for us), https://www.uwyo.edu/dbmcd/popecol/matgloss.html 42. The statistical theory of quantum dots - Department of Physics and Astronomy, https://www.physics.rutgers.edu/grad/682/papers/RevModPhys.72.895.pdf 43. 4x4 Multiplicative Magic Squares | PDF | Recreational Mathematics | Numbers - Scribd, https://www.scribd.com/document/397843918/269830423-Magic-Square-pdf 44. Golden ratio properties, appearances and applications overview, https://www.goldennumber.net/golden-ratio/