

Unit 2709 Infrasound & Seismic Pressure Data (Ongoing)

Raspberry Shake Station AM.R6E8A.00 · Detroit, Michigan

Public dashboard: <https://markroneil360.github.io/tremorlens-r6e8a/>

PREPARED FOR

David Wilt · Joshua Goodrich

Joshua Goodrich is identified by the user as their attorney with Lighthouse Litigations, Lansing, Michigan. This affiliation is user-provided and has not been independently verified.

DATA SOURCE

Raspberry Shake FDSN — public archive

Station AM.R6E8A.00, Detroit, MI · Network AM (DOI 10.7914/SN/AM)

1 Purpose and scope

This brief introduces an evidence-first public dashboard that compiles response-corrected air-pressure / infrasound (HDF) and vertical ground-velocity (EHZ) data recorded by Raspberry Shake station AM.R6E8A.00 in Detroit, Michigan.¹ The station is part of the public AM citizen-science network.⁷ The dashboard is designed to facilitate independent review and source verification of publicly available instrument data.

It is expressly not intended to diagnose effects, or to establish causation, hazard, or a legal violation. The material presents measured instrument values and derived summary statistics only; interpretation of what those values may mean is left to qualified experts and to the reviewing audience.

This is a factual, non-argumentative reference document intended to accompany independent legal and technical review.

SOURCES

1. Unit 2709 public dashboard (TremorLens R6E8A) — <https://markroneil360.github.io/tremorlens-r6e8a/>

7. AM network DOI 10.7914/SN/AM — <https://doi.org/10.7914/SN/AM>

2 Data coverage

The dashboard currently displays latest archived data spanning April 12, 2026 through May 27, 2026. Data gaps — missing minutes or missing days — remain un-interpolated and are never zero-filled; not-yet-arrived minutes are labeled as pending rather than treated as zero.¹

The public site is configured for a daily fixed 7:00 AM America/Detroit archive cutoff. Each 24-hour report is generated after normal FDSN archive latency, so the site is a reviewed daily archive rather than a real-time feed.³

COVERAGE WINDOW	ARCHIVE CUTOFF	GAP HANDLING
Apr 12 – May 27, 2026	07:00 AM	Un-interpolated
latest archived data	America/Detroit, daily	gaps never zero-filled

3 Channels in plain English

Channel	Role	What it measures	Units
HDF	Primary	Very-low-frequency air-pressure changes (infrasound). Much of this infrasound is below ordinary human audibility, so sensor measurement is needed to observe it. ^{2, 5, 6}	Pa
EHZ	Secondary	Vertical up / down ground-motion velocity. Provided as secondary context and never mixed with HDF. ²	µm/s

SOURCES

- Unit 2709 public dashboard (TremorLens R6E8A) — <https://markroneil360.github.io/tremorlens-r6e8a/>
- Raspberry Shake Basic Concepts — <https://raspberrysshake.org/raspberry-shake-basic-concepts/>
- Raspberry Shake FDSN manual — <https://manual.raspberrysshake.org/fdsn.html>
- PLOS ONE infrasound perception study — <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0229088>
- NIH / PMC review of low-frequency & infrasound effects — <https://pmc.ncbi.nlm.nih.gov/articles/PMC7199630/>

4 Quantitative baseline

Baselines are computed from public Raspberry Shake peer stations only, using a matched channel/unit, response-corrected, deterministic peer sample with the same frequency band and day method. HDF and EHZ baselines are computed independently and are never cross-compared.^{1, 4}

HDF — ARITHMETIC MEAN

0.120031 Pa

from 27 valid matched public peer stations

EHZ — ARITHMETIC MEAN

1.37637 $\mu\text{m/s}$

from 22 valid matched public peer stations

Method notes. Matched channel and unit; instrument response correction applied; a deterministic peer sample; identical frequency band and per-day computation; and no cross-channel comparison between HDF and EHZ.

These baseline values are derived solely from public Raspberry Shake peer-station data. No universities, health organizations, or other institutions supplied the baseline data.

5 What the dashboard provides

- Headline statistics summarizing the current record.
- Top 20 contiguous above-mean events (longest / strongest runs above the aggregate mean).
- Average vs. baseline comparison for elevated-spike days.
- Four quarter-day segments (00:00–06:00, 06:00–12:00, 12:00–18:00, 18:00–24:00, local time).
- No-spike reporting for days without elevated activity.
- Daily 24-hour snapshots for each documented day.
- CSV exports and print / save daily PDF options.
- Official DataView embeds and provenance / completeness reporting.

SOURCES

1. Unit 2709 public dashboard (TremorLens R6E8A) — <https://markroneil360.github.io/tremorlens-r6e8a/>

4. Raspberry Shake license / attribution — <https://shop.raspberrypi.org/license/>

6 Verification and limitations

- Public Raspberry Shake FDSN data can be independently retrieved and checked against the same archive, supporting reproducible review.³
- Band-limited pressure RMS (Pa) is not a dB SPL exposure measurement and cannot, by itself, establish harm.^{5, 6}
- Station data can show coincident signal patterns but cannot, on its own, determine the source or establish causation without corroborating evidence.¹

7 Suggested review questions

- Source identification and corroboration — what independent evidence points to a specific source?
- Temporal pattern comparison — do elevated periods align with documented events or logs?
- Building, mechanical, or environmental sources — could HVAC, industrial, transportation, or weather sources explain the signal?
- Preservation of original files — are the original MiniSEED / source files retained and unaltered?
- Whether specialist acoustic or seismological analysis is warranted.

8 Next steps

1. Review the live dashboard.
2. Download a selected daily report and CSV.
3. Identify specific dates requiring corroboration.
4. Preserve communications and original files.
5. Seek qualified expert and legal interpretation.

Data powered by Raspberry Shake, S.A., a citizen-science project. Please visit raspberrysake.org and join the Citizen Science Community today! DOI: <https://doi.org/10.7914/SN/AM>^{4, 7}

This document is a factual, non-argumentative reference. It presents publicly available instrument data and derived summary statistics only. It does not diagnose effects and does not establish causation, hazard, or any legal violation. Nothing herein constitutes legal, medical, or engineering advice. Joshua Goodrich's affiliation with Lighthouse Litigations (Lansing, Michigan) is user-provided and has not been independently verified.

SOURCES

1. Unit 2709 public dashboard (TremorLens R6E8A) — <https://markroneil360.github.io/tremorlens-r6e8a/>
3. Raspberry Shake FDSN manual — <https://manual.raspberrysake.org/fdsn.html>
4. Raspberry Shake license / attribution — <https://shop.raspberrysake.org/license/>
5. PLOS ONE infrasound perception study — <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0229088>
6. NIH / PMC review of low-frequency & infrasound effects — <https://pmc.ncbi.nlm.nih.gov/articles/PMC7199630/>
7. AM network DOI 10.7914/SN/AM — <https://doi.org/10.7914/SN/AM>