Table of Contents

iMotions Lab > Getting Started > Lab and Computer Setup

Lab Setup: How to use two monitors with iMotions 2

Confidential © 2023 Redistribution is not permitted without written permission from iMotions

Lab Setup: How to use two monitors with iMotions


This quick guide will show you how to change your screen resolution and use the dual-monitor setup within iMotions.

1. Connect the secondary monitor to the computer running iMotions.
2. Right-click on the desktop of the primary monitor (experimenter screen or computer) and select "Display Settings"




3. Find the current screen scale and change your resolution to your needs for each screen.
   In the case of a dual screen setup, as shown below, the screen resolutions for monitor 1 and monitor 2 are shown below. If you are unsure of which monitor corresponds to which number, please click on the "identify" button to the right of the screens in the Screen Resolution window. To show the stimuli on a separate screen, select "extend these displays":
4. Make sure both monitors are set to the same scale percentage. Otherwise, iMotions will throw an error about resolution when you attempt to run the study.

Confidential © 2023 Redistribution is not permitted without written permission from iMotions




Confidential © 2023 Redistribution is not permitted without written permission from iMotions



5. Set up screen resolution in iMotions - to match what is shown in the display settings


   Set the correct screen resolution for the presentation screen (secondary monitor) in the study settings of iMotions:



   Set the secondary screen as the display monitor in Preferences --> Global Settings --> Slide Show:

   Note: Remember to note if the resolution is the same as your settings.

Confidential © 2023 Redistribution is not permitted without written permission from iMotions



Powered by Document360

Confidential © 2023 Redistribution is not permitted without written permission from iMotions

Confidential © 2023 Redistribution is not permitted without written permission from iMotions