Table of Contents

iMotions Lab > iMotions Exports

How to Make Your Own Visualizations 2

Confidential © 2023 Redistribution is not permitted without written permission from iMotions


How to Make Your Own Visualizations

This article walks you through the steps needed to make simple visualizations from the multimodal export in iMotions. The article outlines how to get multimodal exports and demonstrates how to make visualizations with the example of an emotional circumplex.

Steps in iMotions: Multimodal Export

Once you have all the R Notebooks you would like for your analysis, you can export the relevant metrics.

Please go to the multimodal export tab and create a single multimodal export of the modalities you are interested in visualizing. In the example below, we export Frontal Alpha Asymmetry, Facial Expression Analysis and GSR Peak detection.




Please follow the following steps for the visualization of your choice. The steps can be completed in Excel or Google sheets.

Steps:


1. Open the export in a spreadsheet editor

2. Mark the data including the column headers in row 5 and create a Pivot table

Confidential © 2023 Redistribution is not permitted without written permission from iMotions




3. For your Pivot table, select the metric you want to use as an indicator of Valence (e.g. frontal alpha asymmetry) and Arousal (e.g. GSR Peaks/min). (It depends on your research questions what exact questions you may want to choose here.) Choose if you want to use the average, median, or other statistic. To get one data point per Stimulus in your circumplex, split the data by “Label” on the rows. You might need to also filter for “Type” and only select Stimulus or Annotations you created in the study, or to filter for specific Stimuli (by stimulus name, under “Label”) in case you only care about certain stimuli.




Confidential © 2023 Redistribution is not permitted without written permission from iMotions

4. Mark the data and choose to insert a Chart.



5. To plot your emotional circumplex, choose to make a Scatterplot. Drag your Valence metric on the X-axis and your Arousal metric on the Y-axis. You could rename the X and Y labels in the plot you make as Valence and Arousal, if you like.



Confidential © 2023 Redistribution is not permitted without written permission from iMotions

The example above shows a scatterplot, but the view on the right shows you a drop-down menu, where you can choose the various visualizations that are possible at this point.

Note: If you want to calculate a custom metric (e.g. Valence from subtracting negative emotions from positive emotions) you can do so by adding an extra column next to your Pivot table that contains the new variable, and choosing to plot this in your scatterplot.

Powered by Document360

Confidential © 2023 Redistribution is not permitted without written permission from iMotions

Confidential © 2023 Redistribution is not permitted without written permission from iMotions