Table of Contents

iMotions Lab > Study Setup > Study Design Resources > Standard Methodologies

Standard Methodologies: Web UX Testing 2

Confidential © 2023 Redistribution is not permitted without written permission from iMotions

Standard Methodologies: Web UX Testing



Modalities

- Eye Tracking (ET)
- Galvanic Skin Response (GSR)
- Facial Expression Analysis (FEA)
- Self Report

Sample Specs

N = 30 per cell

Gender split based on target demographics

Up to four distinct web pages per cell

Psychographic criteria TBD by client & iMotions

Methodology

Setup & Calibration

Participants wear a wrist-based GSR device, while seated in front of a monitor to capture eye tracking and facial expressions

Task-Based Web Interaction

Users complete prescribed, time-based tasks on each website, such as spending 60 seconds finding a product, 30 seconds reading a review, etc.

Static Page Re-Exposure (optional)


If desired, users can be re-exposed to static (non-interactive) pages or elements to get granular diagnostics on those assets

Survey


Participants are given a brief self-report questionnaire about tested websites (likeability, purchase intent, recall, etc.)

Key Deliverables


Attention Heat Maps & Areas of Interest



Emotional Intensity



Percent Time of Facial Expressions



Powered by Document360

Confidential © 2023 Redistribution is not permitted without written permission from iMotions

Confidential © 2023 Redistribution is not permitted without written permission from iMotions