Table of Contents

iMotions Lab > Analysis > Signal Processing (R Notebooks) > R Notebooks (General)

Adding the same R-notebook multiple times to an Analysis 2

Confidential © 2023 Redistribution is not permitted without written permission from iMotions

Adding the same R-notebook multiple times to an Analysis

This article describes how you can add the same R-notebook multiple times to one analysis by giving each active flow a unique name.


You can add the same notebook multiple times to the same analysis because

(1) you have multiple devices of the same kind (for example multiple Shimmer GSR devices)

(2) you want to directly compare different parameters on the same notebook (for example different cut-off frequencies for the Signal Quality R-notebook).


In order to do so, you have to name each active flow with a unique name otherwise the R-notebook will be added to the Active Flow but not executed.

So when you choose the R-notebook a second (or consecutive) time, the flow name will have a red check box around it and advising you to change the name to a unique name (different from the already added flow names).



Once the name is unique, the Notebook is successfully added and will be executed.

Confidential © 2023 Redistribution is not permitted without written permission from iMotions



You can then see all the executed R-notebooks and calculated metrics in the Replay and export them accordingly.

Powered by Document360

Confidential © 2023 Redistribution is not permitted without written permission from iMotions

Confidential © 2023 Redistribution is not permitted without written permission from iMotions