Table of Contents

iMotions Lab > Remote Data Collection (RDC) > Additional RDC Articles

RDC Cross Communication with Other Websites 2

Confidential © 2023 Redistribution is not permitted without written permission from iMotions

RDC Cross Communication with Other Websites

Introduction

The iMotions RDC module allows for cross communication between iMotions and external websites using HTTP GET method. Cross communications with iMotions RDC can occur in two manners:

1. iMotions can parse HTTP GET requests sent via the iMotions study link. Parameters sent to iMotions via the iMotions study link are stored and propagated forward to any websites visited during the study or redirected to once the study has been completed (see Redirecting section).
2. iMotions sends study-specific information (iMotions Respondent ID, iMotions Study Name, iMotions Stimulus Name), as well as queries that are sent to iMotions, to any websites that are accessed during the study or after the study. The HTTP GET requests are automatically appended to the end of any website addressed being tested in iMotions but must be queried in a specific way for a redirect link (again, see Redirecting section).

Using HTTP GET Method

HTTP GET Method depends on queries appended to the end of a URL in a specific manner.

For example:

http://example_url.com?VariableName1=value1&VariableName2=value2

In the above example, there are two variables (with their values) appended at the end of a URL. The variables and their values are packed into a query string (variable/value pairs) initiated by “?” with each variable/value pair linked using “=”. Pairs are differentiated by “&”. For HTTP GET, you can have as many variable/value pairs appended to a URL as your desire. The website (i.e., example_url.com) that you are sending these variable/value pairs must have the ability to parse these queries in order to read and save them. For instance, in Qualtrics, you can create Embedded Data to parse HTTP GET requests as long as the variable names match (capitalization matters).

Some things to consider about HTTP GET method
from https://www.w3schools.com/tags/ref_httpmethods.asp:

1. GET requests can be cached
2. GET requests remain in the browser history
3. GET requests can be bookmarked

Confidential © 2023 Redistribution is not permitted without written permission from iMotions

4. GET requests should never be used when dealing with sensitive data
5. GET requests have length restrictions
6. GET requests are only used to request data (not modify)

Redirecting Participants Post-Study with HTTP GET Requests

To make it easier to integrate our RDC into a pre-established workflow, it is possible to set up a URL that the respondent will be redirected to after the study is finished. It is also possible to set up a URL the respondent will be redirected to if they decline consent to participate in the study.

If the study redirect URL contains any of the following tokens they will dynamically be replaced with the associated values when the redirect occurs:

Token	Replacement value
${studyId}	Study database ID.
${respondentId}	Respondent database ID.
${respondentLabel}	Respondent label (i.e. what you can see in the UI or test plan). E.g. the redirect URL https://example.com?resp=${respondentLabel} would redirect the respondent named RESP0005 to https://example.com?resp=RESP0005
${query}	Parameters from the end of the RDC URL: https://my.imotions.com/collect/#s/12345?panel=67890&rid=384873 Having the redirect URL configured to https://example.com?${query} would redirect that respondent to https://example.com with the following variables passed along: panel=67890 and rid=384873 NOTE: Make sure that the “?” and parameters are placed after everything else in the data collection URL & the redirect URL. If the data collection URL contains already the "?", append a "&" instead of a second "?".

Powered by Document360

Confidential © 2023 Redistribution is not permitted without written permission from iMotions

Confidential © 2023 Redistribution is not permitted without written permission from iMotions