

ACIT 1630  
Relational Database Design and SQL

Lab Exercise  
Lesson 10

For each question, write the SQL statements required to generate the required results using the **pubs** database.

1. List the distinct store ids and order number from the sales table where the order is greater than or equal to January 1, 1994. The query should produce the result set listed below.

stor_id	ord_num
6380	6871
6380	722a
7066	QA7442.3
7067	D4482
7131	N914008
7131	N914014
8042	423LL922
8042	423LL930

(8 row(s) affected)

```
select stor_id, ord_num
  from sales
 where (ord_date >= '1994-01-01')
```

2. List all employees with job id equals to 5 or 10, and job level is greater than 170.

emp_id	fname	lname	job_id	job_lvl
CFH28514M	Carlos	Hernandez	5	211
JYL26161F	Janine	Labrune	5	172
LAL21447M	Laurence	Lebihan	5	175
RBM23061F	Rita	Muller	5	198
MJP25939M	Maria	Pontes	5	246

(5 row(s) affected)

```
select emp_id, fname, lname, job_id, job_lvl
  from employee
 where (job_id = '5' or job_id = '10') and (job_lvl > 170)
```

3. List all employees with job id equals to 5, or 10 and job level is greater than 170.

emp_id	fname	lname	job_id	job_lvl
PXH22250M	Paul	Henriot	5	159
CFH28514M	Carlos	Hernandez	5	211

JYL26161F	Janine	Labrune	5	172
LAL21447M	Laurence	Lebihan	5	175
RBM23061F	Rita	Muller	5	198
SKO22412M	Sven	Ottlieb	5	150
MJP25939M	Maria	Pontes	5	246

(7 row(s) affected)

```
select emp_id, fname, lname, job_id, job_lvl
  from employee
 where (job_id = '5' or job_id = '10' and (job_lvl > 170))
```

4. Which discount types do not apply to any store?

discounttype

-----

Initial Customer

Volume Discount

(2 row(s) affected)

```
select discounttype
  from discounts
 where (stor_id is null)
```

5. List the authors who have their phone numbers with the 415 area code. Order the list in ascending order of the last name.

au_lname	au_fname	phone
-----	-----	-----
Bennet	Abraham	415 658-9932
Carson	Cheryl	415 548-7723
Dull	Ann	415 836-7128
Green	Marjorie	415 986-7020
Hunter	Sheryl	415 836-7128
Karsen	Livia	415 534-9219
Locksley	Charlene	415 585-4620
MacFeather	Stearns	415 354-7128
Straight	Dean	415 834-2919
Stringer	Dirk	415 843-2991
Yokomoto	Akiko	415 935-4228

(11 row(s) affected)

```
select au_fname, au_lname, phone
  from authors
 where (SUBSTRING(phone, 1, 3) = '415')
 order by au_lname
```

6. List the name, city, and state from the authors table where the state is KS or UT. Format the name of the author as the first letter of first name followed by a space followed by the last name. Format the city as the city followed by a comma followed by a space followed by the state. Order the result set by the name. The query should produce the result set listed below.

name	city
A Ringer	Salt Lake City, UT
A Ringer	Salt Lake City, UT
M Smith	Lawrence, KS

(3 row(s) affected)

```
select concat(SUBSTRING(au_fname, 1, 1), ' ', au_lname) as name,
CONCAT(city,', ', state) as city
from authors
where (state = 'KS') or (state = 'UT')
order by name
```

7. List the title id, royalty, publishing date, and notes from the titles table where the price is greater than or equal to **\$15.00**, and the year to date sales is greater than or equal to **4000**. Display only the **first 30** characters of the notes. Place the symbol **'%'** after each royalty amount in the result set. Display the publisher date in the format of **DD-MM-YYYY**. Order the result set by the title. The query should produce the result set listed below.

title_id	royalty	pubdate	notes
PC1035	16%	30-06-1991	A survey of software for the n
PS3333	10%	12-06-1991	What happens when the data run
PC8888	10%	12-06-1994	Muckraking reporting on the wo
BU7832	10%	22-06-1991	Annotated analysis of what com
BU1032	10%	12-06-1991	An overview of available datab

(5 row(s) affected)

```
select title_id, concat(royalty, '%') as 'royalty',
convert(varchar(10), pubdate, 105) as 'pubdate', substring(notes, 1, 30) as
'notes'
from titles
where (price >= '15.00') and (ytd_sales >= 4000)
order by title_id
```

8. List the first name, last name, and hire date from the employee table for employees with a hire year of **1993**. Format the name as the last name followed by a comma followed by a space followed by the first name. Display the hire date in the format of **MON DD YYYY**. Order the result set by the name of the employee. The query should produce the result set listed below.

name	hire_date
Domingues, Anabela	Jan 27 1993
Henriot, Paul	Aug 19 1993
Ibsen, Palle	May 9 1993
Koskitalo, Pirkko	Nov 29 1993
Muller, Rita	Oct 9 1993
Nagy, Helvetius	Mar 19 1993
Saveley, Mary	Jun 29 1993

(7 row(s) affected)

```
select CONCAT(lname, ' ', fname) as 'name',
convert(varchar(12), hire_date, 109) as 'hire_date'
from employee
where (SUBSTRING(CONVERT(varchar(12), hire_date, 112), 1, 4) = '1993')
```

9. List the title id, title, price, and calculated new price from the titles table where the type is **business** or **psychology**. To calculate the new price, multiply **3%** to the current price. The query should produce the result set listed below.

title_id	title	price	new_price
BU1032	The Busy Executive's Database Guide	19.99	20.590000
BU1111	Cooking with Computers: Surreptitious Balance Sheets	11.95	12.310000
BU2075	You Can Combat Computer Stress!	2.99	3.080000
BU7832	Straight Talk About Computers	19.99	20.590000
PS1372	Computer Phobic AND Non-Phobic Individuals: Behavior Variations	21.59	22.240000
PS2091	Is Anger the Enemy?	10.95	11.280000
PS2106	Life Without Fear	7.00	7.210000
PS3333	Prolonged Data Deprivation: Four Case Studies	19.99	20.590000
PS7777	Emotional Security: A New Algorithm	7.99	8.230000

(9 row(s) affected)

```
select title_id, title, price, round((price * 1.03), 2) as new_price
from titles
where (type = 'business' or type = 'psychology')
```

10. List all employees that have been with the company more than 25 years. Create the output as follows with the same column names. (The years will be different in your output!)

Name	Years with Company
Helen Bennett	26
Philip Cramer	26
Carlos Hernandez	26
Yoshi Latimer	26
Patricia McKenna	26
Timothy O'Rourke	27
Manuel Pereira	26
Maria Pontes	26
Margaret Smith	27
Howard Snyder	27
Gary Thomas	27

(11 row(s) affected)

```
select CONCAT(fname, ' ', lname) as name,
2022 - SUBSTRING(CONVERT(varchar(12), hire_date, 112), 1, 4) as years
from employee
where (hire_date <= getdate())
order by years
```

