JⴛU
JOHANNES KEPLER
UNIVERSITÄT LINZ

Algorithms and Data Structures 2
Winter term 2021
Martin Schobesberger, Stefan Grünberger
Dari Trendafilov, Markus Weninger

Deadline: **Tue. 07.12.2021, 23:59**

Assignment 03

2. Double Hashing   12 points

Apply the **double hashing** algorithm presented in the exercise using **pen & paper**.

In contrast to example 1, this algorithm doesn't need additional memory for the insertion of colliding elements. In case of collisions no overflow list is used, instead the elements are stored at other vacant positions in the hash table using a 2nd hash function. The two hash functions $h1$ and $h2$ are defined as

$h1(k) = k \bmod N$
$h2(k) = 1 + k \bmod (N-1)$

where k is the key and N is the length of the hash table.

Resolve any collisions by (repeatedly) applying the following probing sequence:

$h1 = (h1 + h2) \% N$

a) Prefilling of table

Fill the following table using the provided insert statements:

$N = 13$

For each digit also provide the probing sequence (indices separated by commas).

insert(19)

0	1	2	3	4	5	6	7	8	9	10	11	12
						19						

Probing sequence: (6)

↳ "( )" denotes first insertion attempt, i.e. where h_2 was never used.

insert(6)

0	1	2	3	4	5	6	7	8	9	10	11	12
6						19						

Probing sequence: (6), 0

Algorithms and Data Structures 2
Winter term 2021
Martin Schobesberger, Stefan Grünberger
Dari Trendafilov, Markus Weninger

Deadline: **Tue. 07.12.2021, 23:59**

JYU
JOHANNES KEPLER
UNIVERSITÄT LINZ

Assignment 03

insert(11)

0	1	2	3	4	5	6	7	8	9	10	11	12
6						19					11	

Probing sequence: (11)

insert(26)

0	1	2	3	4	5	6	7	8	9	10	11	12
6			26			19					11	

Probing sequence: (0), 3

insert(14)

0	1	2	3	4	5	6	7	8	9	10	11	12
6	14		26			19					11	

Probing sequence: (1)

JMU
JOHANNES KEPLER
UNIVERSITÄT LINZ

Algorithms and Data Structures 2
Winter term 2021
Martin Schobesberger, Stefan Grünberger
Dari Trendafilov, Markus Weninger

Assignment 03

Deadline: **Tue. 07.12.2021, 23:59**

b) Insert of student ID

Fill the table, that is now prefilled with keys from part a), with the three rightmost digits of your student id. Again, note the probing sequence.
Please make a note in case one of the digits of your student id can not be entered.

e.g.: student id = k12345**678** -> *insert(8), insert(7), insert(6)*

k 12 0 0 5 6 0 4

Student id: k X X X X X $\underset{d6}{6}$ $\underset{d7}{0}$ $\underset{d8}{4}$

= 4

insert(d8)

0	1	2	3	4	5	6	7	8	9	10	11	12
6	14		26	4		19					11	

Probing sequence: (4)

= 0

insert(d7)

0	1	2	3	4	5	6	7	8	9	10	11	12
6	14	0	26	4		19					11	

Probing sequence: (0), 1, 2

JƎU
JOHANNES KEPLER
UNIVERSITÄT LINZ

Algorithms and Data Structures 2
Winter term 2021
Martin Schobesberger, Stefan Grünberger
Dari Trendafilov, Markus Weninger

Deadline: **Tue. 07.12.2021, 23:59**

Assignment 03

insert(d6)

0	1	2	3	4	5	6	7	8	9	10	11	12
6	14	0	26	4		19					11	

Probing sequence: (6), 0 ⟶ algorithm finds: key 6 already inserted!
(would e.g. return
False)

▽ cannot
be entered!

(if for some reason duplicate keys would
be allowed : probing sequence = (6), 0, 7 ⟶
insert
duplicate
key at
index 7