"MORE THAN WORDS": GENRE-DISCRIMINATING LYRICAL PATTERNS IN ANGLOPHONE GERMAN POPULAR MUSIC

Anonymous Authors
Anonymous Affiliations
anonymous@ismir.net

ABSTRACT

Recent advances in natural language processing have improved lyrics-based music genre classification through large language models, yet such black box systems obscure the linguistic structures that actually differentiate music genres. Earlier research in popular music studies, meanwhile, has often emphasized thematic readings of lyrics from single songs without systematically tracing recurrent patterns of idiomatic expressions—leaving stylistic genre differences under-researched until now. Our study bridges these perspectives by uncovering genre discriminative lyrical patterns—topics, sentiments, and idiomatic expressions—in fifty years of Anglophone German popular music. Using the POPTRAG corpus and Discogs genre annotations for 126,042 tracks with English lyrics, we apply the fightin' words method to identify statistically distinctive n-grams across genres and build interpretable topic, sentiment, and expression dictionaries. Finally, we cluster the n-grams contained in each dictionary via structural topic modeling using target genres as prevalence priors. Resulting interpretable lyrics features are employed in machine-learning models that reveal how topics, sentiments, and idiomatic expressions function as stylistic markers for single popular music genres. Our transparent ML approach retains roughly 80% of the predictive performance of a transfer-learned DistilBERT classifier while offering conceptual insight into how lyrics encode genre identity.

1. INTRODUCTION

Given these considerations we pose the following research questions:

RQ1 Which content-related genre-discriminative lyrical patterns (topics, sentiments, idiomatic expressions) exist in Anglophone German popular music?

RQ2 To what extent do pattern-based interpretable ML models match a fine-tuned transformer baseline on popular music genre prediction?

RQ3 What can we learn about lyrical genre differences from such interpretative models for popular music studies?

© Ananymous Authors. Licensed under a Creative Commons Attribution 4.0 International License (CC BY 4.0). **Attribution:** Ananymous Authors, “"More than words": Genre-Discriminating Lyrical Patterns in Anglophone German Popular Music”, submitted to *ISMIR*, 2026.



Figure 1: Composition of the analyzed corpus.

2. METHODS

2.1 Corpus and Genre Annotations

2.2 Genre Disrciminating Vocabularies

2.3 Genre Discriminating Topics, Sentiments, and Idiomatic Expression Types

2.4 Machine Learning Experiments

3. RESULTS

3.1 Genre Disrciminating Patterns

Using the fightin' words method, we identified topic, sentiment, and idiomatic expressions vocabulary lists containing n-grams that are statistically significant for distinguishing between popular music genres in our training corpus. The topic vocabulary comprises 3,831 nouns, the sentiment vocabulary includes 857 adjectives and adverbs. The expressions vocabulary contains 56,804 idiomatic expressions (12% unigrams, 33% bigrams, 35% trigrams, and 19% quadgrams).

Based on these vocabularies, we extracted dense topic, sentiment, and idiomatic expressions features by integrating the n-grams contained in each vocabulary via structural topic modeling into latent types using target genres as prevalence priors, thus getting genre-discriminative topics, sentiments, and types of idiomatic expressions. Within the range from 2 to 20 types, we chose the optimal number of

Type	Label	Example high-FREX n-grams
Topic	Americana	beer, john, funk, monkey, whiskey, jack, cowboy, johnny, hat, lee
Topic	Darkness	chaos, death, humanity, destruction, agony, decay, hate, existence, hatred, terror
Sentiment	ambivalent	pretty, maybe, good, nice, bad, sad, easy, glad, totally, busy
Sentiment	apocalyptic	final, evil, eternal, ancient, sacred, deadly, violent, rotten, mortal
Expression	Christmas Phrases	let it snow let, snow let it snow, it snow let it, lonley so lonly so, dreaming of a white, of a white christmas, a merry little christmas, have yourself a merry, yourself a merry little, in a winter wonderland
Expression	Dance Floor Commands	na na na na, doo doo doo doo, ba ba ba ba, ya ya ya ya, man man man man, li li, ma ma ma ma, move your body, put your hands up, ba dum

Table 1: Example interpretations of genre-discriminative topic, sentiments, and expression types with top high-FREX n-grams.

types for each topics, sentiments, and expressions primarily based on the highest exclusivity score, while striving for good semantic coherence and high likelyhood using holdout data (see Appendix for selection curves?). We chose 10 topics, 6 sentiments, and 11 expression types and then interpreted and labeled the clusters based on the n-grams with the highest FREX scores (see Table 1 for examples, see Appendix for full list). The genre-discriminative topics we identified were: *Americana*, *Darkness*, *Embodiment*, *Existentialism*, *Heroic Saga*, *Holidays*, *Nature*, *Narrative*, *Romance*, and *Street Life*. The genre-discriminative sentiments we identified were: *ambivalent*, *apocalyptic*, *brash*, *nostalgic*, *playful*, and *romantic*. The genre-discriminative expression types we identified were: *Christmas Phrases*, *Dance Floor Commands*, *Denials & Negotiations*, *Doom Imaginary*, *Jamaican Patois*, *Landscape Imaginary*, *Love Affirmations*, *Nostalgic Formulas*, *Traditional Street Slang*, *Trap Slang*, and *Vocalizations*.

Finally, we calculated the probabilities of each topic, sentiment, and expression type per genre in the training data to analyze their distribution across genres (see Figure 2). Overall, we find similar distributions with small deviations for topics and sentiments. Moreover, while the probabilities for sentiments are distributed more evenly across types, probabilities for topics show more pronounced concentrations in specific genres. *Existentialism* shows comparably high probability for nearly all genres. A notable exception for this general pattern is the *Hip Hop* genre, which shows a particularly high probability for the *Street Life* (41%) topic and *brash* (28%) sentiment, while also showing particularly low probabilities for the *Existentialism*(13%), *Nature* (4%) and *Romance* (6%) topic as well as the *romantic* (16%) sentiment. In addition, *Rock*'s probabilities are particularly high for the *Darkness* (11%) and *Heroic Saga* (10%) topics, as well as for the *apocalyptic* (18%) sentiment.

The probability distribution of expression types for genres is more heterogeneous than for topics and sentiments, and distributions are more concentrated. Some expression types are particularly concentrated in specific genres, such as *Traditional Street Slang* and *Trap Slang* for *Hip Hop*, *Jamaican Patois* for *Reggae*, *Doom Imaginary* for *Rock*, and *Christmas Phrases* for *Jazz*. However, we also find some expression types that are more evenly distributed across genres, such as *Denials & Negotiations*, *Landscape Imaginary*, and *Love Affirmations*.

Features	Model	Hyperparameters	$F1_{\text{CV}}$	$F1_{\text{HO}}$
Prevalences	Random	—	—	0.111
Raw Lyrics	DistillBERT	default	—	0.374
TF-IDF	GLMNET	C=1, $L1$=0.5	—	0.248
Topics	GLMNET	C=1, $L1$=0.5	—	0.229
Sentiments	GLMNET	C=1, $L1$=0.5	—	0.135
Expressions	GLMNET	C=1, $L1$=0.5	—	0.282
Combined	GLMNET	C=1, $L1$=0.5	—	0.292
Combined	GLMNET	C=0.002, $L1$=0.33	0.335	0.291
Combined	LightGBM	tuned†	0.354	0.300

Table 2: Macro $F1$ evaluation for classification experiments. Values show mean $F1$ from 4-fold cross-validation (CV) and $F1$ on holdout set (HO). Dashes indicate models trained with fixed hyperparameters. †LightGBM hyperparameters: 223 estimators, learning rate=0.079, 69 leaves, max depth=9, min 31 data points in leaf, L1 Regularization=1.43×10^{-2}, L2 Regularization=9.15×10^{-5}.

3.2 Interpretable ML Performance

Using genre-discriminative topics, sentiments, and expression types as lyric features, we trained two machine learning models (GLMNET and LightGBM) to predict song genre based solely on lyrics. Their performance was compared to a random baseline, a traditional TF-IDF + GLMNET pipeline, and a DistillBERT model trained directly on raw lyrics. Structured-feature models underwent systematic hyperparameter tuning to ensure optimal parameterization. Table 2 reports macro F1 scores from 4-fold cross-validation and holdout evaluation.

Structured representations provided informative genre signal beyond uninformative baselines: the random model reached 0.111 and TF-IDF + GLMNET 0.248 on the holdout. DistillBERT achieved the highest overall performance (holdout $F1$=0.374), indicating the strength of contextual embeddings for lyric classification. Among structured features, expressions contributed most to genre discrimination (0.282), followed by topics (0.229) and sentiments (0.135). Combining all three improved performance, with GLMNET (C=1, L1=0.5) attaining 0.292 on the holdout, exceeding individual feature sets.

Hyperparameter tuning yielded further improvement. A regularized GLMNET (C=0.002, L1=0.33) achieved 0.335 in cross-validation and 0.291 on holdout, while the tuned



(a) topics (b) sentiments (c) idiomatic expressions

Figure 2: Latent genre-discriminative topics, sentiments, and styles: probabilities per genre in the training corpus [%].



Figure 3: Confusion matrix for combined tuned lightGBM model [%].



Figure 4: Permutation importance on Heldout data for the tuned combined features LightGBM model.

LightGBM model performed best among structured approaches (CV 0.354, holdout 0.300). Although DistillBERT remained strongest overall, the tuned LightGBM retained approximately 80% of its predictive power while employing interpretable features and interpretability regarding feature contributions.

When looking at the confusion matrix for the tuned combined features LightGBM model (see Figure 3), we find that the model performs particularly well for *Hip Hop* (holdout $F1$=0.591) and *Rock* (0.584). The model performs worst for *Folk, World & Country* (0.177) and *Jazz* (0.137). Off-diagonal confusions cluster among stylistically adjacent categories (e.g., *Funk / Soul*, *Pop*, and *Electronic*; *Hip Hop* and *Funk / Soul*). While the results show a moderate positive relationship between genre prevalence and classification quality (Kendall correlation between per-genre F1 and sample size = 0.389); some genres with less samples (e.g., *Hip Hop*) clearly outperform larger ones (e.g., *Pop*).

3.3 Feature Importances and SHAP Values

To assess which stylistic patterns shape music genre differentiation, we computed the permutation feature importance on the holdout set (Figure 4). Expression-type features dominate the ranking: *Doom Imagery*, *Traditional Street Slang*, *Love Affirmations*, *Nostalgic Formulas*, *Vocalizations* and *Dance Floor Commands* emerged as the most influential predictors. Topic features such as *Darkness*, *Narrative*, and *Street Life* occupied intermediate positions and produced moderate performance declines when permuted, suggesting that broader thematic context supports, but does not alone determine music genre distinction. Sentiment features showed only minor average impacts. The expression type *Christmas Phrases* displays a clearly visible increase of holdout F1 when permuted, likely reflecting feature sparsity rather than substantive genre relevance.

As an illustrative example of what interpretative models can reveal about lyrical genre differentiation, Figure 5 shows SHAP values computed on the holdout sample for



Figure 5: Example: SHAP values for *Discogs' Hip Hop*.

the *Hip Hop* class (holdout $F1$=0.591). High values for *Trap Slang* and *Traditional Street Slang* strongly increase the model's predicted *Hip Hop* score; *Street Life* and *Denials & Negotiations* similarly shift predictions toward this genre. In contrast, features such as *Christmas Phrases* and *Nostalgic Formulas* are associated with lower Hip Hop likelihoods. Some features (e.g., *Doom Imaginary*, *Jamaican Patois*, and *Love Affirmations*) show more heterogeneous impacts, with high values sometimes increasing and sometimes decreasing *Hip Hop* predictions, reflecting context-dependent effects. Sentiment features do not appear to among the most helpful features for *Hip Hop* identification in our corpus.

4. DISCUSSION

With this contribution, we identify genre-discriminative lyrical patterns in Anglophone German popular music (RQ1), including 10 topics, 6 sentiments, and 11 types of idiomatic expressions. Interpretable ML models based on these patterns (RQ2) retained 80% of the predictive performance of a fine-tuned DistilBERT classifier, demonstrating that genre-discriminative lyrical pattern features can be effectively leveraged for genre classification while offering interpretability. Feature importance analyses (RQ3) revealed that idiomatic expressions play particularly important roles in genre discrimination, compared to topics and sentiments. Using *Hip Hop* as an example, we show how specific types of expressions, topics, and sentiments characterize this genre in contrast to others.

Lyrical genre distinction is driven not only by surface-level textual properties such as lyric length, vocabulary size, rhymes, echoisms, or readability (SOURCE), but also by content-related patterns identified in our analysis (RQ1). In particular, idiomatic expression types emerge as a more informative semantic dimension of genre differentiation than topics and sentiments (SOURCES). This suggests that genre-specific ways of phrasing meaning, rather than only thematic content or affective valence, contribute substantially to how genres are lyrically defined and perceived (SOURCE). These findings also support the view that genre cues operate across multiple linguistic levels (SOURCE).

For our interpretable ML experiments (RQ2), Hip Hop and Rock were among the genres that were most readily identifiable from lyrical features alone, suggesting that some genres rely more strongly on distinctive lyrical content markers, whereas others share more of these markers and are therefore more easily confused. Given, that *Discogs' Rock* genre encompasses also metal styles, this is consistent with prior work on lyric-based genre classification (SOURCE) and with the idea of genre as a fuzzy category organized around prototypical rather than strictly necessary features (SOURCE). Importantly, we recover a substantial portion of the performance of a fine-tuned DistillBERT model using human-readable features, indicating that the transformer is exploiting structure that is at least partly accessible to interpretable textual analysis based on n-grams. These results suggest a division of labor in computational musicology: transformer models serve as high-performing baselines, whereas interpretable models are especially useful for assessing whether lyrical patterns generalize beyond the observed sample and for identifying which features reliably support genre discrimination in a way that remains linguistically interpretable (SOURCE).

Feature importance analysis (RQ3) reveals that genre differences in lyrics are primarily driven by idiomatic expression types such as *Traditional Street Slang*, *Trap Slang*, and *Doom Imagery*, rather than emotional expression or thematic content alone. As illustrated by the *Hip Hop* case, where street life topics and slang expressions jointly elevate genre predictions, these findings suggest that genres differ in how they package meaning through stylistic phrasing, with thematic content playing a supporting role (SOURCE). Instead of single defining markers, interactions between expression types, topics, and sentiments form profiles of lyrical content that encode genre identity. This aligns with a view of genre as a fuzzy, relational construct distinguished by bundles of linguistic cues meaningful in contrast to neighboring genres (SOURCE).

Taken together, these findings advance computational musicology by establishing a principled division between predictive and explanatory machine learning approaches. While transformer models excel at achieving high genre classification performance, interpretable models like ours reveal which linguistic patterns drive those predictions, enabling insights in lyrical genre formation rather than mere correlational tagging (SOURCE). This explanatory capacity supports practical applications including understanding genre biases in generative lyrics production models (SOURCE), where knowing that Trap Slang and Doom Imagery strongly signal specific genres can help identify and mitigate unintended stylistic skews in AI-generated content; corpus curation tools that automatically flag culturally distinctive lyrical markers for ethnomusicological analysis (SOURCE); and hybrid genre taggers for streaming platforms that balance predictive power with transparency for content moderation or artist discovery (SOURCE).

Our analysis faces several limitations. First, music

genre is inherently fuzzy, and by using Discogs labels, we adopt a particular community's perspective on genre boundaries. While tracks often belong to multiple genres (SOURCE), we intentionally simplified this to a single-label classification problem to enable interpretable modeling. Second, permutation feature importance can be biased by correlated features. Although some of our features showed correlation, we chose not to cluster them beforehand to preserve the interpretability of individual linguistic patterns at the cost of potential ranking distortion. Finally, our corpus focuses on Anglophone popular music consumed in Germany, limiting generalizability to global Anglophone repertoires or non-English music popular in Germany.

Future research will extend this approach to other languages within the corpus, comparing lyrical patterns across linguistic contexts and exploring language-agnostic interpretable models. We also plan to test generalizability across diverse corpora beyond German popular music listening. Finally, we aim to incorporate additional lyrical features alongside multimodal audio and video characteristics to build more robust interpretable genre classifiers and examine interactions between lyrical patterns and other modality-specific genre cues.

[1]

5. AI USAGE STATEMENT

See submission guidelines. Does not count towards the page limit.

6. REFERENCES

[1] B. L. Monroe, M. P. Colaresi, and K. M. Quinn, "Fightin' Words: Lexical Feature Selection and Evaluation for Identifying the Content of Political Conflict," *Political Analysis*, vol. 16, no. 4, pp. 372–403, 2008.