NEOVIM CHEATSHEET · REFERENCE POSTER

SPACE LEADER KEY · ~/.config/nvim/ · full docs in README.md

N normal I insert V visual O operator C cmdline

MOVING AROUND — core Vim motions

h / j / k / l	Left / down / up / right
w / b / e	Next word / back a word / end of word
0 / ^ / $	Line start / first non-blank / line end
gg / G	First / last line (or {n}G for line n)
{ / }	Previous / next blank-line-delimited block
%	Jump to matching bracket
f{ch} / t{ch}	Jump to / just before next ch on line (F / T backwards)
; / ,	Repeat last f / t forward / backward
* / #	Next / previous occurrence of word under cursor
n / N	Next / previous search match (same direction)
H / M / L	Top / middle / bottom of screen
zz / zt / zb	Center / top / bottom current line on screen
'' / ``	Back to line / exact position before last jump
gi	Insert at last insert position

SHORTCUTS · EDITING & GIT — flash · surround · gitsigns

? N·V·O	Flash Treesitter jump
r O	Remote Flash action
R O·V	Flash Treesitter search
s-family N·V·O	nvim-surround: add / change / delete (defaults)
gcc / gc N(+V)	Comment line / motion or selection
gb N·V	Block comment
]c / [c N	Next / previous git hunk (gitsigns)
leader hs N·V	Stage hunk (or visual selection)
leader hr N·V	Reset hunk (or visual selection)
leader hu N	Undo stage hunk
leader hp N	Preview hunk
leader hb N	Blame current line (full)
extra text objects V·O	various-textobjs defaults (subword, value, indent…)

SHORTCUTS · FILES & WINDOWS — general

leader pl N	Open Lazy plugin manager
leader sv N	Re-source $MYVIMRC
leader cv N	Edit $MYVIMRC in vertical split
leader e N	Toggle Neo-tree (reveal current file)
leader E N	Reveal file in Neo-tree, focus the tree
leader gb N	Open buffers as a Neo-tree source
leader gs N	Open git status as a Neo-tree source
leader ff N	Telescope: find & open file (auto-reveals)
leader fg N	Telescope: live grep file contents
leader xo N	Open with system default app (PDF, HTML…)
leader ? N	Show buffer-local keymaps (which-key)
jk / jh I	Escape to Normal (cursor steps right)
C-s N·I	Save file
C-s C	Toggle Flash mid-input (flaky; prefer leader tf)
leader tf N	Toggle Flash search (reliable; use before /)
C-q N·I	Quit window
PgUp / PgDn N·V	Scroll half a window (not full page)
:qa C	Quit all windows
:wqa / :xa C	Save all windows and quit
:qa! C	Quit all windows without saving

COMPLETION — blink.cmp · default preset

C-space I	Show completion menu / docs
C-n / C-p I	Next / previous item (or Up / Down)
C-y I	Accept selected item
C-e I	Dismiss menu
C-b / C-f I	Scroll docs pane
Tab / S-Tab I	Next / prev snippet placeholder
C-k I	Toggle signature help

NEO-TREE — file explorer

Open with leader e (toggles, reveals current file); leader E reveals and focuses. Defaults plus a custom Z. Cursor on a tree node:

WINDOW NAVIGATION

C-w l	To window on the right (tree → editor)
C-w h	To window on the left (editor → tree)
C-w w	Cycle to next window
C-w p	Back to previous window

EXPAND / COLLAPSE

Space	Toggle node under cursor (expand/collapse dir)
CR	Open file, or expand directory
C	Close node under cursor
z	Close all nodes
Z	Expand all nodes (our opts; upstream keeps it off)
BS	Navigate up to parent directory
.	Set current node as tree root

FIND / FILTER

/	Fuzzy filter as you type (Esc closes, C-x clears)
D	Fuzzy find rooted at dir under cursor
#	Fuzzy sort results (fzy algorithm)
f	Filter on submit (keep only matches)
C-x	Clear active filter
H	Toggle hidden files (dotfiles)
?	Show all tree keymaps (help popup)

REFRESH

R	Refresh tree after external changes (git checkout, other apps); in-Nvim saves auto-refresh

LSP — built-in defaults

Active when a language server is attached.

K N	Hover documentation
grn N	Rename symbol
gra N·V	Code action
grr N	Go to references
gri N	Go to implementation
gO N	Document symbols
[d /]d N	Previous / next diagnostic
:Mason C	Manage installed language servers

PLUGIN EXAMPLES — flash · surround · text objects

FLASH

/foo	Label every match; press one to jump
f(/ t;	Char motions label shared-line matches
?	Label Treesitter nodes; press to jump
d? / y?	Delete / yank node via its label
v then R	Treesitter search on selection
/ then C-s	Toggle Flash mid-search (flaky; prefer leader tf)
yr + label	Yank at a distance (remote action)

SURROUND

ysiw"	hello → "hello"
yss)	Wrap whole line in parens
ds"	"hello" → hello
cs"'	"hello" → 'hello'
ys2w]	Wrap next 2 words in brackets
S} V	Wrap selection in { ... }

TEXT OBJECTS (work with d / c / y / v)

ii / ai	Inner / outer indentation block
iv	Change value in key = value
ik	Delete key in key = value
in / an	Change / delete a number
iS	Delete one camelCase/snake_case segment
i,	Delete the argument under cursor
gG	Entire buffer (ygG yanks all)
gw	Window's visible text (ygw)
aq	Delete any quoted string
ao	Operate around nearest bracket pair
iF	Select the file path under cursor
L	URL under cursor (e.g. yL)
n	To near end of line (e.g. dn)

TROUBLE — diagnostics & lists

leader xx N	Workspace diagnostics
leader xX N	Current buffer diagnostics
leader cs N	Document symbols browser
leader xQ N	Quickfix list