


This is my presentation

A template for presentations



Markus Tripp
February 24, 2024

Overview

- ① Notations and Definitions
- ② Results
 - Ⓐ Orbit-Stabilizer Theorem
 - Ⓑ Burnside Lemma

A tasty slide!

Definition: Group action

Let G be a group and X a set. A mapping $\alpha : G \times X \rightarrow X$ that satisfies

A tasty slide!

Definition: Group action

Let G be a group and X a set. A mapping $\alpha : G \times X \rightarrow X$ that satisfies

$$(A1) \quad \alpha(e, x) = x,$$

A tasty slide!

Definition: Group action

Let G be a group and X a set. A mapping $\alpha : G \times X \rightarrow X$ that satisfies

$$(A1) \quad \alpha(e, x) = x,$$

$$(A2) \quad \alpha(g, \alpha(h, x)) = \alpha(gh, x)$$

A tasty slide!

Definition: Group action

Let G be a group and X a set. A mapping $\alpha : G \times X \rightarrow X$ that satisfies

$$(A1) \quad \alpha(e, x) = x,$$

$$(A2) \quad \alpha(g, \alpha(h, x)) = \alpha(gh, x)$$

all $g, h \in G$ and $x \in X$ is called a *group action* of G on X .

A tasty slide!

Definition: Group action

Let G be a group and X a set. A mapping $\alpha : G \times X \rightarrow X$ that satisfies

$$(A1) \quad \alpha(e, x) = x,$$

$$(A2) \quad \alpha(g, \alpha(h, x)) = \alpha(gh, x)$$

reads as ...

$$e \cdot x = x$$

$$g \cdot (h \cdot x) = (gh) \cdot x$$

reads as ...

all $g, h \in G$ and $x \in X$ is called a *group action* of G on X .

Improvements?

Improvements?

Feel free to adapt/polish this template in any way you like. I am happy to discuss ideas and suggestions for general improvement of this template!