
Figure 7 | TX evidence, with all observed outcomes

19 Dec 2010 12:00 to 20 Dec 2010 20:00 UTC | 40 m | Target KP4MD | Reference WB6RQN

A Published source and reconciled direction




Archive endpoints: KP4MD and WB6RQN transmit; VE6PDQ receives. The original printed direction is inconsistent with those identities. 47 individually resolved anchors reconcile to archived reports. They are a readable subset of the 76 selected reports, not 47 pairs.

Power scale: reconstruction uses common 5 W to match the publication. Joint differences use common 1 W; the common 7 dB shift cancels. Positive ΔSNR favors KP4MD.

Historical replay: these reports do not prove that both systems operated in every retained cycle. One-sided outcomes describe coverage, without identifying inactivity, propagation or decode weakness as the cause.


Referenced publication: Carol F. Milazzo / KP4MD (2011).
Using the Weak Signal Propagation Reporter Network to Compare Antenna Performance
Amateur-radio technical article and club presentation · 2011. Source figure: Figure 7.
https://www.qsl.net/kp4md/wspr.htm
Original source pixels and v1 files remain unchanged.

B Complete reconstruction at the paper power scale



76 endpoint reports; 18 newly retained WB6RQN reports are ringed. Dashed guides identify exact same-cycle, full-locator Joint pairs.

C Joint ΔSNR remains unchanged




One pair at 20 Dec 00:22 UTC, DO34IR: KP4MD -13 dB at 5 W → -20 dB at 1 W; WB6RQN -15 dB at 2 W → -18 dB at 1 W. ΔSNR = -2 dB.
Archive IDs: 44698904 / 44698905.

Figure 7 | Coverage restored, with exact report traceability

19 Dec 2010 12:00 to 20 Dec 2010 20:00 UTC | 40 m | Target KP4MD | Reference WB6RQN

Evidence scope	T only	Joint	R only	Units	Reports
Earlier gated selection	56	1	0	57	58
Complete observed union	56	1	18	75	76



Selected path: VE6PDQ / DO34IR, within 5,000 km.
All-receiver 32-hour context: 988 Target only, 45 Joint, 535 Reference only; 30 paired identities, median Joint ΔSNR -4 dB. The 45 paired values are unchanged.
KP4MD stayed on this frequency while WB6RQN hopped bands, according to the publication; coverage imbalance is not controlled RF superiority.

Restored reports: 18 Reference-only outcomes, no invented ΔSNR

Archive ID / source key	UTC (Dec 2010)	Peer locator	Reported SNR	Power	SNR at 1 W
44615934	19 13:38	DO34IR	-6 dB	33 dBm	-9 dB
44625864	19 14:50	DO34IR	-7 dB	33 dBm	-10 dB
44628233	19 15:10	DO34IR	-7 dB	33 dBm	-10 dB
44629047	19 15:18	DO34IR	-8 dB	33 dBm	-11 dB
44633942	19 15:56	DO34IR	-13 dB	33 dBm	-16 dB
44636111	19 16:16	DO34IR	-14 dB	33 dBm	-17 dB
44646587	19 17:58	DO34IR	-27 dB	33 dBm	-30 dB
44687182	19 22:26	DO34IR	-24 dB	33 dBm	-27 dB
44689430	19 22:44	DO34IR	-25 dB	33 dBm	-28 dB
44691203	19 23:00	DO34IR	-22 dB	33 dBm	-25 dB
44696663	19 23:56	DO34IR	-10 dB	33 dBm	-13 dB
44700380	20 00:42	DO34IR	-12 dB	33 dBm	-15 dB
44701346	20 00:54	DO34IR	-10 dB	33 dBm	-13 dB
44728349	20 07:58	DO34IR	-17 dB	33 dBm	-20 dB
44741893	20 10:36	DO34IR	-23 dB	33 dBm	-26 dB
44770784	20 16:06	DO34IR	-13 dB	33 dBm	-16 dB
44772255	20 16:26	DO34IR	-17 dB	33 dBm	-20 dB
44778165	20 17:36	DO34IR	-25 dB	33 dBm	-28 dB

Each restored archive ID identifies one WB6RQN report. The corresponding cycle had no KP4MD witness in the frozen query scope. This explains the old selection, not why a Target report was absent.

Counting rule: 75 native units = 56 + 1 + 18; 76 reports = 56 + 2×1 + 18. Cycles with neither endpoint decoded are unobserved. Companion CSVs preserve all source reports, restored reports and exact paired identities; human approval remains pending.