Rally Ruby REST API Configuration Guide and re-parent-stories-to-pis.rb Script Usage

Introduction

The Rally REST API tool is built on a Ruby interface to the Rally REST web service API. This script is *not officially supported* and is *used at your own risk.*

This document is composed of the following sections:

1. Installing Ruby on Windows

Install the Ruby 1.9.3 (preferable) Runtime Environment: http://rubyinstaller.org/downloads/

1. During installation, please make sure to add the Ruby executable to your Path:



2. Open a command prompt window and go to the ruby directory that was created. In this example, Ruby was installed into C:\Ruby193:

    a. Click on your “Start” button, then enter cmd into the search dialog and hit Enter.



3. The Command prompt window appears. Navigate to where you installed Ruby:



4. Install the rally_api gem. This will also install its dependent gems.



5. When finished, you can verify all RubyGems installed by typing "**`gem list -l`**":



2. Configuring a Proxy Server (If Your Company Uses a Proxy)

1. If your company is behind a firewall or a proxy server, you may need to take additional steps in order to run Rally ruby scripting tools. To access the internet via a proxy-server using Windows, go to:

   Start -> Computer (Right Click) -> Properties:



2. Advanced System Settings:



3. Environment Variables:



4. Use the New button to create a new environment variable:



5. Create the following environment variables:

- **HTTP_PROXY**
- **HTTPS_PROXY**
- **FTP_PROXY**

The value for each of the 3 variables is *usually* the same and of the general format:
http://[name:password@]ipaddress:port/

6. Let's create HTTP_PROXY as an example:



In this example we entered:

Variable name: HTTP_PROXY
Variable value: https://username:password@10.32.12.20:8080

The actual values of username, password, and the proxy server address:port (10.32.12.20:8080) are going to vary according to your environment. You may need to check with your IT department concerning the appropriate information.

Completed Environment Variable Entry:



7. Please create ***both*** **HTTP_PROXY** and **HTTPS_PROXY** variables

8. Note that you will have to open a ***New Command Prompt window*** after creating any environment variables in order for them to take effect in the Command prompt.

3. Configuring and Using the Re-Parent Stories To PIs Script

1. Create directory for script and associated files:

   C:\Users\username\Documents\Rally Re-Parent Stories to PIs\

2. Download the re-parent-stories-to-pis.rb script and the my_vars.rb file to the above directory

3. Using a text editor, customize the code parameters in the my_vars.rb file for your environment.

```
my_vars.rb:
===========

# Connection Parameters
$my_username                = 'user@company.com'
$my_password                = 'password'
$my_base_url                = "https://rally1.rallydev.com/slm"
$my_workspace               = "My Workspace"
$my_project                 = "My Project"
$wsapi_version              = "1.37"
$filename                   = "re-parent-stories-to-pis.csv"
```

4. Create a CSV file called parent_portfolio_items.csv, located in the same directory as the Ruby script, that contains the Portfolio Items that you want to import, in comma-separated format. For example:

```
Story Formatted ID, Story Name, New Parent Formatted ID, Parent PI Type,
Parent PI Name
US153, Story Test01,F11,Feature,1 PI Feature
US154, Story Test02,F12,Feature,2 PI Feature
US155, Story Test03,F13,Feature,3 PI Feature
US156, Story Test04,F14,Feature,4 PI Feature
US157, Story Test05,F15,Feature,5 PI Feature
US158, Story Test06,F16,Feature,6 PI Feature
US159, Story Test07,F17,Feature,7 PI Feature
```

Important: The script does not check to see if Parent is a valid assignment for the Portfolio Item of concern – i.e. it isn't as robust as to check to see whether or not you're trying to assign a User Story to a Parent at the top-level-of-the-hierarchy Portfolio Item. If this assignment is attempted, the script with throw an exception, but will continue processing remaining rows.

5. Run the script.

```
      C:\> ruby re-parent-stories-to-pis.rb
User Story US153: Story Test01 successfully updated parent to:
   ==> Parent PB11: 1 PI Pebble From Ruby
User Story US154: Story Test02 successfully updated parent to:
   ==> Parent PB12: 2 PI Pebble From Ruby
User Story US155: Story Test03 successfully updated parent to:
   ==> Parent PB13: 3 PI Pebble From Ruby
User Story US156: Story Test04 successfully updated parent to:
   ==> Parent PB14: 4 PI Pebble From Ruby
User Story US157: Story Test05 successfully updated parent to:
   ==> Parent PB15: 5 PI Pebble From Ruby
User Story US158: Story Test06 successfully updated parent to:
   ==> Parent PB16: 6 PI Pebble From Ruby
User Story US159: Story Test07 successfully updated parent to:
```

```
==> Parent PB17: 7 PI Pebble From Ruby
```

Warning!!: This script will ***replace/over-write all*** parent assignments for User Stories specified in the Story Formatted ID column. Make sure you have the correct data in this column before running!