



Settings

Manage your profile and account settings

- Profile
- Password
- Two-Factor Auth
- Affiliate
- User Management
- Integrations
- API
- Manage Labels
- Notifications
- Announcements
- Product Updates
- Fee List
- Terms of Service
- Privacy Policy

API Settings

Manage API keys, webhooks, and view API documentation

 API Keys

Create API Key



Name	Key	Scope	Last Used	Created	
Premier Edge	sdk_Uipb...	Marlon Melara's Agency	1 hour ago	Aug 12, 2026	

 Webhooks

Global (All Sub-accounts) 

Global webhooks fire for all sub-accounts unless a sub-account has its own webhook configured for the same event.

Inbound Message Received

Triggered when someone replies to your SMS

Webhook URL

https://premier-edge-theta.vercel.app/api/webhooks/sendivo?token=012b2cea5b61fec

Signing Secret

whsec_.....



Save

Send Test

Outbound Delivery Status

Triggered when an outbound SMS status changes

Webhook URL

https://your-server.com/webhook

Save

Send Test

Phone Number Ready

Triggered when a purchased phone number is provisioned and ready

Webhook URL

SaveSend Test

Deal Status Updated

Webhook URL

SaveSend Test

Webhook Events

 API Documentation

Base URL

`https://app.sendivo.io/api/v1`

Authentication



All API requests require authentication using a Bearer token. Include your API key in the Authorization header:

`Authorization: Bearer sdk_your_api_key_here`



API keys can be scoped to a single sub-account or grant access to all sub-accounts in your agency.

POST

Send SMS /sms

Send an SMS message to a recipient.

Request Body

```
{
  "to": "+14155551234",
  "from": "+14155559876",
  "message": "Hello from Sendivo!",
  "campaign_id": 456
}
```

Parameters

Parameter	Type	Required	Description
to	string	Required	Recipient phone number (E.164 format or 10-digit US)
from_phone_number_id	integer	Optional	ID of the phone number to send from (required if "from" not provided)
from	string	Optional	Phone number to send from (required if "from_phone_number_id" not provided)
message	string	Required	Message content (max 1600 characters)
campaign_id	integer	Optional	Campaign ID (auto-selected if not provided)

Response

```
{
  "success": true,
  "data": {
    "message_id": "abc123",
    "bulk_id": "bulk_xyz",
    "status": "pending",
  }
}
```

```
    "segments": 1,
    "to": "+14155551234",
    "from": "+14155559999"
  }
}
```

POST Upload MMS Media /mms/media

Upload an image to attach to an MMS message. Sending an MMS is a two-step flow: upload the image here first, then pass the returned `media_url` to POST /mms. Images are automatically compressed to fit US carrier size limits (500KB), so you can upload originals up to 10MB. The send endpoint only accepts media uploaded through this endpoint by your own account.

Request

Send as `multipart/form-data` with a single `image` field:

```
curl -X POST https://app.sendivo.io/api/v1/mms/media \
-H "Authorization: Bearer sdk_your_api_key_here" \
-F "image=@/path/to/photo.jpg"
```

Parameters

Parameter	Type	Required	Description
image	file	Required	The image file (JPEG, PNG, or GIF; max 10MB). GIFs must already be under 500KB — animations cannot be recompressed.

Response

```
{
  "success": true,
  "data": {
    "media_url": "https://cdn.example.com/mms-media/123/9f8b7c6d.jpg",
    "media_content_type": "image/jpeg"
  }
}
```

POST Send MMS /mms

Send an MMS (picture message) to a recipient. First upload the image via `POST /mms/media`, then send using the returned `media_url`. MMS is billed as a flat rate per message at your MMS price — text length does not add segments. Text is optional, so an MMS can be image-only.

Request Body

```
{
  "to": "+14155551234",
  "from": "+14155559876",
  "message": "Check out our new listing!",
  "media_url": "https://cdn.example.com/mms-media/123/9f8b7c6d.jpg",
  "media_content_type": "image/jpeg",
  "campaign_id": 456
}
```

Parameters

Parameter	Type	Required	Description
to	string	Required	Recipient phone number (E.164 format or 10-digit US)
from_phone_number_id	integer	Optional	ID of the phone number to send from (required if "from" not provided)
from	string	Optional	Phone number to send from (required if "from_phone_number_id" not provided)
media_url	string	Required	Image URL returned by POST /mms/media. External URLs are rejected.
media_content_type	string	Optional	Image MIME type returned by POST /mms/media (e.g. "image/jpeg")
message	string	Optional	Optional message text (max 1600 characters); omit for an image-only MMS

Parameter	Type	Required	Description
campaign_id	integer	Optional	Campaign ID (auto-selected if not provided)

Response

```
{
  "success": true,
  "data": {
    "message_id": "abc123",
    "bulk_id": "bulk_xyz",
    "status": "pending",
    "to": "+14155551234",
    "from": "+14155559876",
    "media_url": "https://cdn.example.com/mms-media/123/9f8b7c6d.jpg"
  }
}
```

POST

Send Conversation Message (Human Takeover)

/conversations/{id}/messages

Send a reply into an existing conversation as a human takeover. Unlike POST /sms (a stateless number-to-number send), this threads the message into the conversation so it appears in the dashboard, and permanently stops the AI Responder for that thread. Sending is the takeover — there is no resume. The recipient and sending number are determined by the conversation, so no to/from is needed.

Path Parameters

Parameter	Type	Required	Description
id	integer	Required	ID of the conversation to reply into. Must belong to your agency (and the API key's sub-account, if scoped).

Request Body

```
{
  "message": "Hi, this is a human taking over – how can I help?"
}
```

Parameters

Parameter	Type	Required	Description
message	string	Required	Message content (max 1600 characters)

Response

```
{
  "success": true,
  "data": {
    "message_id": "abc123",
    "bulk_id": "bulk_xyz",
    "status": "pending",
    "segments": 1,
    "conversation_id": 789,
    "conversation_message_id": 4567,
    "ai_responder_stopped": true,
    "to": "+14155551234",
    "from": "+14155559999"
  }
}
```



GET Get Brands /brands

Retrieve a list of all brands accessible with your API key.

Response

```
{
  "success": true,
  "data": [
    {
      "id": 1,
      "name": "My Brand",
      "legal_company_name": "My Company LLC",
      "verification_status": "VERIFIED",
      "registration_state": "REGISTERED",
      "campaigns_count": 2,
      "sub_account_id": 1,
      "created_at": "2024-01-01T00:00:00Z"
    }
  ]
}
```




```
]
}
```

GET Get Campaigns /campaigns



Retrieve a list of all campaigns accessible with your API key.

Response

```
{
  "success": true,
  "data": [
    {
      "id": 1,
      "name": "Marketing Campaign",
      "status": "Carriers Approved",
      "brand": {
        "id": 1,
        "name": "My Brand"
      },
      "phone_numbers": [
        {
          "id": 1,
          "phone_number": "+14155551234"
        }
      ],
      "created_at": "2024-01-01T00:00:00Z"
    }
  ]
}
```



GET Get Phone Numbers /phone-numbers



Retrieve a list of all phone numbers accessible with your API key.

Response

```
{
  "success": true,
  "data": [
    {
      "id": 1,
```



```
    "phone_number": "+14155551234",
    "friendly_name": "Main Line",
    "number_status": "active",
    "messaging_status": "active",
    "campaign": {
      "id": 1,
      "name": "Marketing Campaign"
    },
    "created_at": "2024-01-01T00:00:00Z"
  },
]
}
```

POST Buy Phone Number /phone-numbers/buy

Purchase a new phone number by area code. This is an async operation — the number will be provisioned in the background.

Request Body

```
{
  "area_code": "415",
  "quantity": 1,
  "brand_id": 1,
  "campaign_id": 1,
  "sub_account_id": 1
}
```

Parameters

Parameter	Type	Required	Description
area_code	string	Required	3-digit US area code (e.g. "415", "212")
quantity	integer	Optional	Number of phone numbers to purchase (1-10, default: 1)
brand_id	integer	Optional	Brand to assign the number to (default: your default brand)

Parameter	Type	Required	Description
campaign_id	integer	Optional	Campaign to assign the number to (default: your default campaign)

Response (202)

```
{
  "success": true,
  "data": {
    "request_id": "abc-123",
    "status": "pending",
    "quantity": 1,
    "area_code": "415",
    "number_type": "TEN_DIGIT_LONG_CODE"
  }
}
```



GET Get SMS Logs /sms/logs



Retrieve SMS logs for a given date range with pagination. Returns the same data shown on the SMS Logs screen. The date range is limited to 7 days per request; for bulk pulls, use the message log export instead.

Query Parameters

Parameter	Type	Required	Description
start_date	string	Required	Start date in YYYY-MM-DD format
end_date	string	Required	End date in YYYY-MM-DD format (must be on or after start_date, at most 7 days after it)
page	integer	Optional	Page number (default: 1)
per_page	integer	Optional	Results per page, 1-1000 (default: 100)

Response



```
{
  "success": true,
  "data": {
    "logs": [
      {
        "id": 1,
        "sub_account_id": 1,
        "sub_account_name": "Acme Co",
        "from_number": "+12125551234",
        "to_number": "+13105559876",
        "message_content": "Hello!",
        "segments": 1,
        "status": "delivered",
        "status_group_name": "DELIVERED",
        "status_name": "DELIVERED_TO_HANDSET",
        "status_description": "Message delivered",
        "error_description": null,
        "price_per_message": "0.004000",
        "campaign": {
          "id": 1,
          "name": "My Campaign"
        },
        "phone_number": {
          "id": 1,
          "number": "+12125551234",
          "friendly_name": "Main Line"
        },
        "message_id": "abc-123",
        "created_at": "2025-01-15T10:30:00+00:00"
      }
    ],
    "pagination": {
      "current_page": 1,
      "per_page": 100,
      "has_more": true
    }
  }
}
```

POST Release Phone Number /phone-numbers/release



Release (cancel) a phone number. This removes the number from its 10DLC campaign, cancels it with the carrier, and deletes it from your account. This action cannot be undone.

Request Body

Parameter	Type	Required	Description
phone_number	string	Required	The phone number to release (e.g. "+12125551234")

Response

```
{
  "success": true,
  "data": {
    "message": "Phone number released successfully.",
    "phone_number": "+12125551234"
  }
}
```



Error Response (409)

```
{
  "success": false,
  "error": {
    "code": "LAST_NUMBER_IN_CAMPAIGN",
    "message": "This phone number cannot be released because it is the only r
  }
}
```



GET Get Delivery Metrics /delivery-metrics



Get aggregate SMS delivery metrics for a date range. Returns the same numbers shown on the dashboard. Maximum range is 30 days.

Query Parameters

Parameter	Type	Required	Description
start_date	string	Required	Start date in YYYY-MM-DD format
end_date	string	Required	End date in YYYY-MM-DD format (must be on or after start_date, max 30 days from start_date)

Parameter	Type	Required	Description
location_id	string	Optional	GoHighLevel location ID. Narrows an agency-wide key to the matching sub-account. Must belong to the key's agency. Omit to use the key's own scope (agency-wide for agency keys, or the key's sub-account for sub-account keys).

Response

```
{
  "success": true,
  "data": {
    "start_date": "2025-01-01",
    "end_date": "2025-01-31",
    "sms_sent": 12500,
    "segments_sent": 18750,
    "inbound_sms_received": 3400,
    "delivery_rate": 97.85,
    "opt_out_rate": 1.24,
    "response_rate": 28.6
  }
}
```



Error Response (422)

```
{
  "success": false,
  "error": {
    "code": "DATE_RANGE_T00_LARGE",
    "message": "Date range cannot exceed 30 days."
  }
}
```



GET Get Billing Report /billing/report



Get a billing report broken down by sub-account for a given date range. Returns the same data as the CSV export on the billing page.

Query Parameters

Parameter	Type	Required	Description
start_date	string	Required	Start date in YYYY-MM-DD format
end_date	string	Required	End date in YYYY-MM-DD format (must be on or after start_date)

Response

```
{
  "success": true,
  "data": [
    {
      "locationID": "abc123",
      "sub_account_id": 1,
      "start_date": "2025-01-01",
      "end_date": "2025-01-31",
      "total_spend": 269,
      "campaign_setup_fees": {
        "quantity": 2,
        "total_spend": 30
      },
      "campaign_renewal_fees": {
        "quantity": 2,
        "total_spend": 30
      },
      "brand_fees": {
        "quantity": 2,
        "total_spend": 9
      },
      "phone_number_setup_fees": {
        "quantity": 2,
        "total_spend": 30
      },
      "phone_number_renewal_fees": {
        "quantity": 2,
        "total_spend": 30
      },
      "sms_fees": {
        "quantity": 2000,
        "total_spend": 50
      },
      "carrier_fees": {
        "quantity": 2000,
        "total_spend": 70
      }
    }
  ]
}
```

```
}
]
}
```

GET **Get Blasts** /blasts

List blasts with optional created date filtering and pagination. Returns the same data shown on the Blasts screen. Per-blast metrics (delivery rate, reply rate, opt-outs, deals won, cost) are computed once a blast finishes and are null while it is still in progress.

Query Parameters

Parameter	Type	Required	Description
start_date	string	Optional	Only return blasts created on or after this date (YYYY-MM-DD)
end_date	string	Optional	Only return blasts created on or before this date (YYYY-MM-DD, must be on or after start_date)
page	integer	Optional	Page number (default: 1)
per_page	integer	Optional	Results per page, 1-1000 (default: 100)

Response

```
{
  "success": true,
  "data": {
    "blasts": [
      {
        "id": 1,
        "sub_account_id": 1,
        "name": "June Promo",
        "list_name": "Premium Leads",
        "contacts_count": 28316,
        "sms_sent": 28100,
        "delivery_rate": 84.7,
        "reply_rate": 0.2,
        "opt_outs": 97,
        "deals_won": 12,
        "blast_cost": 180.3,
```




```
    "status": "completed",
    "created_at": "2025-01-15T10:30:00+00:00"
  },
  {
    "id": 2,
    "sub_account_id": 1,
    "name": "July Promo",
    "list_name": "New Leads",
    "contacts_count": 52350,
    "sms_sent": 10400,
    "delivery_rate": null,
    "reply_rate": null,
    "opt_outs": null,
    "deals_won": null,
    "blast_cost": null,
    "status": "running",
    "created_at": "2025-01-16T09:00:00+00:00"
  }
],
"pagination": {
  "current_page": 1,
  "per_page": 100,
  "total": 250,
  "last_page": 3
}
}
```

GET **Get Contact** /contacts

Look up a single contact by phone number and return all stored details — name, email, address, company, custom fields, opt-out state, deal status and attached labels.

Query Parameters

Parameter	Type	Required	Description
phone_number	string	Required	The contact's phone number in any format (e.g. "+12125551234" or "212-555-1234")
sub_account_id	integer	Optional	Disambiguates when the same phone number exists in multiple sub-accounts. Must be accessible to the API key.

Response



```
{
  "success": true,
  "data": {
    "contact": {
      "id": 1,
      "sub_account_id": 1,
      "sub_account_name": "Acme Co",
      "gohighlevel_contact_id": "abc123",
      "first_name": "Jane",
      "last_name": "Doe",
      "full_name": "Jane Doe",
      "email": "jane@example.com",
      "phone_number": "+12125551234",
      "alternative_mobile_numbers": [
        "+13105559876"
      ],
      "land_lines": [],
      "company_name": "Doe Holdings",
      "job_title": "Owner",
      "industry": "Real Estate",
      "website": "https://example.com",
      "address_line1": "123 Main St",
      "address_line2": "Suite 4",
      "city": "New York",
      "state": "NY",
      "postal_code": "10001",
      "country": "US",
      "property_address": "456 Oak Ave",
      "property_city": "Newark",
      "property_state": "NJ",
      "property_zip": "07102",
      "lead_source": "Website",
      "lead_status": "closed-won",
      "deal_status": {
        "slug": "closed-won",
        "name": "Closed Won",
        "color": "#22C55E",
        "is_closed_won": true,
        "is_closed_lost": false
      },
      "deal_value": "1500.00",
      "lifetime_value": "3200.00",
      "notes": "Prefers email contact.",
      "custom_fields": {
        "credit_score": "750"
      }
    },
  },
}
```

```
"opted_out": false,
"opted_out_date": null,
"is_archived": false,
"labels": [
  {
    "id": 5,
    "name": "VIP",
    "color": "#F59E0B"
  }
],
"lists": [
  {
    "id": 2,
    "name": "Premium Leads"
  }
],
"created_at": "2025-01-10T08:00:00+00:00",
"updated_at": "2025-01-15T10:30:00+00:00"
}
```

POST **Update Contact Deal Status** /contacts/deal-status

Look up a contact by phone number and update its deal status (for example, set it to "Closed Won"). The status is matched against the sub-account's configured deal stages by slug or name (case-insensitive). Optionally update the deal value at the same time.

Request Body

Parameter	Type	Required	Description
phone_number	string	Required	The contact's phone number in any format (e.g. "+12125551234" or "212-555-1234")
deal_status	string	Required	A deal stage slug or name (e.g. "closed-won" or "Closed Won"). Must be an active deal stage for the contact's sub-account.
deal_value	number	Optional	Optional deal value to set on the contact (must be 0 or greater)

Parameter	Type	Required	Description
sub_account_id	integer	Optional	Disambiguates when the same phone number exists in multiple sub-accounts. Must be accessible to the API key.

Response

```
{
  "success": true,
  "data": {
    "contact": {
      "id": 1,
      "sub_account_id": 1,
      "phone_number": "+12125551234",
      "first_name": "Jane",
      "last_name": "Doe",
      "deal_status": "closed-won",
      "deal_status_name": "Closed Won",
      "is_closed_won": true,
      "is_closed_lost": false,
      "deal_value": "1500.00",
      "gohighlevel_contact_id": "abc123"
    }
  }
}
```

Error Response (409)

```
{
  "success": false,
  "error": {
    "code": "AMBIGUOUS_CONTACT",
    "message": "Multiple contacts match this phone number. Specify sub_account_id",
    "details": {
      "matches": [
        {
          "id": 1,
          "sub_account_id": 1
        },
        {
          "id": 2,
          "sub_account_id": 4
        }
      ]
    }
  }
}
```

```
}
}
}
```

POST **Add Contact Label** /contacts/labels

Look up a contact by phone number and attach a label by name. The label is matched (case-insensitive) within the contact's sub-account; if no label with that name exists yet, it is created automatically. Adding a label the contact already has succeeds without duplicating it.

Request Body

Parameter	Type	Required	Description
phone_number	string	Required	The contact's phone number in any format (e.g. "+12125551234" or "212-555-1234")
label_name	string	Required	The label to add (e.g. "VIP"). Created automatically if it does not already exist for the sub-account.
sub_account_id	integer	Optional	Disambiguates when the same phone number exists in multiple sub-accounts. Must be accessible to the API key.

Response

```
{
  "success": true,
  "data": {
    "contact_id": 1,
    "sub_account_id": 1,
    "phone_number": "+12125551234",
    "label": {
      "id": 5,
      "name": "VIP",
      "color": "#F59E0B"
    },
    "labels": [
      {
        "id": 5,
        "name": "VIP",
```



```
    "color": "#F59E0B"
  },
  {
    "id": 8,
    "name": "Hot Lead",
    "color": "#EF4444"
  }
]
}
```

Error Response (409)

```
{
  "success": false,
  "error": {
    "code": "AMBIGUOUS_CONTACT",
    "message": "Multiple contacts match this phone number. Specify sub_account_id",
    "details": {
      "matches": [
        {
          "id": 1,
          "sub_account_id": 1
        },
        {
          "id": 2,
          "sub_account_id": 4
        }
      ]
    }
  }
}
```

DELETE Remove Contact Label /contacts/labels



Look up a contact by phone number and remove a label from it by name (case-insensitive). Only the contact's association is removed — the label itself is kept for other contacts. Removing a label the contact doesn't have still succeeds; an unknown label name returns a 404.

Request Body

Parameter	Type	Required	Description
phone_number	string	Required	The contact's phone number in any format (e.g. "+12125551234" or "212-555-1234")
label_name	string	Required	The name of the label to remove from the contact (e.g. "VIP").
sub_account_id	integer	Optional	Disambiguates when the same phone number exists in multiple sub-accounts. Must be accessible to the API key.

Response

```
{
  "success": true,
  "data": {
    "contact_id": 1,
    "sub_account_id": 1,
    "phone_number": "+12125551234",
    "removed_label": {
      "id": 5,
      "name": "VIP"
    },
    "labels": [
      {
        "id": 8,
        "name": "Hot Lead",
        "color": "#EF4444"
      }
    ]
  }
}
```



Error Response (404)

```
{
  "success": false,
  "error": {
    "code": "NOT_FOUND",
    "message": "Label not found."
  }
}
```



