

✔

Congratulations! You passed!

Grade received 100%

Latest Submission Grade 100%

To pass 80% or higher

Go to next item

1.

What's the name of the package you install to get TensorFlow Serving?

1 / 1 point

- ☐ tf-serving
- ☐ model-server
- ☐ tensorflow-serving
- ☒ tensorflow-model-server

✔

Correct

2.

What Unix command is used to start TensorFlow serving in a way that will run it and continue running even if the session is disconnected?

1 / 1 point

- ☐ shell
- ☐ hup
- ☒ nohup
- ☐ shellhup

✔

Correct

3.

What's the name of the production-scale ML platform for TensorFlow?

1 / 1 point

- ☐ XLA
- ☐ TF-E
- ☒ TFX
- ☐ TFAX

✔

Correct

4.

What advantages do you get by running inference on a server instead of distributing the model to all your clients?

1 / 1 point

- ☐ Everybody will use the same model version
- ☐ You can update your model transparently
- ☐ You can scale your model infrastructure for speed and/or volume
- ☒ All of the above

✔

Correct

5.

How do you prepare your model for serving?

1 / 1 point

- ☐ Train it and convert it to TensorFlow lite and copy that to the server
- ☐ Train it on the server and it will serve automatically
- ☐ Give your users the colab URL
- ☒ Use TensorFlow SavedModel to save it, and then deploy it to the server

✔

Correct

6.

If you want to inspect the inputs and outputs for your model, what command do you use?

1 / 1 point

- ☐ inspect_model
- ☒ saved_model_cli
- ☐ inspect_saved_model
- ☐ Cli_saved_model

✔ Correct

7. If you want to start the model server on port 8501, what parameter do you use?

1 / 1 point

- ☐ --api_port
- ☐ --rest_api
- ☒ --rest_api_port
- ☐ --rest_port

✔ Correct

8. I want to pass a list of values (i.e. 8, 9, 10) to the server and have it perform inferences on them, what’s the correct syntax for this data?

1 / 1 point

- ☐ [[8 9 10]]
- ☐ [8, 9, 10]
- ☒ [[8], [9], [10]]
- ☐ [[8] [9] [10]]

✔ Correct

9. If I publish V1 a model called ‘helloworld’ and run it with a REST API on port 8501. What’s the URL of the endpoint used to run inference on localhost?

1 / 1 point

- ☐ http://localhost:8501/helloworld:predict/v1
- ☐ http://localhost:8501/models/v1/helloworld:predict
- ☒ http://localhost:8501/v1/models/helloworld:predict
- ☐ http://localhost:8501/1//helloworld:predict

✔ Correct

10. After running inference using a model hosted on TF Serving, the following is returned. Can you explain what data was sent to the model, and what these return values mean?

1 / 1 point

- [[5.77123615e-07, 2.66907847e-08, 4.7217938e-08, 1.97792871e-09, 5.31984341e-08, 0.00734644197, 3.1462946e-07, 0.0439051725, 0.000500570168, 0.948246837],
- [0.00227244, 6.12080342e-09, 0.967876315, 3.0579281e-06, 0.0183339939, 3.18483538e-11, 0.011510049, 1.38639566e-14, 4.19033222e-06, 4.40264526e-11],
- [1.45221502e-05, 0.999841571, 3.96758715e-08, 0.000131023204, 1.22008023e-05, 1.18227668e-08, 5.97860179e-08, 1.31281848e-08, 5.49047854e-07, 2.97885189e-10]]
- ☐ Not possible to tell
 - ☐ You passed 30 items to the model, and it returned the likelihood that it matches what you need
 - ☒ You passed three items to a model that recognizes 10 classes, and it returned the probabilities for each item in each class
 - ☐ You passed an item to a model that recognizes 30 classes and it returned the probabilities for each item that it recognized

✔ Correct