# **Test Report** Start: 2019-01-26 13:20:12

222 tests -- 222 passed / 0 failed / 0 pending

C:\Users\Ørjan\Documents\hverdagshelt-team-6\server\tests\case	_subscriptionsTest.js
0.433s	

0.433s		
Create a subscription to a case	409 status code for POST /api/cases/:case_id/subscribe to a case already subscribed to	passed in 0.02s
Create a subscription to a case	400 status code for POST /api/cases/:case_id/subscribe without valid id	passed in 0.004s
Create a subscription to a case	400 status code for POST /api/cases/:case_id/subscribe without body	passed in 0.003s
Create a subscription to a case	401 status code for POST /api/cases/:case_id/subscribe without valid token	passed in 0.003s
Create a subscription to a case	403 status code for POST /api/cases/:case_id/subscribe without token	passed in 0.003s
Create a subscription to a case	200 status code for POST /api/cases/:case_id/subscribe	passed in 0.011s
Delete a case_subscriptions	200 status code for DELETE /api/cases/:case_id/subscribe/:user_id	passed in 0.007s
Delete a case_subscriptions	403 status code for DELETE /api/cases/:case_id/subscribe/:user_id without token	passed in 0.003s
Delete a case_subscriptions	401 status code for DELETE /api/cases/:case_id/subscribe/:user_id without valid token	passed in 0.002s
Delete a case_subscriptions	400 status code for DELETE /api/cases/:case_id/subscribe/:user_id with invalid id	passed in 0.004s
Find all case_subscriptions for a private user	400 status code for GET /api/cases/subscriptions/:user_id without valid id	passed in 0.007s
Find all case_subscriptions for a private user	403 status code for GET /api/cases/subscriptions/:user_id without token	passed in 0.006s
Find all case_subscriptions for a private user	200 status code for GET /api/cases/subscriptions/:user_id	passed in 0.008s
Find all case_subscriptions for a private user	401 status code for GET /api/cases/subscriptions/:user_id without valid token	passed in 0.003s
Find all cases a private user has subscriptions to	403 status code for GET /api/cases/subscriptions/:user_id/cases without token	passed in 0.004s
Find all cases a private user has subscriptions to	200 status code for GET /api/cases/subscriptions/:user_id/cases	passed in 0.009s
Find all cases a private user has subscriptions to	400 status code for GET /api/cases/subscriptions/:user_id/cases without valid id	passed in 0.008s
Find all cases a private user has subscriptions to	401 status code for GET /api/cases/subscriptions/:user_id/cases without valid token	passed in 0.004s
Find all cases where a user is not up to date	400 status code for GET /api/cases/subscriptions/:user_id/cases/is_up_to_date without valid id	passed in 0.004s
Find all cases where a user is not up to date	200 status code for GET /api/cases/subscriptions/:user_id/cases/is_up_to_date	passed in 0.007s

Find all cases where a user is not up to date	403 status code for GET /api/cases/subscriptions/:user_id/cases/is_up_to_date without token	passed in 0.003s
Find all cases where a user is not up to date	401 status code for GET /api/cases/subscriptions/:user_id/cases/is_up_to_date without valid token	passed in 0.002s
Update a case_subscriptions	400 status code for PUT /api/cases/:case_id/subscribe without body	passed in 0.003s
Update a case_subscriptions	200 status code for PUT /api/cases/:case_id/subscribe	passed in 0.009s
Update a case_subscriptions	403 status code for PUT /api/cases/:case_id/subscribe without token	passed in 0.003s
Update a case_subscriptions	401 status code for PUT /api/cases/:case_id/subscribe without valid token	passed in 0.002s
Update a case_subscriptions	400 status code for PUT /api/cases/:case_id/subscribe without valid case_id	passed in 0.004s

#### C:\Users\Ørjan\Documents\hverdagshelt-team-6\server\tests\casesTest.js $0.53 \mathrm{s}$

Create new case	401 status code for POST /api/cases without valid token	passed in 0.014s
Create new case	403 status code for POST /api/cases without token	passed in 0.003s
Create new case	200 status code for POST /api/cases	passed in 0.065s
Create new case	409 status code for POST /api/cases when this case is a duplicate	passed in 0.019s
Create new case	400 status code for POST /api/cases without body	passed in 0.004s
Delete one case	400 status code for DELETE /api/cases/:case_id with invalid id	passed in 0.003s
Delete one case	200 status code for DELETE /api/cases/:case_id	passed in 0.011s
Delete one case	404 status code for DELETE /api/cases/:case_id} without valid case_id	passed in 0.009s
Delete one case	403 status code for DELETE /api/cases/:case_id without token	passed in 0.003s
Delete one case	401 status code for DELETE /api/cases/:case_id without valid token	passed in 0.002s
Find all cases	200 status code for GET /api/cases	passed in 0.023s
Find all cases for one user	200 status code for GET /api/cases/user_cases/:user_id with admin_token	passed in 0.007s
Find all cases for one user	200 status code for GET /api/cases/user_cases/:user_id with user_token	passed in 0.007s
Find all cases for one user	403 status code for GET /api/cases/user_cases/:user_id without token	passed in 0.004s
Find all cases for one user	401 status code for GET /api/cases/user_cases/:user_id without valid token	passed in 0.002s
Find all cases for one user	400 status code for GET /api/cases/user_cases/:user_id with invalid id	passed in 0.003s
Find all cases in a region by name	400 status code for GET /api/cases/region_cases/:county_name/:region_name with only one name	passed in 0.004s
Find all cases in a region by name	200 status code for GET /api/cases/region_cases/:county_name/:region_name	passed in 0.016s
Find all cases in a region by region_id	400 status code for GET /api/cases/region_cases/:region_id without valid id	passed in 0.002s
Find all cases in a region by region_id	200 status code for GET /api/cases/region_cases/:region_id	passed in 0.007s
Find one case with case_id	400 status code for GET /api/cases/:case_id with invalid case_id	passed in 0.003s

Find one case with case_id	200 status code for GET /api/cases/:case_id	passed in 0.012s
Update one case	200 status code for PUT /api/cases/:case_id	passed in 0.023s
Update one case	400 status code for PUT /api/cases/:case_id without body	passed in 0.003s
Update one case	400 status code for PUT /api/cases/:case_id with invalid case_id	passed in 0.003s
Update one case	401 status code for PUT /api/cases/:case_id with invalid user_id	passed in 0.002s
Update one case	403 status code for PUT /api/cases/:case_id without token	passed in 0.003s
C:\Users\Ørjan\Docun 0.382s	nents\hverdagshelt-team-6\server\tests\categoriesTest.js	
Create new category	401 status code for POST /api/categories without valid token	passed in 0.002s
Create new category	403 status code for POST /api/categories without token	passed in 0.003s
Create new category	200 status code for POST /api/categories	passed in 0.022s
Create new category	409 status code for POST /api/categories category already exist	passed in 0.019s
Create new category	400 status code for POST /api/categories without body	passed in 0.003s
Delete one in categories	200 status code for DELETE /api/categories/:category_id	passed in 0.007s
Delete one in categories	409 status code for DELETE /api/categories/:category_id when id is connected to cases	passed in 0.01s
Delete one in categories	403 status code for DELETE /api/categories/:category_id without token	passed in 0.002s
Delete one in categories	401 status code for DELETE /api/categories/:category_id without valid token	passed in 0.002s
Delete one in categories	400 status code for DELETE /api/categories/:category_id with invalid id	passed in 0.003s
Find all categories	200 status code for GET /api/categories	passed in 0.009s
Update one in categories	409 status code for PUT /api/categories/:category_id category already exist	passed in 0.012s
Update one in categories	200 status code for PUT /api/categories/:category_id	passed in 0.01s
Update one in categories	404 status code for PUT /api/categories/:category_id without category_id	passed in 0.004s
Update one in categories	401 status code for PUT /api/categories/:category_id without valid token	passed in 0.002s
Update one in categories	400 status code for PUT /api/categories/:category_id without valid id	passed in 0.004s
Update one in categories	400 status code for PUT /api/categories/:category_id without body	passed in 0.004s
Update one in categories	403 status code for PUT /api/categories/:category_id without token	passed in 0.003s
C:\Users\Ørjan\Docun 0.386s	nents\hverdagshelt-team-6\server\tests\countiesTest.js	
Create one county	401 status code for POST /api/counties without valid token	passed in 0.003s
Create one county	403 status code for POST /api/counties without token	passed in 0.003s
0	200 status code for POST (ani/equation	1: 0.040

passed in 0.016s

200 status code for POST /api/counties

Create one county

Create one county	400 status code for POST /api/counties without body	passed in 0.004s
Delete one county	200 status code for DELETE /api/counties/{county_id}	passed in 0.012s
Delete one county	409 status code for DELETE /api/counties/{county_id} when id is connected to cases	passed in 0.017s
Delete one county	404 status code for DELETE /api/counties/{county_id} without county_id	passed in 0.003s
Delete one county	403 status code for DELETE /api/counties/{county_id} without token	passed in 0.003s
Delete one county	401 status code for DELETE /api/counties/{county_id} without valid token	passed in 0.002s
Delete one county	400 status code for DELETE /api/counties/{county_id} with invalid id	passed in 0.003s
Find all counties	200 status code for GET /api/counties	passed in 0.011s
Find all regions in county	200 status code for GET /api/counties/:county_id/regions	passed in 0.008s
Find all regions in county	400 status code for GET /api/counties/:county_id/regions with invalid county_id	passed in 0.003s
Find one county by name	404 status code for GET /api/counties/:county_name with invalid name	passed in 0.006s
Find one county by name	400 status code for GET /api/counties/:county_name number for name	passed in 0.004s
Find one county by name	200 status code for GET /api/counties/:county_name	passed in 0.008s
Update one county	401 status code for PUT /api/counties/{county_id} without valid token	passed in 0.003s
Update one county	403 status code for PUT /api/counties/{county_id} without token	passed in 0.003s
Update one county	200 status code for PUT /api/counties/{county_id}	passed in 0.009s
Update one county	400 status code for PUT /api/counties/{county_id} without body	passed in 0.003s

## $\textbf{C:} \\ \textbf{Users} \\ \textbf{\ooriginal Documents hverdagshelt-team-6 \server \tests \models \textbf{Test.js}} \\ 3.854s$

Status_comment.findAll() returns correct data	passed in 0.004s
County.findAll() returns correct data	passed in 0.01s
Role.findAll() returns correct data	passed in 0.005s
User.findAll() returns correct data	passed in 0.005s
Status.findAll() returns correct data	passed in 0.003s
Region.findAll() returns correct data	passed in 0.008s
Case.findAll() returns correct data	passed in 0.004s
Category.findAll() returns correct data	passed in 0.003s
Picture.findAll() returns correct data	passed in 0.004s
Region_subscriptions.findAll() returns correct data	passed in 0.004s
Case_subscriptions.findAll() returns correct data	passed in 0.004s
	County.findAll() returns correct data  Role.findAll() returns correct data  User.findAll() returns correct data  Status.findAll() returns correct data  Region.findAll() returns correct data  Case.findAll() returns correct data  Category.findAll() returns correct data  Picture.findAll() returns correct data  Region_subscriptions.findAll() returns correct data

## $\textbf{C:} \\ \textbf{Users} \\ \textbf{\oprign} \\ \textbf{Documents} \\ \textbf{hverdagshelt-team-6} \\ \textbf{server} \\ \textbf{tests} \\ \textbf{region\_subscriptionsTest.js} \\ \textbf{0.377s} \\ \textbf{0.375s} \\ \textbf{0.375s$

Create new region_subscriptions	409 status code for POST /api/regions/:region_id/subscribe already exist	passed in 0.02s
Create new region_subscriptions	401 status code for POST /api/regions/:region_id/subscribe without valid token	passed in 0.006s
Create new region_subscriptions	403 status code for POST /api/regions/:region_id/subscribe without token	passed in 0.006s
Create new region_subscriptions	200 status code for POST /api/regions/:region_id/subscribe	passed in 0.012s
Create new region_subscriptions	400 status code for POST /api/regions/:region_id/subscribe with invalid region_id	passed in 0.011s
Create new region_subscriptions	400 status code for POST /api/regions/:region_id/subscribe without body	passed in 0.006s
Delete one in region_subscriptions	403 status code for DELETE /api/regions/:region_id/subscribe without token	passed in 0.003s
Delete one in region_subscriptions	200 status code for DELETE /api/regions/:region_id/subscribe	passed in 0.01s
Delete one in region_subscriptions	401 status code for DELETE /api/regions/:region_id/subscribe without valid token	passed in 0.003s
Delete one in region_subscriptions	400 status code for DELETE /api/regions/:region_id/subscribe invalid user_id	passed in 0.003s
Delete one in region_subscriptions	400 status code for DELETE /api/regions/:region_id/subscribe invalid region_id	passed in 0.003s
Find all region_subscriptions	200 status code for GET /api/regions/:region_id/subscribe	passed in 0.009s
Update one in region_subscriptions	200 status code for PUT /api/regions/:region_id/subscribe	passed in 0.01s
Update one in region_subscriptions	403 status code for PUT /api/regions/:region_id/subscribe without token	passed in 0.003s
Update one in region_subscriptions	401 status code for PUT /api/regions/:region_id/subscribe without valid token	passed in 0.003s
Update one in region_subscriptions	400 status code for PUT /api/regions/:region_id/subscribe without body	passed in 0.003s
Update one in region_subscriptions	400 status code for PUT /api/regions/:region_id/subscribe with invalid region_id	passed in 0.003s

## $\textbf{C:\Users\O} ignal \textbf{Documents\hverdagshelt-team-6\server\tests\regions\Test.js} \\ 0.374s$

Create one region	400 status code for POST /api/regions without body	passed in 0.003s
Create one region	401 status code for POST /api/regions without valid token	passed in 0.003s
Create one region	403 status code for POST /api/regions without token	passed in 0.003s
Create one region	200 status code for POST /api/regions	passed in 0.013s
Delete one region	200 status code for DELETE /api/regions/:region_id	passed in 0.007s
Delete one region	409 status code for DELETE /api/regions/:region_id when id is connected to cases	passed in 0.022s
Delete one region	404 status code for DELETE /api/regions/:region_id without id	passed in 0.004s
Delete one region	400 status code for DELETE /api/regions/:region_id with invalid id	passed in 0.003s
Find all regions	200 status code for GET /api/regions	passed in 0.017s

Find all staff for a region	200 status code for DELETE /api/regions/:region_id	passed in 0.007s
Find all staff for a region	400 status code for GET /api/regions/:region_id/staff with invalid id	passed in 0.002s
Find one region	200 status code for GET /api/regions/region_id	passed in 0.008s
Find one region	404 status code for GET /api/regions/region_id with invalid id	passed in 0.006s
Find one region	400 status code for GET /api/regions/region_id with invalid id	passed in 0.003s
Update one region	403 status code for PUT /api/regions/{region_id} without token	passed in 0.003s
Update one region	200 status code for PUT /api/regions/{region_id}	passed in 0.009s
Update one region	401 status code for PUT /api/regions/{region_id} without valid token	passed in 0.003s
Update one region	400 status code for PUT /api/regions/{region_id} without body	passed in 0.003s
Update one region	400 status code for PUT /api/regions/{region_id} with invalid region_id	passed in 0.002s

## $\begin{tabular}{ll} \textbf{C:\Users\O} rjan\Documents\hverdagshelt-team-6\server\tests\rolesTest.js} \\ 0.406s \end{tabular}$

Create new role	200 status code for POST /api/roles	passed in 0.009s
Create new role	401 status code for POST /api/roles without valid token	passed in 0.003s
Create new role	403 status code for POST /api/roles without token	passed in 0.002s
Create new role	409 status code for POST /api/roles when the role exists	passed in 0.021s
Create new role	400 status code for POST /api/roles without body	passed in 0.004s
Delete one in roles	200 status code for DELETE /api/roles/:role_id	passed in 0.008s
Delete one in roles	409 status code for DELETE /api/roles/:role_id when id is connected to cases	passed in 0.01s
Delete one in roles	404 status code for DELETE /api/roles/:role_id} without role_id	passed in 0.003s
Delete one in roles	403 status code for DELETE /api/roles/:role_id without token	passed in 0.003s
Delete one in roles	401 status code for DELETE /api/roles/:role_id without valid token	passed in 0.002s
Delete one in roles	400 status code for DELETE /api/roles/:role_id with invalid id	passed in 0.003s
Find all roles	200 status code for GET /api/roles	passed in 0.008s
Find all roles	403 status code for GET /api/roles without token	passed in 0.004s
Find all roles	401 status code for GET /api/roles without valid token	passed in 0.005s
Update one in roles	200 status code for PUT /api/roles/:role_id	passed in 0.009s
Update one in roles	403 status code for PUT /api/roles/:role_id without token	passed in 0.004s
Update one in roles	401 status code for PUT /api/roles/:role_id without valid token	passed in 0.004s
Update one in roles	400 status code for PUT /api/roles/:role_id without body	passed in 0.003s
Update one in roles	400 status code for PUT /api/roles/:role_id without valid role_id	passed in 0.004s

## $\begin{tabular}{ll} \textbf{C:} \textbf{Users} & \textbf{Ørjan} \textbf{Documents} \textbf{hverdagshelt-team-6} \textbf{server} \textbf{tests} \textbf{status\_commentsTest.js} \\ 0.382s \end{tabular}$

Create new status_comment	400 status code for POST /api/status_comments without body	passed in 0.003s
Create new status_comment	401 status code for POST /api/status_comments without valid token	passed in 0.004s

Create new status_comment	403 status code for POST /api/status_comments without token	passed in 0.002s
Create new status_comment	200 status code for POST /api/status_comments	passed in 0.045s
Delete one in status_comments	200 status code for DELETE /api/cases/:case_id/status_comments/:status_comment_id	passed in 0.01s
Delete one in status_comments	404 status code for DELETE /api/cases/:case_id/status_comments/:status_comment_id} without status_comment_id	passed in 0.003s
Delete one in status_comments	403 status code for DELETE /api/cases/:case_id/status_comments/:status_comment_id without token	passed in 0.003s
Delete one in status_comments	401 status code for DELETE /api/cases/:case_id/status_comments/:status_comment_id without valid token	passed in 0.003s
Delete one in status_comments	400 status code for DELETE /api/cases/:case_id/status_comments/:status_comment_id with invalid id	passed in 0.003s
Find all status_comments for a case	200 status code for GET /api/cases/:case_id/status_comments	passed in 0.018s
Find all status_comments for a case	400 status code for GET /api/cases/:case_id/status_comments without valid case id	passed in 0.005s
Update one in status_comments	200 status code for PUT /api/cases/:case_id/status_comments/:status_comment_id	passed in 0.016s
Update one in status_comments	403 status code for PUT /api/cases/:case_id/status_comments/:status_comment_id without token	passed in 0.003s
Update one in status_comments	400 status code for PUT /api/cases/:case_id/status_comments/:status_comment_id without body	passed in 0.004s
Update one in status_comments	401 status code for PUT /api/cases/:case_id/status_comments/:status_comment_id without valid token	passed in 0.003s
C:\Users\Ørjan\Docume 0.393s	ents\hverdagshelt-team-6\server\tests\statusesTest.js	
Create new status	403 status code for POST /api/statuses without token	passed in 0.004s
Create new status	200 status code for POST /api/statuses	passed in 0.011s
Create new status	409 status code for POST /api/statuses if status exists	passed in 0.02s
Create new status	401 status code for POST /api/statuses without valid token	passed in 0.003s
Create new status	400 status code for POST /api/statuses without body	passed in 0.007s
Delete one in statuses	409 status code for DELETE /api/statuses/:status_id when id is connected to cases	passed in 0.01s
Delete one in statuses	404 status code for DELETE /api/statuses/:status_id} without status_id	passed in 0.003s

200 status code for DELETE /api/statuses/:status\_id

200 status code for GET /api/statuses

200 status code for PUT /api/statuses/:status\_id

403 status code for DELETE /api/statuses/:status\_id without token

400 status code for DELETE /api/statuses/:status\_id with invalid id

403 status code for PUT /api/statuses/:status\_id without token

400 status code for PUT /api/statuses/:status\_id with invalid status\_id

401 status code for DELETE /api/statuses/:status\_id without valid token

Delete one in statuses

Delete one in statuses

Delete one in statuses

Delete one in statuses

Update one in statuses

Update one in statuses

Update one in statuses

Find all statuses

passed in 0.008s

passed in 0.003s

passed in 0.003s

passed in 0.003s

passed in 0.01s

passed in 0.011s

passed in 0.003s

passed in 0.004s

Update one in statuses	400 status code for PUT /api/statuses/:status_id without body and token	passed in 0.003s
Update one in statuses	401 status code for PUT /api/statuses/:status_id without valid token	passed in 0.002s
C:\Users\Ørjan\Docume 2.372s	ents\hverdagshelt-team-6\server\tests\usersTest.js	
Change password	400 status code for PUT /api/users/:user_id/password without body and token	passed in 0.003s
Change password	200 status code for GET /api/users	passed in 0.014s
Change password	403 status code for PUT /api/users/:user_id/password without token	passed in 0.003s
Change password	401 status code for PUT /api/users/:user_id/password without valid token	passed in 0.002s
Check that the user was deleted	404 status code for GET /api/users/{user_id} after deletion	passed in 0.007s
Create new user	400 status code for POST /api/users without body	passed in 0.011s
Create new user	409 status code for POST /api/users with already registered email	passed in 0.021s
Create new user	200 status code for POST /api/users	passed in 1.756s
Delete a user	200 status code for DELETE /api/users/{user_id}	passed in 0.034s
Delete a user	403 status code for DELETE /api/users/:user_id without token	passed in 0.002s
Delete a user	401 status code for DELETE /api/users/:user_id without valid token	passed in 0.002s
Delete a user	400 status code for DELETE /api/users/:user_id with invalid user_id	passed in 0.003s
Find a specific user	403 status code for GET /api/users/{user_id} without token	passed in 0.002s
Find a specific user	401 status code for GET /api/users/{user_id} without valid token	passed in 0.003s
Find a specific user	400 status code for GET /api/users/{user_id} with invalid user_id	passed in 0.006s
Find a specific user	200 status code for GET /api/users/{user_id} with correct token	passed in 0.01s
Find all region subscriptions for a user	400 status code for GET /api/users/:user_id/region_subscriptions with invalid user_id	passed in 0.003s
Find all region subscriptions for a user	200 status code for GET /api/users/:user_id/region_subscriptions	passed in 0.006s
Find all region subscriptions for a user	401 status code for GET /api/users/:user_id/region_subscriptions without valid token	passed in 0.002s
Find all region subscriptions for a user	403 status code for GET /api/users/:user_id/region_subscriptions without token	passed in 0.003s
Find all users registered in the system (only admins)	200 status code for GET /api/users	passed in 0.007s
Find all users registered in the system (only admins)	403 status code for GET /api/users without token	passed in 0.002s
Find all users registered in the system (only admins)	401 status code for GET /api/users for non-admins	passed in 0.003s
Update data on a user	200 status code for PUT /api/users/{user_id}	passed in 0.011s
Update data on a user	403 status code for PUT /api/users/{user_id} without token	passed in 0.002s
Update data on a user	401 status code for PUT /api/users/{user_id} without valid token	passed in 0.003s

Update data on a user	400 status code for PUT /api/users/{user_id} with invalid user_id	passed in 0.002s
Update data on a user	400 status code for PUT /api/users/{user_id} without body	passed in 0.003s
Update data on a user	409 status code for PUT /api/users/{user_id} with already registered email	passed in 0.012s
User login	400 status code for POST /api/login without body	passed in 0.003s
User login	200 status code for POST /api/login with correct info	passed in 0.006s
User login	401 status code for POST /api/login with wrong password	passed in 0.006s