

Parking Automatique avec Barrière

Prepared By DAOUDI Marouane

Memory Capacity

[Memory Capacity]

2000

[Program Capacity]

2000 Steps

[Comments Capacity]

0 Block 0 Points

[File Register Capacity]

0 Block 0 Points

PLC System

[Battery Less Mode]


-

[MODEM Initialized]

None

[RUN Terminal Input]

None



Position	Device	Setting Value
(36)	T0	K3
(48)	T1	K3

Find In:PARKING

Find What:Used Device (Contact & Coil)

Print Range:Whole Range

*:in use (times): the number of coil uses

Device	Contact	Coil	Parameter	Comment
M0	*	*(1)		
M1	*	*(1)		
M2	*	*(1)		
M3	*	*(1)		
M4	*	*(1)		
M5	*	*(1)		
Y001	*	*(1)		
Y003	*	*(1)		
Y004	*	*(1)		
Y005	*	*(1)		
D0	*	*(3)		
T0	*	*(1)		
T1	*	*(1)		

Workspace Name :
Project Name : PARKING
Title : PARKING

Data Name	Last Change	Title
Parameter	10/05/2026 21:20:15	
PLC Parameter	10/05/2026 21:20:15	
Global Device Comment	10/05/2026 21:20:16	
Program Setting		
Execution Program		
MAIN	10/05/2026 21:20:16	
MAIN	10/05/2026 21:27:43	
POU		
Program	10/05/2026 21:20:16	
MAIN	10/05/2026 21:27:43	
Local Device Comment		
Device Memory	10/05/2026 21:20:16	
MAIN	10/05/2026 21:20:16	