

Agnico Eagle Mines Limited

Detailed Mineral Reserve and Mineral Resource Data

Mineral Reserves as at December 31, 2024											
Operation / Project		Proven			Probable			Proven & Probable			
Gold	Mining Method*	000 Tonnes	g/t	000 Oz Au	000 Tonnes	g/t	000 Oz Au	000 Tonnes	g/t	000 Oz Au	Recovery %**
LaRonde mine ¹	U/G	2,398	4.84	373	8,334	6.38	1,709	10,731	6.03	2,081	94.6
LaRonde Zone 5 ²	U/G	5,026	2.10	339	4,241	2.34	319	9,267	2.21	659	94.7
LaRonde Total		7,424	2.98	712	12,574	5.02	2,028	19,998	4.26	2,740	
Canadian Malartic mine ³	O/P	40,383	0.52	677	34,533	1.14	1,267	74,916	0.81	1,944	89.3
Odyssey deposit ⁴	U/G	36	2.41	3	4,318	2.27	315	4,354	2.27	317	95.0
East Gouldie ⁵	U/G	—	—	—	48,278	3.37	5,236	48,278	3.37	5,236	94.4
Canadian Malartic Total		40,419	0.52	680	87,128	2.43	6,818	127,547	1.83	7,497	
Goldex ⁶	U/G	5,472	1.43	251	10,137	1.65	538	15,609	1.57	789	86.9
Akasaba West ⁷	O/P	846	0.82	22	3,948	0.91	116	4,794	0.90	138	77.0
Goldex Total		6,318	1.34	273	14,085	1.44	654	20,403	1.41	927	
Wasamac	U/G	—	—	—	14,757	2.90	1,377	14,757	2.90	1,377	89.7
Quebec Total		54,161	0.96	1,665	128,545	2.63	10,876	182,706	2.13	12,541	
Detour Lake (At or above 0.5 g/t)	O/P	75,405	1.08	2,616	447,790	0.90	13,020	523,195	0.93	15,636	92.0
Detour Lake (Below 0.5 g/t)	O/P	53,049	0.42	717	218,861	0.38	2,698	271,910	0.39	3,415	92.0
Detour Lake Total⁸		128,454	0.81	3,333	666,651	0.73	15,718	795,105	0.75	19,051	
Macassa ⁹	U/G	325	13.24	138	5,096	10.32	1,691	5,421	10.50	1,829	97.1
Macassa Near Surface ¹⁰	U/G	4	7.76	1	65	5.15	11	69	5.31	12	95.0
AK deposit ¹¹	U/G	23	5.11	4	1,514	4.71	229	1,537	4.71	233	93.7
Macassa Total		352	12.65	143	6,675	9.00	1,931	7,027	9.18	2,074	
Upper Beaver ¹²	O/P	—	—	—	3,235	1.82	189	3,235	1.82	189	95.5
Upper Beaver ¹²	U/G	—	—	—	19,946	4.02	2,579	19,946	4.02	2,579	95.5
Upper Beaver Total		—	—	—	23,181	3.71	2,768	23,181	3.71	2,768	
Hammond Reef ¹³	O/P	—	—	—	123,473	0.84	3,323	123,473	0.84	3,323	89.2
Ontario Total		128,806	0.84	3,476	819,979	0.90	23,740	948,785	0.89	27,216	
Amaruq	O/P	3,310	1.81	193	8,657	3.33	928	11,967	2.91	1,121	90.7
Amaruq	U/G	45	4.86	7	2,858	5.23	481	2,903	5.23	488	90.7
Meadowbank Total¹⁴		3,355	1.86	200	11,516	3.80	1,408	14,871	3.36	1,609	
Meliadine	O/P	324	3.47	36	5,241	4.10	690	5,565	4.06	726	96.0
Meliadine	U/G	1,666	6.93	371	12,557	5.62	2,268	14,223	5.77	2,639	96.0
Meliadine Total¹⁵		1,990	6.37	407	17,798	5.17	2,958	19,788	5.29	3,365	
Hope Bay ¹⁶	U/G	93	6.77	20	16,120	6.52	3,378	16,212	6.52	3,398	87.5
Nunavut Total		5,438	3.59	628	45,433	5.30	7,744	50,871	5.12	8,372	

Operation / Project		Proven			Probable			Proven & Probable			
Gold	Mining Method*	000 Tonnes	g/t	000 Oz Au	000 Tonnes	g/t	000 Oz Au	000 Tonnes	g/t	000 Oz Au	Recovery %**
Fosterville ¹⁷	U/G	888	5.77	165	8,666	5.33	1,486	9,553	5.37	1,650	92.0
Australia Total		888	5.77	165	8,666	5.33	1,486	9,553	5.37	1,650	
Kittila ¹⁸	U/G	616	4.33	86	24,782	4.16	3,314	25,398	4.16	3,400	86.4
Europe Total		616	4.33	86	24,782	4.16	3,314	25,398	4.16	3,400	
Pinos Altos	O/P	—	—	—	1,884	1.04	63	1,884	1.04	63	94.4
Pinos Altos	U/G	1,484	2.09	100	3,589	2.35	271	5,072	2.27	370	94.1
Pinos Altos Total¹⁹		1,484	2.09	100	5,472	1.90	334	6,956	1.94	433	
San Nicolás (50%) ²⁰	O/P	23,858	0.41	314	28,761	0.39	358	52,619	0.40	672	17.6
Mexico Total		25,341	0.51	414	34,234	0.63	691	59,575	0.58	1,105	
Total Gold		215,249	0.93	6,433	1,061,639	1.40	47,852	1,276,888	1.32	54,284	

Silver	Mining Method*	000 Tonnes	g/t	000 Oz Ag	000 Tonnes	g/t	000 Oz Ag	000 Tonnes	g/t	000 Oz Ag	Recovery %**
LaRonde mine	U/G	2,398	13.29	1,024	8,334	21.67	5,805	10,731	19.79	6,830	77.4
Pinos Altos	O/P	—	—	—	1,884	32.53	1,970	1,884	32.53	1,970	44.5
Pinos Altos	U/G	1,484	48.13	2,296	3,589	36.72	4,236	5,072	40.05	6,532	48.1
Pinos Altos Total		1,484	48.13	2,296	5,472	35.28	6,206	6,956	38.02	8,502	
San Nicolás (50%)	O/P	23,858	23.93	18,356	28,761	20.91	19,333	52,619	22.28	37,689	38.6
Total Silver		27,739	24.31	21,677	42,567	22.90	31,344	70,307	23.46	53,021	

Copper	Mining Method*	000 Tonnes	%	Tonnes Cu	000 Tonnes	%	Tonnes Cu	000 Tonnes	%	Tonnes Cu	Recovery %**
LaRonde mine	U/G	2,398	0.20	4,808	8,334	0.30	25,224	10,731	0.28	30,033	83.8
Akasaba West	O/P	846	0.49	4,144	3,948	0.50	19,851	4,794	0.50	23,995	77.4
Upper Beaver	O/P	—	—	—	3,235	0.14	4,477	3,235	0.14	4,477	79.2
Upper Beaver	U/G	—	—	—	19,946	0.25	50,453	19,946	0.25	50,453	79.2
Upper Beaver Total		—	—	—	23,181	0.24	54,930	23,181	0.24	54,930	
San Nicolás (50%)	O/P	23,858	1.26	299,809	28,761	1.01	291,721	52,619	1.12	591,530	78.2
Total Copper		27,102	1.14	308,761	64,224	0.61	391,727	91,326	0.77	700,488	

Zinc	Mining Method*	000 Tonnes	%	Tonnes Zn	000 Tonnes	%	Tonnes Zn	000 Tonnes	%	Tonnes Zn	Recovery %**
LaRonde mine	U/G	2,398	0.49	11,803	8,334	1.12	93,022	10,731	0.98	104,825	66.9
San Nicolás (50%)	O/P	23,858	1.61	383,313	28,761	1.37	394,115	52,619	1.48	777,428	80.9
Total Zinc		26,256	1.50	395,115	37,095	1.31	487,137	63,351	1.39	882,252	

*Open Pit ("O/P"), Underground ("U/G")

**Represents metallurgical recovery percentage

¹ LaRonde mine: Net smelter value cut-off varies according to mining type and depth, not less than C\$87/t for LP1 (Area 11-3) and not less than C\$210/t for LaRonde.

² LaRonde Zone 5: Gold cut-off grade varies according to stope size and depth, not less than 1.44 g/t.

- ³ Canadian Malartic: Gold cut-off grade is 0.35 g/t.
- ⁴ Odyssey deposit: Gold cut-off grade varies according to mining zone and depth, not less than 1.51 g/t.
- ⁵ East Gouldie: Gold cut-off grade not less than 1.62 g/t.
- ⁶ Goldex: Gold cut-off grade varies according to mining type and depth, not less than 0.90 g/t.
- ⁷ Akasaba West: Net smelter value cut-off varies, not less than C\$31.96/t.
- ⁸ Detour Lake: Gold cut-off grade is 0.30 g/t.
- ⁹ Macassa: Gold cut-off grade varies according to mining type, not less than 3.85 g/t for long hole method and 4.24 g/t for cut and fill method.
- ¹⁰ Macassa Near Surface deposit: Gold cut-off grade not less than 2.43 g/t.
- ¹¹ Amalgamated Kirkland ("AK") deposit: Gold cut-off grade not less than 2.43 g/t.
- ¹² Upper Beaver: Net smelter value cut-off varies according to mining type, not less than C\$118.17/t for underground and C\$43.49/t for open pit.
- ¹³ Hammond Reef: Gold cut-off grade is 0.41 g/t.
- ¹⁴ Amaruq: Gold cut-off grade varies according to mining type, not less than 0.98 g/t for open pit mineral reserves and 3.05 g/t for underground mineral reserves (gold cut-off grade for marginal underground mineral reserves from development is 1.17 g/t).
- ¹⁵ Meliadine: Gold cut-off grade varies according to mining type, not less than 1.60 g/t for open pit mineral reserves and 4.20 g/t for underground mineral reserves (gold cut-off grade for marginal underground mineral reserves from development is 1.60 g/t).
- ¹⁶ Hope Bay: Gold cut-off grade not less than 4.00 g/t.
- ¹⁷ Fosterville: Gold cut-off grade varies according to mining zone and type, not less than 3.10 g/t.
- ¹⁸ Kittila: Gold cut-off grade varies according to haulage distance, not less than 2.63 g/t.
- ¹⁹ Pinos Altos: Net smelter value cut-off varies according to mining zone and type, not less than C\$11.09/t for open pit mineral reserves and US\$63.43/t for the underground mineral reserves.
- ²⁰ San Nicolás (50%): Net smelter return cut-off values for low zinc/copper ore of US\$9.71/t and for high zinc/copper ore of US\$13.15/t.

Mineral Resources as at December 31, 2024

Operation / Project		Measured			Indicated			Measured & Indicated			Inferred		
Gold	Mining Method*	000 Tonnes	g/t	000 Oz Au	000 Tonnes	g/t	000 Oz Au	000 Tonnes	g/t	000 Oz Au	000 Tonnes	g/t	000 Oz Au
LaRonde mine	U/G	—	—	—	5,851	3.75	705	5,851	3.75	705	1,619	5.39	281
LaRonde Zone 5	U/G	—	—	—	11,094	2.29	817	11,094	2.29	817	7,187	4.15	960
LaRonde Total		—	—	—	16,945	2.79	1,522	16,945	2.79	1,522	8,806	4.38	1,240
Canadian Malartic mine	O/P	—	—	—	—	—	—	—	—	—	5,550	0.72	129
Odyssey deposit	U/G	—	—	—	1,847	1.77	105	1,847	1.77	105	20,275	2.33	1,520
East Malartic	U/G	—	—	—	45,783	1.95	2,869	45,783	1.95	2,869	57,354	1.98	3,651
East Gouldie	U/G	—	—	—	5,243	1.52	257	5,243	1.52	257	61,155	2.32	4,557
Odyssey Total		—	—	—	52,873	1.90	3,232	52,873	1.90	3,232	138,784	2.18	9,728
Canadian Malartic Total		—	—	—	52,873	1.90	3,232	52,873	1.90	3,232	144,334	2.12	9,857
Goldex	U/G	12,360	1.86	739	18,137	1.48	865	30,496	1.64	1,604	16,946	1.62	885
Akasaba West	O/P	—	—	—	4,133	0.68	90	4,133	0.68	90	—	—	—
Goldex Total		12,360	1.86	739	22,270	1.33	955	34,630	1.52	1,694	16,946	1.62	885
Wasamac	U/G	—	—	—	9,479	2.19	667	9,479	2.19	667	3,911	2.48	312
Quebec Total		12,360	1.86	739	101,567	1.95	6,376	113,927	1.94	7,115	173,997	2.20	12,294
Detour Lake	O/P	33,923	1.10	1,201	630,463	0.60	12,188	664,386	0.63	13,389	65,093	1.40	2,926
Detour Lake	U/G	—	—	—	27,738	2.10	1,870	27,738	2.10	1,870	59,269	1.93	3,679
Detour Lake Zone 58N	U/G	—	—	—	2,868	5.80	534	2,868	5.80	534	973	4.35	136
Detour Lake Total		33,923	1.10	1,201	661,068	0.69	14,592	694,991	0.71	15,793	125,335	1.67	6,742
Macassa	U/G	278	8.46	76	2,716	7.39	645	2,994	7.49	721	5,036	7.77	1,259
Macassa Near Surface	U/G	—	—	—	94	5.03	15	94	5.03	15	205	4.74	31
AK deposit	U/G	—	—	—	333	4.81	52	333	4.81	52	283	3.52	32
Macassa Total		278	8.46	76	3,144	7.05	712	3,422	7.16	788	5,524	7.44	1,322
Aquarius	O/P	—	—	—	12,364	2.15	856	12,364	2.15	856	122	3.59	14
Holt complex	U/G	5,806	4.29	800	5,884	4.75	898	11,690	4.52	1,699	9,097	4.48	1,310
Anoki-McBean	U/G	—	—	—	3,919	2.77	349	3,919	2.77	349	867	3.84	107
Upper Beaver	O/P	—	—	—	54	0.87	2	54	0.87	2	—	—	—
Upper Beaver	U/G	—	—	—	7,510	2.04	493	7,510	2.04	493	2,953	4.12	391
Upper Beaver Total		—	—	—	7,564	2.03	495	7,564	2.03	495	2,953	4.12	391
Upper Canada	O/P	—	—	—	2,006	1.62	104	2,006	1.62	104	1,020	1.44	47
Upper Canada	U/G	—	—	—	8,433	2.28	618	8,433	2.28	618	17,588	3.21	1,816
Upper Canada Total		—	—	—	10,439	2.15	722	10,439	2.15	722	18,608	3.11	1,863
Hammond Reef	O/P	47,063	0.54	819	86,304	0.53	1,478	133,367	0.54	2,298	—	—	—
Ontario Total		87,070	1.03	2,896	790,685	0.79	20,104	877,755	0.82	23,000	162,506	2.25	11,748
Amaruq	O/P	—	—	—	3,115	3.37	338	3,115	3.37	338	187	2.88	17
Amaruq	U/G	—	—	—	6,801	4.30	940	6,801	4.30	940	3,773	4.73	574
Meadowbank Total		—	—	—	9,915	4.01	1,277	9,915	4.01	1,277	3,960	4.65	592
Meliadine	O/P	1	3.46	—	4,229	2.98	406	4,231	2.98	406	614	4.43	87
Meliadine	U/G	524	4.53	76	9,187	4.17	1,232	9,711	4.19	1,308	11,082	6.00	2,138

Operation / Project		Measured			Indicated			Measured & Indicated			Inferred		
Gold	Mining Method*	000 Tonnes	g/t	000 Oz Au	000 Tonnes	g/t	000 Oz Au	000 Tonnes	g/t	000 Oz Au	000 Tonnes	g/t	000 Oz Au
Meliadine Total		525	4.53	76	13,416	3.80	1,638	13,941	3.82	1,714	11,696	5.92	2,225
Hope Bay	U/G	—	—	—	14,689	4.54	2,143	14,689	4.54	2,143	13,232	5.44	2,312
Nunavut Total		525	4.53	76	38,020	4.14	5,058	38,545	4.14	5,135	28,888	5.52	5,129
Fosterville	O/P	843	2.79	75	2,371	3.21	245	3,214	3.10	320	692	2.45	54
Fosterville	U/G	474	4.27	65	9,094	3.91	1,142	9,567	3.92	1,207	12,070	4.42	1,715
Fosterville Total		1,316	3.32	141	11,465	3.76	1,386	12,781	3.72	1,527	12,761	4.31	1,769
Northern Territory	O/P	269	3.65	32	16,416	1.42	749	16,685	1.46	781	13,536	1.75	762
Northern Territory	U/G	—	—	—	5,115	5.39	887	5,115	5.39	887	4,284	4.45	613
Northern Territory Total		269	3.65	32	21,531	2.36	1,636	21,800	2.38	1,668	17,820	2.40	1,376
Australia Total		1,585	3.38	172	32,996	2.85	3,023	34,581	2.87	3,195	30,581	3.20	3,145
Kittilä	O/P	—	—	—	—	—	—	—	—	—	373	3.89	47
Kittilä	U/G	4,749	2.87	438	15,079	3.01	1,461	19,828	2.98	1,899	6,038	4.97	965
Kittilä Total		4,749	2.87	438	15,079	3.01	1,461	19,828	2.98	1,899	6,411	4.91	1,011
Barsele (55%)	O/P	—	—	—	3,178	1.08	111	3,178	1.08	111	2,260	1.25	91
Barsele (55%)	U/G	—	—	—	1,158	1.77	66	1,158	1.77	66	13,552	2.10	914
Barsele Total		—	—	—	4,335	1.27	176	4,335	1.27	176	15,811	1.98	1,005
Europe Total		4,749	2.87	438	19,414	2.62	1,638	24,163	2.67	2,076	22,222	2.82	2,016
Pinos Altos	O/P	—	—	—	1,248	0.79	32	1,248	0.79	32	106	0.60	2
Pinos Altos	U/G	—	—	—	9,798	2.25	709	9,798	2.25	709	972	1.79	56
Pinos Altos Total		—	—	—	11,045	2.09	741	11,045	2.09	741	1,077	1.67	58
La India	O/P	4,478	0.52	74	880	0.53	15	5,358	0.52	89	—	—	—
San Nicolás (50%)	O/P	261	0.08	1	3,037	0.20	19	3,297	0.19	20	2,468	0.13	10
Tarachi	O/P	—	—	—	19,290	0.58	361	19,290	0.58	361	242	0.52	4
Chipriona	O/P	—	—	—	10,983	0.92	326	10,983	0.92	326	976	0.66	21
El Barqueño Gold	O/P	—	—	—	8,834	1.16	331	8,834	1.16	331	9,628	1.13	351
Santa Gertrudis	O/P	—	—	—	19,267	0.91	563	19,267	0.91	563	9,819	1.36	429
Santa Gertrudis	U/G	—	—	—	—	—	—	—	—	—	9,079	3.44	1,004
Santa Gertrudis Total		—	—	—	19,267	0.91	563	19,267	0.91	563	18,898	2.36	1,433
Total Mexico		4,739	0.49	75	73,336	1.00	2,355	78,075	0.97	2,430	33,289	1.75	1,876
Total Gold		111,028	1.23	4,397	1,056,019	1.14	38,553	1,167,047	1.14	42,950	451,483	2.49	36,208

Operation / Project		Measured			Indicated			Measured & Indicated			Inferred		
Silver	Mining Method*	000 Tonnes	g/t	000 Oz Ag	000 Tonnes	g/t	000 Oz Ag	000 Tonnes	g/t	000 Oz Ag	000 Tonnes	g/t	000 Oz Ag
LaRonde mine	U/G	—	—	—	5,851	15.28	2,873	5,851	15.28	2,873	1,619	11.14	580
Pinos Altos	O/P	—	—	—	1,248	19.20	770	1,248	19.20	770	106	12.38	42
Pinos Altos	U/G	—	—	—	9,798	50.88	16,028	9,798	50.88	16,028	972	41.51	1,297
Pinos Altos Total		—	—	—	11,045	47.30	16,798	11,045	47.30	16,798	1,077	38.65	1,339
La India	O/P	4,478	2.72	391	880	2.58	73	5,358	2.70	464	—	—	—
San Nicolás (50%)	O/P	261	6.40	54	3,037	11.86	1,158	3,297	11.43	1,211	2,468	9.26	735
Chipriona	O/P	—	—	—	10,983	100.72	35,566	10,983	100.72	35,566	976	86.77	2,722
El Barqueño Silver	O/P	—	—	—	—	—	—	—	—	—	4,393	124.06	17,523
El Barqueño Gold	O/P	—	—	—	8,834	4.73	1,343	8,834	4.73	1,343	9,628	16.86	5,218
Santa Gertrudis	O/P	—	—	—	19,267	3.66	2,269	19,267	3.66	2,269	9,819	1.85	585
Santa Gertrudis	U/G	—	—	—	—	—	—	—	—	—	9,079	23.31	6,803
Santa Gertrudis Total		—	—	—	19,267	3.66	2,269	19,267	3.66	2,269	18,898	12.16	7,389
Total Silver		4,739	2.92	445	59,897	31.20	60,080	64,636	29.13	60,525	39,058	28.27	35,504

Copper	Mining Method*	000 Tonnes	%	Tonnes Cu	000 Tonnes	%	Tonnes Cu	000 Tonnes	%	Tonnes Cu	000 Tonnes	%	Tonnes Cu
LaRonde mine	U/G	—	—	—	5,851	0.14	8,213	5,851	0.14	8,213	1,619	0.25	4,101
Akasaba West	O/P	—	—	—	4,133	0.41	17,126	4,133	0.41	17,126	—	—	—
Upper Beaver	O/P	—	—	—	54	0.10	56	54	0.1	56	—	—	—
Upper Beaver	U/G	—	—	—	7,510	0.16	12,063	7,510	0.16	12,063	2,953	0.36	10,649
Upper Beaver Total		—	—	—	7,564	0.16	12,118	7,564	0.16	12,118	2,953	0.36	10,649
San Nicolás (50%)	O/P	261	1.35	3,526	3,037	1.17	35,489	3,297	1.18	39,015	2,468	0.94	23,144
Chipriona	O/P	—	—	—	10,983	0.16	17,291	10,983	0.16	17,291	976	0.12	1,174
El Barqueño Gold	O/P	—	—	—	8,834	0.19	16,400	8,834	0.19	16,400	9,628	0.22	21,152
El Barqueño Silver	O/P	—	—	—	—	—	—	—	—	—	4,393	0.04	1,854
Total Copper		261	1.35	3,526	40,402	0.26	106,637	40,662	0.27	110,163	22,036	0.28	62,075

Zinc	Mining Method*	000 Tonnes	%	Tonnes Zn	000 Tonnes	%	Tonnes Zn	000 Tonnes	%	Tonnes Zn	000 Tonnes	%	Tonnes Zn
LaRonde mine	U/G	—	—	—	5,851	1.00	58,633	5,851	1	58,633	1,619	0.34	5,520
San Nicolás (50%)	O/P	261	0.39	1,012	3,037	0.71	21,618	3,297	0.69	22,630	2,468	0.62	15,355
Chipriona	O/P	—	—	—	10,983	0.83	91,637	10,983	0.83	91,637	976	0.73	7,073
Total Zinc		261	0.39	1,012	19,870	0.87	171,888	20,131	0.86	172,900	5,062	0.55	27,949

*Open Pit ("O/P"), Underground ("U/G")

Global Mineral Reserves and Mineral Resources Data

Category	As at December 31, 2024			As at December 31, 2023		
	Tonnage (000 t)	Gold grade (g/t)	Contained gold (000 oz.)	Tonnage (000 t)	Gold grade (g/t)	Contained gold (000 oz.)
Mineral Reserves						
Proven Reserves	215,249	0.93	6,433	205,096	0.98	6,430
Probable Reserves	1,061,639	1.40	47,852	1,082,188	1.36	47,380
Total Proven & Probable Reserves	1,276,888	1.32	54,284	1,287,284	1.30	53,811
Mineral Resources						
Measured Resources	111,028	1.23	4,397	107,161	1.32	4,558
Indicated Resources	1,056,019	1.14	38,553	1,081,412	1.13	39,423
Total Measured & Indicated Resources	1,167,047	1.14	42,950	1,188,573	1.15	43,981
Inferred Resources	451,483	2.49	36,208	410,990	2.50	33,080

NOTES: Mineral reserves reported are not included in mineral resources. Tonnage amounts and contained metal amounts presented in this table have been rounded to the nearest thousand, so aggregate amounts may differ from column totals. Please refer to the Company news release dated February 13, 2025 and the Company's Annual Information Form for the year ended December 31, 2024, for further details on mineral reserves and mineral resources.

The scientific and technical information relating to Agnico Eagle's mineral reserves and mineral resources contained herein has been approved by Dyane Duquette, P.Geo., Vice-President, Mineral Resources Management, who is a "Qualified Person" for the purposes of NI 43-101.

The assumptions used for the December 2024 mineral reserves estimate at all mines and advanced projects reported by the Company (other than the Detour Lake, Hammond Reef, Hope Bay, Wasamac, Amaruq, Pinos Altos and San Nicolás) were US\$1,450 per ounce gold, US\$20.00 per ounce silver, US\$3.75 per pound copper and US\$1.10 per pound zinc. Exceptions: US\$1,350 per ounce of gold used for Hammond Reef and Hope Bay; US\$1,400 per ounce of gold used for Detour Lake open pit; US\$1,650 per ounce of gold used for Wasamac and Amaruq; US\$1,800 per ounce of gold and US\$24.00 per ounce of silver used for Pinos Altos; and US\$1,300 per ounce of gold and US\$3.00 per pound of copper used for San Nicolás.

The assumptions used for the December 2024 mineral resources estimate at all mines and advanced projects reported by the Company were US\$1,750 per ounce gold, US\$23.00 per ounce silver, US\$4.00 per pound copper and US\$1.20 per pound zinc, with the following exceptions: US\$1,200 per ounce of gold used for Holt complex; US\$1,300 per ounce of gold used for Detour Zone 58N; US\$1,450 per ounce of gold used for Canadian Malartic; US\$1,500 per ounce of gold used for Northern Territory; US\$1,533 per ounce of gold used for Barsele; US\$1,650 per ounce of gold used for Detour Lake, La India and Chipriona; US\$1,667 per ounce of gold used for Upper Canada and El Barqueño; US\$22.67 per ounce of silver used for El Barqueño; US\$1,688 per ounce of gold used for Anoki-McBean, Hammond Reef and Tarachi; US\$1,688 per ounce of gold and US\$25.00 per ounce of silver used for Santa Gertrudis; US\$1,300 per ounce of gold, US\$20.00 per ounce of silver, US\$3.00 per pound of copper and US\$1.10 per pound of zinc used for San Nicolás; and US\$1,800 per ounce of gold and US\$24.00 per ounce of silver used for Pinos Altos.

The assumptions used for currency exchange rates for the 2024 mineral reserves and mineral resources estimates were: CAD\$1.34 per US\$1.00; 18.00 Mexican pesos per US\$1.00; AUD\$1.45 per US\$1.00; and €0.91 per US\$1.00, with the following exceptions: exchange rates of C\$1.25 per US\$1.00 used for Upper Canada, Holt complex and Detour Lake Zone 58N; C\$1.30 per US\$1.00 used for Detour Lake open pit, Detour Lake underground, Hammond Reef and Hope Bay; EUR 0.87 per US\$1.00 used for Barsele; and MXP17.00 per US\$1.00 used for Tarachi.