

# Centerra Gold Inc. 2024 Year-End Mineral Reserve and Resources Summary – Gold<sup>(1)</sup>

as of December 31, 2024 (see additional footnotes below)

| Proven and Probable Gold Mineral Reserves                    |                |             |                      |                |             |                      |                              |             |                      |
|--------------------------------------------------------------|----------------|-------------|----------------------|----------------|-------------|----------------------|------------------------------|-------------|----------------------|
|                                                              | Proven         |             |                      | Probable       |             |                      | Total Proven and Probable    |             |                      |
| Property                                                     | Tonnes (kt)    | Grade (g/t) | Contained Gold (koz) | Tonnes (kt)    | Grade (g/t) | Contained Gold (koz) | Tonnes (kt)                  | Grade (g/t) | Contained Gold (koz) |
| Mount Milligan <sup>(4)</sup>                                | 187,961        | 0.34        | 2,056                | 76,551         | 0.31        | 770                  | 264,512                      | 0.33        | 2,826                |
| Öksüt                                                        | 475            | 0.63        | 10                   | 19,604         | 1.04        | 653                  | 20,080                       | 1.03        | 662                  |
| <b>Total</b>                                                 | <b>188,436</b> | <b>0.34</b> | <b>2,065</b>         | <b>96,155</b>  | <b>0.46</b> | <b>1,423</b>         | <b>284,591</b>               | <b>0.38</b> | <b>3,488</b>         |
| Measured and Indicated Gold Mineral Resources <sup>(2)</sup> |                |             |                      |                |             |                      |                              |             |                      |
|                                                              | Measured       |             |                      | Indicated      |             |                      | Total Measured and Indicated |             |                      |
| Property                                                     | Tonnes (kt)    | Grade (g/t) | Contained Gold (koz) | Tonnes (kt)    | Grade (g/t) | Contained Gold (koz) | Tonnes (kt)                  | Grade (g/t) | Contained Gold (koz) |
| Mount Milligan <sup>(4)</sup>                                | 91,827         | 0.25        | 743                  | 92,144         | 0.28        | 824                  | 183,971                      | 0.26        | 1,566                |
| Öksüt                                                        | 393            | 0.55        | 7                    | 2,224          | 0.72        | 51                   | 2,617                        | 0.69        | 58                   |
| Kemess Open Pit                                              | -              | -           | -                    | 111,682        | 0.27        | 980                  | 111,682                      | 0.27        | 980                  |
| Kemess Underground                                           | -              | -           | -                    | 139,920        | 0.50        | 2,265                | 139,920                      | 0.50        | 2,265                |
| Kemess East                                                  | -              | -           | -                    | 93,454         | 0.39        | 1,182                | 93,454                       | 0.39        | 1,182                |
| Goldfield                                                    | 9,729          | 1.08        | 339                  | 21,103         | 0.54        | 368                  | 30,833                       | 0.71        | 706                  |
| <b>Total</b>                                                 | <b>101,949</b> | <b>0.33</b> | <b>1,088</b>         | <b>460,527</b> | <b>0.38</b> | <b>5,670</b>         | <b>562,476</b>               | <b>0.37</b> | <b>6,759</b>         |
| Inferred Gold Mineral Resources <sup>(3)</sup>               |                |             |                      |                |             |                      |                              |             |                      |
| Property                                                     | Tonnes (kt)    | Grade (g/t) | Contained Gold (koz) |                |             |                      |                              |             |                      |
| Mount Milligan <sup>(4)</sup>                                | 27,924         | 0.44        | 395                  |                |             |                      |                              |             |                      |
| Öksüt                                                        | 130            | 1.06        | 4                    |                |             |                      |                              |             |                      |
| Kemess Open Pit                                              | 13,691         | 0.26        | 116                  |                |             |                      |                              |             |                      |
| Kemess Underground                                           | -              | -           | -                    |                |             |                      |                              |             |                      |
| Kemess East                                                  | -              | -           | -                    |                |             |                      |                              |             |                      |
| Goldfield                                                    | 2,267          | 0.41        | 30                   |                |             |                      |                              |             |                      |
| <b>Total</b>                                                 | <b>44,012</b>  | <b>0.39</b> | <b>546</b>           |                |             |                      |                              |             |                      |

1) Centerra's equity interests as of this news release are as follows: Mount Milligan 100%, Öksüt 100%, Kemess Open Pit, Kemess Underground and Kemess East 100%, Goldfield 100%. Mineral reserves and resources for these properties are presented on a 100% basis. Numbers may not add up due to rounding.

2) Mineral resources are in addition to mineral reserves. Mineral resources do not have demonstrated economic viability.

3) Inferred mineral resources have a great amount of uncertainty as to their existence and as to whether they can be mined economically. It cannot be assumed that all or part of the inferred mineral resources will ever be upgraded to a higher category.

4) Production at Mount Milligan is subject to a streaming agreement with RGLD Gold AG and Royal Gold, Inc. (collectively, "Royal Gold") which entitles Royal Gold to 35% of gold sales from the Mount Milligan Mine. Under the stream arrangement, Royal Gold will pay a reduced price per ounce of gold delivered. Mineral reserves and resources for the Mount Milligan property are presented on a 100% basis.

**Centerra Gold Inc. 2024 Year-End Mineral Reserve and Resources Summary – Other Metals<sup>(1)</sup>**  
**as of December 31, 2024 (see additional footnotes below)**

|                                                                      | Tonnes<br>(kt) | Copper<br>Grade<br>(%) | Contained<br>Copper<br>(Mlbs) | Molybdenum<br>Grade<br>(%) | Contained<br>Molybdenum<br>(Mlbs) | Silver<br>Grade<br>(g/t) | Contained<br>Silver<br>(koz) |
|----------------------------------------------------------------------|----------------|------------------------|-------------------------------|----------------------------|-----------------------------------|--------------------------|------------------------------|
| <b>Proven Mineral Reserves</b>                                       |                |                        |                               |                            |                                   |                          |                              |
| Mount Milligan <sup>(4)</sup>                                        | 187,961        | 0.19                   | 808                           | -                          | -                                 | -                        | -                            |
| Thompson Creek                                                       | 44,885         | -                      | -                             | 0.076                      | 75                                | -                        | -                            |
| <b>Probable Mineral Reserves</b>                                     |                |                        |                               |                            |                                   |                          |                              |
| Mount Milligan <sup>(4)</sup>                                        | 76,551         | 0.20                   | 342                           | -                          | -                                 | -                        | -                            |
| Thompson Creek                                                       | 68,104         | -                      | -                             | 0.057                      | 86                                | -                        | -                            |
| <b>Total Proven and Probable Mineral Reserves</b>                    |                |                        |                               |                            |                                   |                          |                              |
| <b>Mount Milligan <sup>(4)</sup></b>                                 | <b>264,512</b> | <b>0.20</b>            | <b>1,150</b>                  | <b>-</b>                   | <b>-</b>                          | <b>-</b>                 | <b>-</b>                     |
| <b>Thompson Creek</b>                                                | <b>112,989</b> | <b>-</b>               | <b>-</b>                      | <b>0.065</b>               | <b>161</b>                        | <b>-</b>                 | <b>-</b>                     |
| <b>Total Copper and Molybdenum</b>                                   | <b>377,501</b> | <b>0.20</b>            | <b>1,150</b>                  | <b>0.065</b>               | <b>161</b>                        | <b>-</b>                 | <b>-</b>                     |
| <b>Measured Mineral Resources <sup>(2)</sup></b>                     |                |                        |                               |                            |                                   |                          |                              |
| Mount Milligan <sup>(4)</sup>                                        | 91,827         | 0.19                   | 384                           | -                          | -                                 | -                        | -                            |
| Thompson Creek                                                       | 5,009          | -                      | -                             | 0.059                      | 7                                 | -                        | -                            |
| Endako                                                               | 47,100         | -                      | -                             | 0.050                      | 48                                | -                        | -                            |
| <b>Indicated Mineral Resources <sup>(2)</sup></b>                    |                |                        |                               |                            |                                   |                          |                              |
| Mount Milligan <sup>(4)</sup>                                        | 92,144         | 0.17                   | 348                           | -                          | -                                 | -                        | -                            |
| Kemess Open Pit                                                      | 111,682        | 0.14                   | 337                           | -                          | -                                 | 1.19                     | 4,262                        |
| Kemess Underground                                                   | 139,920        | 0.25                   | 779                           | -                          | -                                 | 1.90                     | 8,544                        |
| Kemess East                                                          | 93,454         | 0.30                   | 628                           | -                          | -                                 | 1.66                     | 5,000                        |
| Thompson Creek                                                       | 45,178         | -                      | -                             | 0.057                      | 57                                | -                        | -                            |
| Endako                                                               | 122,175        | -                      | -                             | 0.040                      | 118                               | -                        | -                            |
| <b>Total Measured and Indicated Mineral Resources <sup>(2)</sup></b> |                |                        |                               |                            |                                   |                          |                              |
| Mount Milligan <sup>(4)</sup>                                        | <b>183,971</b> | <b>0.18</b>            | <b>732</b>                    | <b>-</b>                   | <b>-</b>                          | <b>-</b>                 | <b>-</b>                     |
| Kemess Open Pit                                                      | 111,682        | 0.14                   | 337                           | -                          | -                                 | 1.19                     | 4,262                        |
| Kemess Underground                                                   | 139,920        | 0.25                   | 779                           | -                          | -                                 | 1.90                     | 8,544                        |
| Kemess East                                                          | 93,454         | 0.30                   | 628                           | -                          | -                                 | 1.66                     | 5,000                        |
| <b>Total Copper and Silver</b>                                       | <b>529,027</b> | <b>0.21</b>            | <b>2,476</b>                  | <b>-</b>                   | <b>-</b>                          | <b>1.61</b>              | <b>17,806</b>                |
| Thompson Creek                                                       | 50,187         | -                      | -                             | 0.057                      | 63                                | -                        | -                            |
| Endako                                                               | 169,275        | -                      | -                             | 0.043                      | 166                               | -                        | -                            |
| <b>Total Molybdenum</b>                                              | <b>219,462</b> | <b>-</b>               | <b>-</b>                      | <b>0.046</b>               | <b>229</b>                        | <b>-</b>                 | <b>-</b>                     |
| <b>Inferred Mineral Resources <sup>(3)</sup></b>                     |                |                        |                               |                            |                                   |                          |                              |
| Mount Milligan <sup>(4)</sup>                                        | 27,924         | 0.12                   | 74                            | -                          | -                                 | -                        | -                            |
| Kemess Open Pit                                                      | 13,691         | 0.16                   | 48                            | -                          | -                                 | 1.40                     | 615                          |
| <b>Total Copper and Silver</b>                                       | <b>41,615</b>  | <b>0.13</b>            | <b>121</b>                    | <b>-</b>                   | <b>-</b>                          | <b>1.40</b>              | <b>615</b>                   |
| Thompson Creek                                                       | 10,523         | -                      | -                             | 0.072                      | 17                                | -                        | -                            |
| Endako                                                               | 47,325         | -                      | -                             | 0.040                      | 44                                | -                        | -                            |
| <b>Total Molybdenum</b>                                              | <b>57,848</b>  | <b>-</b>               | <b>-</b>                      | <b>0.046</b>               | <b>61</b>                         | <b>-</b>                 | <b>-</b>                     |

1) Centerra's equity interests as of this news release are as follows: Mount Milligan 100%, Kemess Underground and Kemess East 100%, Thompson Creek 100%, and Endako 75%. Mineral reserves and resources for these properties are presented on a 100% basis. Numbers may not add up due to rounding.

2) Mineral resources are in addition to mineral reserves. Mineral resources do not have demonstrated economic viability.

3) Inferred mineral resources have a great amount of uncertainty as to their existence and as to whether they can be mined economically. It cannot be assumed that all or part of the inferred mineral resources will ever be upgraded to a higher category.

4) Production at Mount Milligan is subject to a streaming agreement which entitles Royal Gold to 18.75% of copper sales from the Mount Milligan Mine. Under the stream arrangement, Royal Gold will pay a reduced percentage of the spot price per metric tonne of copper delivered. Mineral reserves and resources for the Mount Milligan property are presented on a 100% basis.

## Additional Footnotes

### General

- A conversion factor of 31.1035 grams per troy ounce of gold is used in the mineral reserve and mineral resource estimates.

### Mount Milligan Mine

- The mineral reserves are reported based on a gold price of \$1,800 per ounce, a copper price of \$3.75 per pound and an exchange rate of 1USD:1.30CAD.
- The open pit mineral reserves are reported based on a Net Smelter Return (“NSR”) cut-off of \$8.72 per tonne (C\$11.33 per tonne) that takes into consideration metallurgical recoveries, concentrate grades, transportation costs, and smelter treatment charges to determine economic viability.
- The mineral resources are reported based on a gold price of \$2,000 per ounce, a copper price of \$4.00 per pound, and an exchange rate of 1USD:1.30CAD.
- The open pit mineral resources are constrained by a pit shell and are reported based on a NSR cut-off of \$8.72 per tonne (C\$11.33 per tonne) that takes into consideration metallurgical recoveries, concentrate grades, transportation costs, and smelter treatment charges to determine economic viability.
- Further information concerning the Mount Milligan deposit, operation, as well as environmental and other risks is described in Centerra’s most recently filed Annual Information Form and in the Mount Milligan Mine Technical Report, each of which has been filed on SEDAR+ at [www.sedarplus.ca](http://www.sedarplus.ca) and EDGAR at [www.sec.gov/edgar](http://www.sec.gov/edgar). Sample preparation, analytical techniques, laboratories used, and quality assurance-quality control protocols used during the exploration drilling programs are consistent with industry standards and were carried out by independent, certified assay labs.
- The resource tables above do not include the 2024 exploration drill results.

### Öksüt Mine

- The mineral reserves are reported based on a gold price of \$1,800 per ounce and an exchange rate of 1USD:34TL.
- The open pit mineral reserves are reported based on 0.16 grams of gold per tonne cut-off grade.
- Open pit optimization used an average life of mine (“LOM”) metallurgical recovery of 77%.
- The mineral resources are reported based on a gold price of \$2,000 per ounce.
- Open pit mineral resources are constrained by a pit shell and are estimated based on 0.16 grams of gold per tonne cut-off grade.
- Further information concerning the Öksüt deposit, operation, as well as environmental and other risks is described in Centerra’s most recently filed Annual Information Form which is available on SEDAR+ at [www.sedarplus.ca](http://www.sedarplus.ca) and EDGAR at [www.sec.gov/edgar](http://www.sec.gov/edgar) and the Technical Report on the Öksüt Project, dated September 3, 2015, which is available on SEDAR+ at [www.sedarplus.ca](http://www.sedarplus.ca). Sample preparation, analytical techniques, laboratories used, and quality assurance-quality control protocols used during the exploration drilling programs are consistent with industry standards and were carried out by independent, certified assay labs.

### Kemess Open Pit and Underground

- The mineral resources are reported based on a gold price of \$1,800 per ounce, copper price of \$3.75 per pound and an exchange rate of 1USD:1.30CAD.
- The mineral resources are reported based on a NSR cut-off of C\$12.92 open pit and a NSR shut-off value of C\$22.92 per tonne for underground block cave mining option that takes into consideration metallurgical recoveries, concentrate grades, transportation costs, and smelter treatment charges.

### **Kemess East**

- The mineral resources are reported based on a gold price of \$1,800 per ounce, copper price of \$3.75 per pound, and an exchange rate of 1USD:1.30CAD.
- The mineral resources are reported based on a NSR shut-off of C\$22.92 per tonne for underground block cave mining option that takes into consideration metallurgical recoveries, concentrate grades, transportation costs, and smelter treatment charges.

### **Thompson Creek Mine**

- The mineral reserves have been estimated based on a molybdenum price of \$16.00 per pound.
- The open pit mineral reserves are based on a 0.030% molybdenum cut-off grade.
- The mineral resources have been estimated based on a molybdenum price of \$18.50 per pound.
- The open pit mineral resources are constrained by a pit shell and are estimated based on a 0.025% molybdenum cut-off grade.
- Further information concerning the Thompson Creek deposit, current and planned operations as well as environmental and other risks are described in the technical report dated September 2024 and filed on SEDAR+ at [www.sedarplus.ca](http://www.sedarplus.ca). Sample preparation, analytical techniques, laboratories used, and quality assurance-quality control protocols used during the exploration drilling programs are consistent with industry standards and were carried out by independent, certified assay labs.

### **Endako Mine**

- The mineral resources are reported based on a molybdenum price of C\$14.00 per pound and an exchange rate of 1USD:1.25CAD.
- The open pit mineral resources are constrained by a pit shell and are estimated based on a 0.025% molybdenum cut-off grade.

### **Goldfield**

- The mineral resources are reported based on a gold price of \$2,000 per ounce.
- The open pit mineral resources are constrained by a pit shell and are estimated based on the following cut-off grades:
  - Gemfield: 0.10 g/t for oxide, transition, and sulphide
  - Jupiter: 0.10 g/t for oxide, transition, and sulphide
  - Goldfield Main: 0.14 g/t for oxide, 0.21 g/t for transition, 0.24 g/t for sulphide
  - McMahon Ridge: 0.14 g/t for oxide, 0.21 g/t for transition, 0.24 g/t for sulphide
- ROM recoveries were assumed to be 67% for the oxide and transition zones for Gemfield and Jupiter, and 62% and 31% for the oxide and transition zones, respectively, for McMahon Ridge.
- Goldfield Main recoveries considered tertiary crushing, and were 82% for oxide, 61% for transition and 50% for sulphide mineralization.

### **Qualified Person – Mineral Reserves and Resources**

Christopher Richings, Professional Engineer, member of the Engineers and Geoscientists British Columbia (EGBC) and Centerra's Vice President, Technical Services, has reviewed and approved the scientific and technical information related to mineral reserves at Mount Milligan and Thompson Creek contained in this news release. Mr. Richings is a Qualified Person within the meaning of Canadian Securities Administrator's NI 43-101 Standards of Disclosure for Mineral Projects ("NI 43-101").

Lars Weiershäuser, PhD and PGeo., and Centerra's Director, Geology, has reviewed and approved the scientific and technical information related to mineral resource estimates contained in this news release related to Öksüt, Kemess Open Pit, Kemess Underground, Kemess East, Thompson Creek, and Endako. Dr. Weiershäuser is a Qualified Person within the meaning of NI 43-101.

Andrey Shabunin, Professional Engineer, member of Professional Engineers of Ontario (PEO) and General Manager of Öksüt Mine, has reviewed and approved the scientific and technical information related to mineral reserves at Öksüt contained in this news release. Mr. Shabunin is a Qualified Person within the meaning of NI 43-101.

AC (Chris) Hunter, Professional Geoscientist, member of the Engineers and Geoscientists of British Columbia (EGBC) and Centerra's Senior Geologist, has reviewed and approved the scientific and technical information related to mineral resources estimates at Mount Milligan contained in this news release. Mr. Hunter is a Qualified Person within the meaning of NI 43-101.

Karen Chiu, MSc., PGeo, and Centerra's Corporate Geologist, has reviewed and approved the scientific and technical information related to mineral resource estimates contained in this news release related to Goldfield. Ms. Chiu is a Qualified Person within the meaning of NI 43-101.

All other scientific and technical information presented in this document were prepared in accordance with the standards of the Canadian Institute of Mining, Metallurgy and Petroleum and NI 43-101 and were reviewed, verified, and compiled by Centerra's geological and mining staff under the supervision of W. Paul Chawrun, Professional Engineer, member of the Professional Engineers of Ontario (PEO) and Centerra's Executive Vice President and Chief Operating Officer whom is a qualified person for the purpose of NI 43-101.

All mineral reserve and resources have been estimated in accordance with the standards of the Canadian Institute of Mining, Metallurgy and Petroleum and NI 43-101.

Mineral reserve and mineral resource estimates are forward-looking information and are based on key assumptions and are subject to material risk factors. If any event arising from these risks occurs, the Company's business, prospects, financial condition, results of operations or cash flows, and the market price of Centerra's shares could be adversely affected. Additional risks and uncertainties not currently known to the Company, or that are currently deemed immaterial, may also materially and adversely affect the Company's business operations, prospects, financial condition, results of operations or cash flows, and the market price of Centerra's shares. See the section entitled "Risk That Can Affect Centerra's Business" in the Company's annual Management's Discussion and Analysis (MD&A) for the year-ended December 31, 2024, available on SEDAR+ at [www.sedarplus.ca](http://www.sedarplus.ca) and EDGAR at [www.sec.gov/edgar](http://www.sec.gov/edgar) and see also the discussion below under the heading "Caution Regarding Forward-looking Information".