

USECONTEXT

IT ELIMINATES THE PROBLEM OF PROPS
DRILLING ...

SEE CODE IN FOLDER

PROPS DRILLING ...

PROPS ARE GOING FORM APP TO CHILD C....

BUT IT HAS TO PASS THROUGH EACH CHILD IN
HIERARCHY

WHICH IS USELESS I WANT THAT IT SHOULD GO
ONLY TO THE CHILD C

IT MUST NOT PASS THROUGH CHILDREN IN
BETWEEN ...

SO USE USE CONTEXT.....

THE STEPS OF USE CONTEXT USAGE NEED TO BE REMEMBERED

1. IN THE MAIN PARENT ...
MAKE FOLLOWING LINE::

```
const UserContext = createContext();
```

2. WRAPPING INSIDE PROVIDER

```
div>  
  <userContext.Provider >  
    <CHILDA1/>  
  </userContext.Provider>  
div>
```

3. MAKING AND PASSING VALUE

```
const [count , setCount] = useState(0)  
  
const APP1 = () => {  
  return [  
    <div>  
      <userContext.Provider value={{count,setCount}}>  
        <CHILDA1/>  
      </userContext.Provider>  
    </div>  
  ]  
}
```

4. REMEMBER TO EXPORT THE PARENT

```
19 export default APP1  
20 export {userContext}
```

5. IMPORT WHERE IT NEEDS TO BE USED

```
import React from 'react'  
import { userContext } from '../APP1'
```

6. IT IS FETCHED IN NEWCOUNT , THEN NEWCOUNT IS CALLED

```
const CHILDC3 = () => {  
  const newCount = useContext(userContext)  
  
  return (  
    <div>  
      {newCount}  
    </div>  
  )  
}  
  
export default CHILDC3
```

