

REACT LEC 61

FUNCTION KA FIRST LETTER CAPITAL


```
understanding_react > react-project-one > src > comp
1  import React from 'react'
2
3  const Usercard = () => {
4    return (
5      <div className='user container'>
6        <p>
7          hi i am a user card
8        </p>
9      </div>
10    )
11  }
12
13  export default Usercard
```

AB JISE ISKE ANDER EK DIV USE HUA HAI TOH EK HI HOGA , HUM EK AUR DIV ISKE ANDER BANA SAKTE HEIN PER ISKE BAHAR NAHI ...

JSX KA MATLAB HTML KA CODE JIS MEIN AAP JS BHI
USE KAR PAATE HEIN

— — —
PROPS

DATA KO HI PROPS BOLTE HEIN



. LAGA KE EXCESS

```
import Usercard from './components/usercard'
function App() {
  const [count, setCount] = useState(0)

  return (
    <div>
      <Usercard name = "adit"/>
      <Usercard name = "bansal"/>
      <Usercard name = "tiet"/>
    </div>
  )
}

export default App
```

JO USERCARD MEIN , NAME DAALA HAI YEH KOI
ATTRIBUTE NAHI HAI...

YEH EK PROP HAI , DATA HAI

```

nderstanding_react > react-project-one > src > App.jsx
import { useState } from 'react'
import './App.css'
import Usercard from './components/usercard'
function App() {
  const [count, setCount] = useState(0)

  return (
    <div>
      <Usercard name = "adit"/>
      <Usercard name = "bansal"/>
      <Usercard name = "tiet"/>
    </div>
  )
}

export default App

```

```

nderstanding_react > react-project-one > src > comp
import React from 'react'
import './usedcard.css'
const Usercard = (props) => {
  return (
    <div className='user-container'>
      <p>
        hi i am a {props.name} card
      </p>
    </div>
  )
}

export default Usercard

```

ni i am a adit
card

ni i am a
pansal card

ni i am a tiet
card

ISS TARIKE SE BHI BAN SAKTA HAI

```
return (  
  <div >  
    <Usercard name = "adit" gender = "male"/>  
    <Usercard name = "bansal"/>  
    <Usercard name = "tiet"/>  
  </div>  
)  
}  
  
%I for Command, %L for Cascade  
export default App
```

DIFF PROPS HO SAKTE HEIN .

EG . SECOND AND THIRD USERCARD KE LIYE ,
PROPS.GENDER KAMM HI NAHI KAREGA

USING IMAGE AS PROP

```
understanding_react > react-project-one > src > App.jsx > App > Explain Refactor Add Docstring
1 import { useState } from 'react'
2 import './App.css'
3 import Usercard from './components/usercard'
4
5 function App() {
6   const [count, setCount] = useState(0)
7
8   return (
9     <div>
10      <Usercard name="adit" gender="male" image="./hard_hat_workers364.png"/>
11      <Usercard name="bansal"/>
12      <Usercard name="tiet"/>
13    </div>
14  )
15 }
16
17 export default App
18
```

```
understanding_react > react-project-one > src > component
import React from 'react'
import './usedcard.css'
const Usercard = (props) => {
  return (
    <div className='user-container'>
      <p>
        hi i am a {props.name} card
        hi how are you {props.gender}
        <img src={props.image} alt="" />
      </p>
    </div>
  )
}
export default Usercard
```

YOU NEED AN IMG TAG , WHILE USING PROPS.IMAGE ,
ALSO IMAGE PATH NEED TO BE SET CAREFULLY

JSX DIKHNE MEIN HTML KA CODE HI HOTA HAI ... PER JAVA SCRIPT KI FUNCTIONALITY BHI US EHOTI HAI..

JAISE KI PROPS

STYLE AS PROPS

REMEMBER SYNTAX..

```
function App() {  
  return (  
    <div className="container">  
      <UserCard name="Love Rana" desc="desc1" image={lovepic} style={{}}/>  
      <UserCard name="Maharana Pratap" desc="desc2" image={Maharana}/>  
      <UserCard name="PrithviRaj Chauhan" desc="desc3" image={PrithviRaj}/>  
    </div>  
  )  
}  
  
export default App
```

STYLE KE DOUBLE BRACKETS YAAD RAKHNE HEIN.

```
function App() {  
  return (  
    <div className="container">  
      <UserCard name="Love Rana" desc="desc1" image={lovepic} style=  
        {{"border-radius": "10px"}}/>  
      <UserCard name="Maharana Pratap" desc="desc2" image={Maharana}/>  
      <UserCard name="PrithviRaj Chauhan" desc="desc3" image={PrithviRaj}/>  
    </div>  
  )  
}  
  
export default App
```


AB STYLE KO AS PROPS USE KAISE KARNA HAI...
DIV TAG KE ANDER STYLE ATTRIBUTE DEKE

```
JS UserCard.jsx x prithviraj.jpg maharana.jpg # UserCard.css JS App.jsx react > ...
react-project-two > src > components > JS UserCard.jsx > [e] UserCard
1  import React from 'react'
2  import lovepic from '../assets/lovepic.jpeg'
3  import './UserCard.css'
4
5  const UserCard = (props) => {
6    return (
7      <div className='user-container' style={props.style} >
8        <p id='user-name'>{props.name}</p>
9        <img id='user-img' src={props.image} alt={props.name}></
        img>
10       <p id='user-desc'>{props.desc}</p>
11     </div>
12   )
13 }
14
15 export default UserCard
16
```


BASICALLY , AAPNE EK JAGAH USERCARD KO BANYA HAI
AS JSX FILE AUR KISI DOOSRI JAGAH PE USKO USE KIYA
HAI , UNDER A DIV TAG .

JAHA UCKO USE KIYA HAI , WAHA PEHLE IMPORT KIYA
HOGA , JAHA IMPORT HOTA HAI , WAHA TAG BAN JAATA
HAI COMPONENT , USS TAG KE ANDER JAB CHEEZEIN
RAKHOGE TOH WO PROPS HONGE .

OBSERVATION

AGAR AAPKO KISI BHI ELEMENT KA CSS DENA HAI ... TOH
DIV JO HAI , FUNCTION KA DIV , USS KE ANDER
className USE KARO

JO BHI USER CREADTED TAGS HEIN BASICALLY , USKI CSS
, JAHAN WO LIKHE HEIN , USSI KE DIV MEIN DIJIYE
PROPS KA CSS KE SAATH KOI LENA DENA NAHI HAI ...

EG.

```
return (  
  <div className = "learning">  
    <Usercard name = "adit" gender = "male" image = "./hard_hat_workers364.png" />  
    <Usercard name = "bansal"/>  
    <Usercard name = "tiet"/>  
  </div>  
)  
}  
  
export default App
```

ISS KE DIV MEIN JO className HAI WO ISKI CSS HAI

EG.

```
import React from 'react'
import './usedcard.css'
const Usercard = (props) => {
  return (
    <div className='user-container'>
      <p>
        hi i am a {props.name} card
        hi how are you {props.gender}
      </p>
    </div>
  )
}

export default Usercard
```

ISS KA CSS ISKE DIV KE ANDER HAI

LEARNING :- DIV KO CLASSNAME DEKE WAHA CSS
BANALO

PROPS MEIN KOI KAAM NAHI HAI , CSS KA , BSS EK STYLE
WALA EDGE CASE YAAD RAKHNA HAI .

