Cross-reference-only revision notice

v1.0-RC2 | 11 September 2026 | SOURCE-OF-TRUTH SYNCHRONIZATION ONLY

Control	Selected value
Revision	v1.0-RC1 -> **v1.0-RC2**
Semantic change	**NONE.** This revision changes source version/count/path references only.
Wave-2 semantic authorities	DOC-07 RC2 | DOC-08 RC2 | DOC-15 RC8 | DOC-16 RC5
Canonical HTTP companion	contracts/http/BLOG-DOC-15_openapi_v1.0-RC8.yaml
OpenAPI SHA-256	bf577a463b4c5d8fdceddc2087f53216426ef88d67d8e1a0d22ccf819751cd00
RC8 estate	113 operations | 86 paths | 221 schemas/helpers | 1,311 resolved internal refs | 0 unresolved refs 12 AUTH | 2 PUBLIC/PREVIEW | 63 SITE | 36 GLOBAL

DOCUMENT-SPECIFIC SYNCHRONIZATION

• Selected semantic Wave-2 authorities are DOC-07 v1.0-RC2, DOC-08 v1.0-RC2, DOC-15 v1.0-RC8 and DOC-16 v1.0-RC5.

• The canonical executable HTTP companion is contracts/http/BLOG-DOC-15_openapi_v1.0-RC8.yaml.

• RC8 transport estate: 113 operations | 86 paths | 221 schemas/helpers | 1,311 resolved internal refs | 0 unresolved refs. Operation classes: 12 AUTH | 2 PUBLIC/PREVIEW | 63 SITE | 36 GLOBAL.

• Global supersession rule: any inherited, non-owning reference anywhere in the unchanged source set to DOC-15 RC7/RC6, 112 operations, 85 paths, 217 schemas/helpers, 1,297 refs, 11 AUTH operations, DOC-16 RC4, or the RC7 YAML filename is historical/superseded and MUST NOT be used as current implementation authority.

• The source version register and downstream reading order use the synchronized versions listed in the source-version matrix packaged with this handoff.

SUPERSESSION AND HISTORICAL CLASSIFICATION

The inherited body that follows is retained unchanged in substantive page content. Any inherited non-owning reference to DOC-15 RC7/RC6, the old 112/85/217/1,297 estate, 11 AUTH operations, DOC-16 RC4, or the RC7 YAML filename is classified **HISTORICAL / SUPERSEDED REFERENCE** and is not normative in this revision. All other inherited owned semantics remain in force.

Occurrence ledger: RC7/old HTTP: inherited printed pages 4, 6, 7, 8, 13, 16, 18, 39; RC4: inherited printed pages 6, 39.

IMPLEMENTATION IMPACT: NONE. The accepted NAKSHATRA_MASTER_WAVE2_HANDOFF application/database/API behavior is unchanged by this document synchronization.

FINAL AUTHORITY IN THE DOCUMENTATION SEQUENCE

BLOG-DOC-00

Master Developer Handoff, Source-of-Truth Index & Reading Order

One controlled entry point into twenty-seven specialist authorities.

NAKSHATRA BLOGGING WEBSITE SYSTEM
Multi-Site Blogging Platform

28 authorities	14 public apps	1 platform core
DOC-00 + DOC-01 through DOC-27	Independent site-local presentation	Central Admin, API, Worker and canonical data

v1.0-RC1 | 11 September 2026 | Controlled handoff review candidate

HANDOFF RULE
Read this document first. Implement the owning specialist contract, not a summary, an outdated copy, a framework default or an unapproved mockup. DOC-00 indexes and governs the handoff; it does not rewrite product behavior.

The source set is compiled after DOC-27 delivery. Final frozen issue remains gated on recorded DOC-01..27 approvals, version reconciliation and the open design/asset gates identified in this document. Creating DOC-00 does not retrospectively certify those approvals.

Implementation: **NOT_VERIFIED / EVIDENCE_REQUIRED**. Runtime QA: **NOT_EXECUTED** unless candidate-specific evidence establishes otherwise.

Authority: D01 section 23; D22 sections 4, 14 and FZ22-20; D27 pp.3,267-268. Dxx denotes the version pinned in section 3.

Document map

Use the linked section names below. Page numbers refer to this PDF; source page numbers always refer to the printed source PDF. The complete filename and hash locator is in Appendix A.

Section	Page
1. Document control, issue status and purpose	3
2. Authority hierarchy and conflict-resolution rules	4
3. Master document and version register	5
4. Architecture summary and non-negotiable boundaries	7
5. Canonical site, domain and application crosswalk	9
6. Required reading order and discipline entry points	10
7. Stable identifiers, citation grammar and trace navigation	11
8. Repository, stack and application implementation references	13
9. ERD, database, RLS and schema handoff	15
10. OpenAPI, public data and contract generation	16
11. Executable and editable companion register	17
12. Design authority and frontend handoff	19
13. Environments, configuration and release navigation	21
14. Developer onboarding and first verified slice	23
15. QA, evidence and release-gate references	25
16. Definition of Done	28
17. Change control and conflict resolution	30
18. Reconciliation and open handoff gates	32
19. Deterministic handoff acceptance checklist	33
20. Final freeze-readiness and approval record	35
Appendix A. Exact source and byte-identity register	37
Appendix B. Public and Admin page navigation index	41
Appendix C. Canonical table and content-type locators	44
Appendix D. Project glossary	46
Appendix E. Handoff-support package and final distribution	50

1. Document control, issue status and purpose

Control	Pinned value
Document identity	BLOG-DOC-00 - Master Developer Handoff, Source-of-Truth Index & Reading Order
Version / issue date	v1.0-RC1 / 11 September 2026
Document status	REVIEW CANDIDATE; complete handoff content, not a declaration of formal freeze.
Numbering	28 planned PDF authorities = DOC-01..27 plus DOC-00. There is no DOC-28 in this plan.
Source baseline	The selected revisions in section 3; exact source filenames and locally verified hashes in Appendix A.
Project designation	DOC-27 consumes DOC-01..26 as project-designated frozen inputs. Source-cover review labels and missing byte-specific approval records remain visible.
Final issue prerequisite	Explicit review/freeze of 01..27, resolved controlling version conflicts, asset/design acceptance and a signed baseline register. See section 20.
Implementation status	NOT_VERIFIED / EVIDENCE_REQUIRED. A PDF, prototype, source citation or successful document render is not runtime proof.
Owner / approval roles	Project owner and delegated discipline reviewers. Named persons, signatures and approval timestamps are not invented.
Primary authority	Handoff packaging and indexing; reading order; final baseline record; navigation, onboarding, completion and change-control routing.
Explicit non-authority	No new feature, Page ID, capability, permission, table, endpoint, state, job, site context, SEO rule, visual identity, runtime stack or deployment provider.

This document makes the existing specification set usable as one controlled engineering handoff. A developer must be able to locate the exact requirement, the decision owner, the executable or editable companion, the implementation home and the evidence needed to close the work item without inventing a second source of truth.

Authority: D01 pp.3,18; D22 pp.2-8,11; D23 pp.1,3; D27 pp.3,267-268.

1.1 What this issue does and does not certify

The final-register structure is complete and every authority from 01 through 27 is indexed. Twenty PDF binaries (08..27) were opened and hashed for this issue. Sources 01..07 were recovered through File Library content, so their original PDF byte hashes are not asserted. Neither the missing hash fields nor the approval gates are silently marked PASS.

The DOC-27 PDF is present and its hash matches the previously delivered artifact. Its companion ZIP is a prior-delivery reference rather than a locally reverified file in this assembly. The canonical OpenAPI filename and expected hash are established by D15, but the YAML binary was not present in the mounted source set. Section 11 records the exact required artifacts and closure evidence.

SEPARATE THE THREE DECISIONS

Document accepted/frozen, implementation verified and release approved are different decisions. Formal documentation acceptance may precede implementation; it never substitutes for candidate-specific implementation, QA and deployment evidence.

2. Authority hierarchy and conflict-resolution rules

Authority is assigned by decision, not by the highest PDF number. DOC-00 is the front door, not a new supreme product contract. A later specialist document may refine a delegated responsibility but cannot override a frozen upstream invariant.

Level	Authority	Use
1	DOC-01	Product scope, estate, ownership and platform invariants.
2	DOC-02..24 by subject	Authorization, content, persistence, routes, semantics, transport, security, QA, stack and release ownership; see section 3.
3	DOC-25 / DOC-26 / DOC-27	Admin visuals / public identity and tokens / concrete public responsive visuals. They cannot add behavior.
4	Approved versioned companions	OpenAPI, SQL, seeds, test matrices, deployment sources and editable designs implement their owning authority. A PDF/companion mismatch is blocking, not silently resolved.
5	Implementation and generated outputs	Must conform to the selected contracts. ORM, framework-generated OpenAPI, screenshots and code defaults do not create policy.
Index	DOC-00	Identifies the selected sources and handoff rules. An incorrect summary here yields to the owning source and is corrected under change control.

Authority: D01 p.3; D15 pp.1-3,15-16; D22 pp.2-8; D23 p.3; D27 pp.3,268.

2.1 Delegated detail is not an upstream override

Question	Controlling boundary
Which page exists?	DOC-05 for public; DOC-06 for operational Admin. DOC-27 only designs existing public pages.
Which fields may a public page consume?	DOC-13. DOC-12 logical component inputs are not a second wire schema; DOC-15 transports the same public semantics.
Which canonical URL is emitted?	DOC-09 owns route identity; DOC-16 computes SEO/discovery within it. A site-local router does not invent another Article path.
How are login and sessions implemented?	DOC-19 owns credential/session/MFA mechanics; DOC-15 RC7 owns their method/path/schema/status surfaces.
Where does code live and how is it deployed?	DOC-23 RC2 owns repository/stack; DOC-24 RC3 owns deployment. Neither changes API, SQL, worker or security meanings.
Which screenshot is normative?	Only an approved DOC-27 source/asset/font/reference set. Current PH/fallback JPEG atlas plates are review representations, not final pixel goldens.
Does passing a static design check close QA?	No. DOC-21 requires executable candidate-specific evidence; DOC-22 records that evidence and its validity.

2.2 Deterministic conflict procedure

1. Record the exact conflicting document IDs, revisions, sections/pages, stable IDs, companion hashes and the affected candidate work item. Preserve the source bytes; do not edit a PDF in place.

2. Identify the decision owner from the authority register. Determine whether this is stale metadata, a missing artifact, a delegated implementation detail, or a genuine semantic conflict.

3. Stop the affected implementation or release edge. Keep independent investigation and unaffected work separate; no developer-selected fallback is allowed for an unresolved authority conflict.

4. Open the applicable GAP22 record and CHG22 category. The project owner and owning discipline review the controlling requirement and the proposed disposition.

5. Revise the owning authority first when meaning changes; then revise affected dependent contracts, generated artifacts and trace edges. Record explicit supersession, not merely a newer filename.

6. Invalidate impacted candidate evidence, rerun the required checks and obtain approval. Update DOC-00 and its artifact manifest only after the disposition is recorded.

Authority: D22 sections 15-17; D23 revision rule; D24 section 37; D27 p.6. DOC-00 operationalizes the handoff procedure without changing requirement meaning.

3. Master document and version register

This is the selected review snapshot for the final register. Versions are kept exactly as available; RC labels are not rewritten to v1.0 or FROZEN. Formal approval is a separate recorded field. Appendix A contains the original filename, local PDF page count, byte hash or explicit hash limitation.

3.1 Authorities 01 through 09

ID / revision	Document title	Decision owner
D01 v1.0-RC1	Product Definition, Scope & Platform Boundaries	Product topology, scope, ownership and exclusions
D02 v1.0-RC1	Users, Roles, Permissions & Authorization Specification	Administrative identity, assignments, permissions and authorization
D03 v1.0-RC2	Complete Feature Catalog & Functional Scope	Capability existence, required/conditional status and scope
D04 v1.0-RC1	Site / Tenant Scoping & Multi-Site Isolation Specification	Trusted context classes, tenant walls and fail-closed behavior
D05 v1.0-RC1	Public Information Architecture, Sitemap & Page Inventory Specification	Public Page IDs, page existence and indexability baseline
D06 v1.0-RC1	Central Admin Information Architecture & Page Inventory Specification	Admin Page IDs, modules, scopes and selector rules
D07 v1.0-RC1	Content Model, Article Blocks & Publishing Workflow Specification	Post model, blocks, lifecycle, autosave, revisions and concurrency
D08 v1.0-RC1	Complete PostgreSQL Data Model, Schema, Relationships, Constraints, RLS & Seed Specification	Physical schema, relational integrity, RLS, seeds and migration order
D09 v1.0-RC1	Domain, URL, Slug, Routing & Site Resolution Architecture	Host/route/slug resolution, canonicalization and routing outcomes

3.2 Authorities 10 through 18

ID / revision	Document title	Decision owner
D10 v1.0-RC1	Complete Central Admin Page-by-Page Flow & State Specification	Admin entry, actions, states, validation, switching and handoffs
D11 v1.0-RC1	Complete Public Page-by-Page Flow & State Specification	Public entry, loading, navigation, states and failures
D12 v1.0-RC1	Public Page Structure, Section, Card & Component Contract	Semantic page anatomy, component meaning and accessibility
D13 v1.0-RC1	Public Content/Data & Page-Type Contract	Canonical PageData, field semantics, presence and order
D14 v1.0-RC1	14-Site Frontend Application & Integration Architecture	Independent frontend boundaries and allowed shared categories
D15 v1.0-RC7	Complete API Contract & HTTP Specification	HTTP methods, paths, schemas, statuses and transport controls
D16 v1.0-RC4	SEO, Search, XML Sitemap, Canonical & Redirect Specification	Discovery algorithms, ranking, SEO and sitemap computation
D17 v1.0-RC2	Media, Object Storage, Image Processing & CDN Specification	Media lifecycle, variants, private/public delivery and CDN
D18 v1.0-RC2	Workers, Scheduling, Queue, Redis Cache & Background Processing Specification	Jobs, queues, scheduling, retry, dedupe, cache and leases

3.3 Authorities 19 through 27

ID / revision	Document title	Decision owner
D19 v1.0-RC2	Security, Authentication, Sessions, Audit, Privacy, Secrets & Recovery Specification	Credential, session, Preview, browser, audit and security mechanics
D20 v1.0-RC1	Performance, Scale, Concurrency, Backup, Disaster Recovery & Observability	SLOs, resource budgets, load, backup, recovery and telemetry
D21 v1.0-RC1	QA, Multi-Site Isolation, Concurrency & Acceptance Test Specification	Executable QA, fixture matrices, evidence and release gates
D22 v1.0-RC1	Master Traceability & Implementation Matrix	Requirement/evidence graph, gaps, status and change propagation
D23 v1.0-RC2	Technical Architecture, Stack, Repository & Dependency Contract - Revised Technology Baseline	Implementation stack, physical repository and dependency boundaries
D24 v1.0-RC3	Environment, Docker, CI/CD, Database Migration, Deployment, Release & Rollback Contract	Environment, build, migration, deployment and rollback execution
D25 v1.0-RC2	Central Admin Visual Design System & Component Authority	Admin-local visual and interaction design
D26 v1.0-RC1	14-Site Visual Identity, Design Token & Site-Local UI Authority	Public identity, palette, typography, token and brand rules

ID / revision	Document title	Decision owner
D27 v1.0-RC1	14-Site Responsive Wireframe, High-Fidelity Mockup & Frontend Acceptance Authority	Public responsive page designs and visual acceptance

Authority: Source covers and authority statements; D27 pp.4-6 confirms the late-chain consumption set. D03 RC2 was recovered from File Library; RC1 copies also exist.

3.4 Approval and source-access ledger

Set / item	Observed evidence	Closure required for a final frozen issue
D01..07	Library content recovered. Covers retain review-candidate labels. D03 has both RC1 and RC2 copies.	Pin the exact approved binary for each, calculate its hash and attach a byte-specific approval reference; reconcile D03 lineage.
D08..25	All 18 PDF binaries opened and hashed. Later D26 identifies this upstream set as project-owner-designated finalized/frozen.	Preserve designation; attach/locate formal revision/hash signoff and resolve the D24/D25 metadata discrepancies.
D26	61-page RC1 binary hash verified; D27 uses it as project-designated frozen visual input.	Record identity approval and maintain the asset recommendations/approvals distinction.
D27	268-page RC1 binary verified. Its pp.3 and 267 retain REVIEW CANDIDATE and open design gates.	Close fonts/artwork/reference/differentiation approval gates and record formal design-owner approval.
D00 - this issue	Created after the actual D27 PDF delivery.	Approve the completed baseline register and its handoff acceptance checklist after 01..27 gates close.

A filename suffix such as (1), (2) or (3) is an upload-copy suffix, not a product revision. Modification time also does not establish supersession. The identifier, revision, hash, approval and explicit change record together identify an authority.

4. Architecture summary and non-negotiable boundaries

The initial estate is one logical platform: fourteen independent public applications, one Central Admin, one API application and one Worker code application. These are 17 application packages, not 17 isolated business backends. Replicas, worker profiles and the operational migration image do not create additional product application classes.

Layer	Frozen composition	Boundary
Public	14 Next.js / React / TypeScript site apps	Own local pages, shell, Header/Footer, navigation, cards, styles, tokens and assets; no cross-site presentation imports.
Central Admin	One React/Vite application	19 modules and 36 operational pages; SITE and GLOBAL workspaces share one Admin visual system.
HTTP/API	One Python/FastAPI app, horizontally replicated	Implements canonical DOC-15 RC7 transport; trusted context precedes site data.
Worker	One Python/Celery code app	Six queue-family profiles plus scheduler path; preserves eleven canonical job types and at-least-once fences.
Canonical data	PostgreSQL 17; 33 tables	20 site-owned FORCE-RLS tables, 13 global/system tables. Raw SQL authority; no per-site clones.

Layer	Frozen composition	Boundary
Derived state	Separate Redis control/cache and Redis broker; OpenSearch; sitemap/media derivatives	Rebuildable or operational according to owning contracts; never replace canonical product truth.
Media/security	Private S3-compatible origin; separate conditional/TTL security state; Vault-compatible secrets	Public delivery is governed by DOC-17; neither Redis plane stores DOC-19 security state.

Authority: D08 p.1; D14 pp.1,4; D23 pp.3-7,25-27; D24 pp.5,30-31.

4.1 Request and background execution

```
Public Host -> site-local SSR adapter -> approved public API client
 -> API trusted Host resolution -> ACTIVE SiteContext -> scoped read
 -> DOC-13 PageData / DOC-09 route outcome -> site-local presentation

Admin session -> fresh account/assignment/permission checks
 -> CTX-ADMIN-SITE or explicit CTX-GLOBAL -> action/state/version gates
 -> canonical transaction -> authorized derived effects and audit

Worker accepted payload -> trusted CTX-WORKER-SITE
 -> current site/target/state/version revalidation -> idempotent effect
 -> commit/terminal stale-no-op -> acknowledgement and evidence
```

Client site identifiers, host-looking request fields, deployment names, selected-site UI state, opaque IDs and queued payloads are inputs to validation; none independently grants authority. Missing tenant context fails closed. GLOBAL is an explicit privileged path, never a fallback for missing SITE context.

Authority: D04 sections 6-11; D10 pp.5-6; D15 section 4; D18 sections 4-9; D23 pp.6-7.

4.2 Inventory guard values

Inventory	Pinned count / meaning	Owner
Public sites / initial apps	14	D01 / D14 / D23
Admin modules	19 = 12 SITE + 7 GLOBAL	D06 / D10
Operational Admin pages	36 = 20 SITE + 16 GLOBAL	D06 / D10
Capabilities	161 = 156 REQUIRED + 5 CONDITIONAL; 20 capability families	D03 RC2 / D10
Permission keys	69 = 44 SITE + 25 GLOBAL	D02 / D08
Canonical PostgreSQL tables	33 = 20 SITE + 13 GLOBAL/system	D08
Public Page IDs	14 = 6 content/discovery + 5 static + 3 system/private	D05 / D11
Public components / objects	50 CMP12 component contracts / 48 PD13 objects	D12 / D13
Article blocks / Post states	12 blocks / 5 persisted states	D07 / D13
HTTP contract	112 operations / 85 paths / 217 schemas / 1,297 internal references	D15 RC7 section 30
Background baseline	6 logical queues / 11 jobs / 7 retry profiles	D18 RC2
QA baseline	180 QA21 IDs; parameter instances are not new QA IDs	D21 Appendix A
Trace execution homes	50 = 36 Admin + 14 public MX22 homes	D22

Inventory	Pinned count / meaning	Owner
Architecture / deployment acceptance	93 AC23 assertions / 96 AC24 assertions	D23 RC2 / D24 RC3
Public identity / visual acceptance	112 AC26 assertions / 2,281 expanded AC27 assertions	D26 / D27 p.257

Counts are regression guards for this initial baseline, not a lifetime maximum. Adding a future site follows the approved registry/scaffold/deployment change process; it does not clone the shared backend or permit cross-site imports. A capability is not a permission, a module is not a capability family, and a UI execution state is not a persisted Post state.

5. Canonical site, domain and application crosswalk

The stable SITE key anchors the site registry; APP-01..APP-14 follow the same numeric identity. Source paths are relative to apps/sites/. Package names are @bp/ followed by the listed folder. D27 chapter order is editorial and must never be mistaken for SITE numbering.

Stable site	Canonical host	Local folder	D27 pages
SITE-01	whatsyourrashi.in	site-01-whats-your-rashi	15-31
SITE-02	apkirashi.com	site-02-apki-rashi	219-235
SITE-03	dailyrashi360.com	site-03-daily-rashi-360	100-116
SITE-04	zodiacdaily.in	site-04-zodiac-daily	66-82
SITE-05	dailyhoroscope360.com	site-05-daily-horoscope-360	117-133
SITE-06	myhoroscope360.com	site-06-my-horoscope-360	83-99
SITE-07	astrotoday360.com	site-07-astro-today-360	49-65
SITE-08	apkikundli.com	site-08-apki-kundli	168-184
SITE-09	matchyourkundli.com	site-09-match-your-kundli	185-201
SITE-10	apkanakshatra.com	site-10-apka-nakshatra	134-150
SITE-11	janiyepanchang.com	site-11-janiye-panchang	32-48
SITE-12	rashiremedies.com	site-12-rashi-remedies	151-167
SITE-13	apkapandit.in	site-13-apka-pandit	236-252
SITE-14	vastushastra360.in	site-14-vastu-shastra-360	202-218

Authority: D08 Appendix D; D09 Appendix A; D23 pp.5-6; D27 p.2 and site chapters.

DOMAIN LOCK

Use apkanakshatra.com for SITE-10. apnakshatra.com is not an approved replacement. VastuShastra360 and ApkaPandit use .in. HTTPS is canonical; www or any alias exists only when explicitly registered and active. No upload filename, design label or local port changes domain authority.

The stable UUID values are owned by the exact D08 initial-seed registry, not generated by DOC-00. A domain migration preserves site ownership and follows DOC-09 domain-change rules. BP_SITE_APP_KEY is diagnostic application metadata, not a substitute for Host-to-SiteContext resolution.

6. Required reading order and discipline entry points

Read by dependency, then by work item. The sequences below are DOC-00 navigation guidance: they do not modify the upstream hierarchy. A role-specific path is not permission to ignore a dependency encountered in its trace chain.

Pass	Read in this order	Required understanding before proceeding
A - Product and trust	00 -> 01 -> 02 -> 03 -> 04	Explain shared platform versus site ownership, permission versus assignment, and the exact context boundary.
B - Page and content truth	05 -> 06 -> 07 -> 08 -> 09	Locate each page, module, content field, state, table and route in its owning registry.
C - Execution and data	10 -> 11 -> 12 -> 13 -> 14 -> 15	Trace the action/page from behavior through anatomy, data and HTTP without inventing a field or endpoint.
D - Specialist runtime	16 -> 17 -> 18 -> 19 -> 20	Know discovery, media, worker, security and operational semantics; pair D15 with D19 where authentication transport is involved.
E - Verification and engineering	21 -> 22 -> 23 RC2 -> 24 RC3	Know evidence, code homes, affected builds, environments, migrations and release gates before implementation.
F - Visual implementation	25 for Admin; 26 -> 27 for public	Keep Admin visuals separate; apply each public identity locally and preserve functional/semantic contracts.
G - Handoff closure	00 register -> companion inventory -> freeze checklist	Confirm exact versions/hashes/approvals and locate all artifacts/evidence required for the assigned work.

6.1 Role-specific working routes

Discipline	After common pass A, prioritize	Deliverable / proof to produce
Technical lead	08,14,15,18-24; visual boundaries 25-27	Dependency graph, candidate baseline and trace-linked work breakdown; no design-by-framework shortcuts.
API/backend	07-10,13,15-20,22-24	Exact operation/use-case/repository mapping; transaction/context boundaries; API, auth, concurrency and worker evidence.
Database	02,04,07-09,18-24	Ordered raw SQL, exact seeds, same-site FKs, runtime grants/RLS and fresh-db/restore verification.
Public frontend	05,07,09,11-17,19,21-24,26-27	Site-local implementations for all 14 Page IDs, approved data clients, responsive/state/a11y and isolation proof.
Central Admin frontend	02-04,06-10,15,19,21-25	36-page flow/state implementation, current authorization projection, site-switch/dirty/conflict and Admin-local visuals.
QA / security	02,04,07-09,15-22,24,27	Deterministic fixtures, candidate-bound result/evidence manifest, all parameter instances and documented stop-the-line outcomes.

Discipline	After common pass A, prioritize	Deliverable / proof to produce
Platform / DevOps	04,08,15,17-24	Reproducible environments, signed immutable artifacts, migrations, probes, backup/DR, rollout and rollback evidence.
Design / content handoff	05,07,11-14,16-17,19,21,25-27	Approved site-specific source/art/font/copy set and visual/accessible reference frames; no feature additions.

6.2 Reading gate before the first code change

For the assigned work item, record one owning requirement/section, its page/capability or system execution home, exact SITE/GLOBAL/public/Preview context, API/DB/derived dependencies, repository location and applicable QA21 plus AC27 checks. Where a node is genuinely irrelevant, record N/A with the owning-authority reason rather than inventing an endpoint, table or audit event.

Authority: D22 sections 5-13; D23 implementation mappings; D27 p.264.

7. Stable identifiers, citation grammar and trace navigation

Use a fully qualified reference when a prefix is reused by different documents: **BLOG-DOC-09@v1.0-RC1#ACC-001** is different from **BLOG-DOC-05@v1.0-RC1#ACC-001**. Preserve the exact source spelling; the handoff must not normalize distinct IDs into one namespace.

Identifier / family	Owner / purpose	Handling rule
BLOG-DOC-00..27	Document authorities / D01, D22, D00	Versioned authority identity; never infer approval from an RC number.
SITE-01..SITE-14 / APP-01..APP-14	Site/application identity / D08,D09,D23	Domain names and folders resolve to stable site/app identity, not the reverse for authorization.
MOD-S-* / MOD-G-*	Admin modules / D06	12 SITE and 7 GLOBAL modules; separate from Page IDs and capability families.
FC-*	Capabilities / D03	161 unique feature/capability IDs; REQUIRED/CONDITIONAL status remains attached.
Literal permission key	Authorization / D02,D08	Exact seeded key, such as posts.view; do not mint wildcard or inferred permissions.
PUB-* / ADM-S-* / ADM-G-*	Page inventories / D05,D06	14 public and 36 Admin IDs; route adapters and design boards do not create additional IDs.
CTX-PUBLIC-SITE; CTX-ADMIN-SITE; CTX-WORKER-SITE; CTX-PREVIEW-SITE; CTX-GLOBAL	Trusted contexts / D04	Five classes. No CTX-GLOBAL-SYSTEM or implicit all-site variant.
PST-FLD-* / CB-*	Post fields and body blocks / D07	Logical content IDs and twelve body block types remain schema-governed.
DB-TBL-001..033 / DB-ACC-*	Persistence / D08	Physical table registry and database acceptance. SQL names/constraints remain D08 authority.
FLW10-*; ACT10-*; VAL10-*; ST10-*; DEP10-*; QA10-*	Admin execution / D10	Flow, action, validation, state, semantic dependency and page QA are different object classes.

Identifier / family	Owner / purpose	Handling rule
FLW11-*; ACT11-*; VAL11-*; ST11-*; DEP11-*; QA11-*	Public execution / D11	Page flows and actions preserve the DOC-05 page identity.
CMP12-* / PD13-*	Components and data / D12,D13	Same semantic contract can have fourteen independent visual implementations.
API15-* / OpenAPI operationId	Transport / D15	Use exact operation IDs. Numeric suffixes need not be contiguous and must not be renumbered.
JOB18-* / q18.* / dlq18.*	Background execution / D18	Job and queue identity, payloads and retry/DLQ rules remain separate from worker process profiles.
DOC-19 event_code dictionary	Audit / D19	For example POST.PUBLISHED; event meaning and privacy fields are not invented by traceability.
QA20-*; LT20-*; ALT20-*; DR20-*	Operational requirements / D20	Performance checks, load profiles, alerts and recovery objectives; keep their distinct namespaces.
QA21-*; EV21-*; G21-0..7	QA / D21	Canonical tests, evidence kinds and execution gates. Child site-pair/viewport instances reuse canonical tests.
REQ22-*; MX22-*; EV22-*; GAP22-*; CHG22-*; REL22-*	Traceability / D22	Requirement anchors, execution chains, evidence, gaps, changes and graph edges.
ARC23-INV-*; TR23-*; AC23-*	Architecture / D23	Invariant, trace and acceptance namespaces; technology revisions do not rename upstream product IDs.
ENV24-*; IMG24-*; REL24-MANIFEST; AC24-*	Delivery / D24	Environment, image, immutable manifest and deployment acceptance.
VIS25-INV-* / VIS26-INV-* / AC26-*	Visual invariants / D25,D26	Admin and public identities retain independent ownership.
AC27-G-*; AC27-Sxx-*; AC27-DIFF-*; AC27-ISO-*; FZ27-*	Public visual acceptance / D27	Global, per-site, differentiation and isolation checks plus freeze gates; not new product permissions or QA21 IDs.

Authority: D04 context registry; D07 Appendix A/B; D08 Appendix A; D10/D11 section 2; D12/D13 registries; D15 Appendix A; D18 Appendix A/B; D19 Appendix B; D20-24 registries; D27 p.257.

7.1 Stable reference rules

An ID is never recycled. If a controlled revision removes or replaces an object, retain a retirement/supersession link. Human labels, ordinal row positions, filenames and UI copy do not replace the stable ID. A requirement lacking a formal ID is anchored by document revision plus section/page; no retroactive upstream identifier is invented.

The implementation ticket carries the original authority ID and the MX22 chain. The result record carries the QA21 ID, child instance and candidate identity. DOC-27 acceptance attaches to that same chain; it does not bypass DOC-21. Governance check labels in DOC-00 are handoff-only identifiers and are not new Page IDs, APIs, permissions or executable product tests.

Authority: D10 p.3; D22 pp.3-7; D27 pp.257,264.

8. Repository, stack and application implementation references

The following lines are the **documented DOC-23 RC2 baseline**, not a new external compatibility assessment or permission to float dependencies. Exact patch/transitive resolutions remain in the two approved lockfiles. Framework defaults stay subordinate to frozen product semantics.

Concern	Documented baseline	Authoritative caveat
Public apps	Node 24.x; Next.js 16.3.x; React 19.x; TypeScript 5.x	Pages Router SSR; no canonical App Router substitution.
Admin	React 19; TypeScript 5; Vite 7; React Router 7; TanStack Query 5	One Admin-local visual/runtime implementation.
API / validation	Python 3.13.x; FastAPI 0.141.x; Pydantic 2.13.x	Framework schema output is derived, not canonical OpenAPI.
Data access	PostgreSQL 17; SQLAlchemy 2.0.x; Psycopg 3.3.x	Raw SQL migrations/RLS remain authority; no create_all/schema push.
Background/ cache	Celery 5.6.x; Redis 8.x control/cache; separate Redis 8.x broker	Custom durable delayed-work adapter and D18 retries/fences; no default Celery semantic replacement.
Search/media	OpenSearch 3.x; opensearch-py 3.x; boto3; libvips/pyvips	Deterministic discovery and fixed variants only; no arbitrary Next image transforms.
Tooling	pnpm 10; Turborepo 2; uv; dependency-cruiser; Import Linter	pnpm-lock.yaml + uv.lock; explicit Python task bridges.
Quality	ESLint/TypeScript; Ruff/mypy; pytest; Playwright/axe-core; k6	Map tool results to QA21 evidence, not an alternate acceptance program.

Authority: D23 pp.4-7,25-27. Superseded Astro/Fastify/Kysely/node-postgres/BullMQ baseline is not normative.

8.1 Canonical repository navigation

```
/
  package.json  pnpm-workspace.yaml  pnpm-lock.yaml  turbo.json
  pyproject.toml  uv.lock  ruff.toml  mypy.ini  importlinter.ini
  apps/
    sites/<site-folder>/
    admin/
    api/src/bp_api/              # package.json is a task bridge only
    worker/src/bp_worker/        # separate Worker entrypoint
  packages/
    ts/{api-contract,api-client-public,api-client-admin,
        public-contracts,shared-utils,tooling-config}/
    python/{bp-domain,bp-ports,bp-application,
        bp-background-contracts,bp-adapters-*,bp-observability,
        bp-test-support}/
  contracts/http/BLOG-DOC-15_openapi_v1.0-RC7.yaml
  database/{migrations,seeds,rls,verification}/
  infrastructure/{local,images,templates,observability}/
  tests/{contract,isolation,dependency,e2e,accessibility,
         performance,dr,fixtures}/
  tooling/{generators,scaffolds/public-site,scripts,
           dependency-rules,configs}/
  docs/{authorities,adr}/
```

This is a shortened navigation view of D23 Appendix A, not a claim that this application repository has been delivered or tested. The root repository URL and candidate commit are evidence fields to bind during

onboarding; no repository URL is fabricated here. Full package membership and import edges remain D23 Appendix A/B.

Authority: D23 p.25; D24 p.9.

8.2 Site-local work-item placement

```
apps/sites/<frozen-site-folder>/
  src/pages/article/[post_slug].tsx   # thin SSR route adapter
  src/site/pages/article/
    article-page.tsx
    article-page.model.ts
    article-page.module.css
    components/
    tests/article-page.spec.tsx
  src/site/shell/{header,footer,navigation}/
  src/site/{components,styles,assets,lib,tests}/
  public/                           # only this site's static assets
```

A page edit should remain in that page module unless it changes genuine same-site reuse. A shared technical contract does not authorize a shared public UI package. No direct or indirect import, alias, re-export, generated dependency or symlink may connect one site presentation to another, or connect public presentation to Admin visual code.

Authority: D14 sections 15-26,30; D23 pp.6,25-26; D27 p.265.

8.3 Change-to-build impact

Change	Expected impact	Always preserve
One site-local page/theme	That site and its local tests/build/deployment.	Repository-wide cheap contract/count/import/security guards.
Shared public client / OpenAPI contract	All dependent site apps and clients; API parity; Admin when affected by shared contract.	Generated drift checks and current D15 semantics.
Shared Python core	API and Worker dependent nodes.	Explicit Python graph; no site rebuild merely from language dependency.
API entry only / Worker entry only	Only affected deployable and dependency-neighbor tests.	API and Worker never import each other's entrypoints.
Lockfile / task configuration	Appropriate ecosystem or full task graph as declared.	No local lockfile authority and no hidden shared visual package.
Deployment-only manifest	Validate affected deployment without rebuilding unchanged image content.	Same immutable staged image digest.

Authority: D23 sections 24-28; D24 sections 14-16, Appendix C.

9. ERD, database, RLS and schema handoff

D08 is the persistence authority. The following reference reproduces its subsystem ERD rather than defining a competing model. Read D08 p.7 for the detailed identity, editorial and navigation/operations relationship views, and its schema sections for exact keys, columns, constraints, grants and retention behavior.




Figure 1. D08 p.6, Figure 1: complete subsystem ERD overview. Reproduced source view; not a new schema. Exact table registry: D08 pp.54-55.

Authority: D08 section 4, pp.5-7; schema sections 5-20; Appendices A-E.

9.1 Required schema artifacts and verification

Artifact / action	Canonical home	Acceptance evidence
Ordered schema migrations	database/migrations/	Exact D08 DDL, constraints, indexes, transaction and migration ordering; checksum manifest and fresh-db execution report.
System/site/permission seeds	database/seeds/	69 exact keys and prerequisites; 14 stable site UUID/domain rows; required menu/settings/bootstrap rows; idempotency and drift report.
RLS policies and grants	database/rls/	All 20 site tables ENABLE + FORCE RLS; no superuser/BYPASSRLS/table-owner runtime bypass; explicit global access path.
Verification scripts	database/verification/	33-table inventory, same-site composite FK checks, missing-context denial, pooled-connection isolation and immutable site ownership.
ERD editable source	Owner-referenced derivative of D08	Original editable ERD file not present in this assembly. Any later ERD export must match canonical SQL; it does not add structures.
Migration image / release bundle	IMG24-MIGRATE; D24 deployment bundle	One-shot raw SQL runner; not API startup DDL. Build identity and migration checksums attached to release evidence.

Authority: D08 sections 16-25; D23 pp.25-27; D24 sections 17-21 and Appendix B.

The application obtains exactly one trusted tenant context before site data access, starts a transaction, applies transaction-local app.site_id and executes scoped repository operations. SQLAlchemy metadata never becomes schema authority. No jobs/outbox/cache/search/generic Pages table is added to make implementation easier.

```
BEGIN -> trusted SET LOCAL app.site_id -> scoped SQL -> COMMIT/ROLLBACK
```

Database rollback is not the inverse of application-image rollback. Additive compatible schema remains during an application rollback; destructive down migrations are not automated. Expand, explicit bounded backfill and later contract are separate release concerns. A schema semantic change reopens D08 before deployment work proceeds.

Authority: D08 sections 17-19,22; D24 pp.19-21,30-31.

10. OpenAPI, public data and contract generation

CANONICAL HTTP ARTIFACT

contracts/http/BLOG-DOC-15_openapi_v1.0-RC7.yaml is the required executable contract home. It is not replaced by FastAPI /openapi.json, inferred request models, a frontend client or a reconstruction from PDF examples.

Contract measure	Pinned baseline
OpenAPI / API document version	3.1.0 / 1.0-RC7
Operation allocation	112 = 2 PUBLIC/PREVIEW + 11 AUTH + 63 SITE + 36 GLOBAL
Unique route paths	85
Schemas/helpers and internal references	217 / 1,297 resolved references

Contract measure	Pinned baseline
Expected canonical YAML SHA-256	3376444e141fd16bbf0a440f2828de0e97d04b5f60a49e106b2d07013f8397b2
Access/evidence classification	Expected hash reported by D15 p.15. The YAML binary was not available locally for recalculation in this DOC-00 assembly.

Authority: D15 section 30, p.15. The YAML hash above is not the hash of the D15 PDF.

10.1 Generation and parity chain

Preserve canonical YAML bytes, record their digest, generate TypeScript wire types with the approved toolchain, and use the public and Admin clients only in their permitted application zones. Compare the FastAPI runtime registry, request/response validation, exact statuses, permissions, contexts, idempotency and concurrency behavior to the canonical contract. Generated output must reproduce without a diff from the pinned input.

Public PageData shape, nullability/omission, ordered arrays and safe public fields are owned by DOC-13. Required collections can be honestly empty; optional absent values are omitted as specified. A raw SQL row, revision, autosave, internal site_settings object or authorization record is never automatically a public projection.

Authority: D13 pp.3-5 and sections 28-31; D15 sections 27,30; D23 section 12; D24 section 16.

10.2 Contract drift decision table

Observed difference	Required response
Generated public field absent from D13	Reject drift; reopen D13 first if the new semantic field is intended, then D15 and dependent clients.
New endpoint implied by a mockup	Reject the visual proposal unless an approved upstream feature/transport change exists. DOC-27 cannot authorize it.
FastAPI route returns framework-default status	Use D15/D09 exact outcome; do not translate all redirects to a framework preference or convert 410 to 404.
Stale Post write accepted	Fail the concurrency gate. expected_version and frozen conflict behavior are not optional optimization choices.
Missing canonical YAML file	Record artifact-delivery gap. Do not produce a guessed replacement and claim it is the audited RC7 contract.
No schema change, implementation correction only	Keep source contract version; map change to CHG22-F, rerun affected and neighbor QA, update candidate evidence.

Authority: D07 concurrency; D15 sections 11-12,30; D22 section 16; D23 sections 9,12; D27 p.3.

11. Executable and editable companion register

A PDF reference establishes what an artifact must contain; it does not establish that its executable bytes, credentials, repository or deployment already exist. The classifications below separate files directly inspected in this assembly from source-reported deliverables and implementation artifacts that still require evidence. No missing companion is silently regenerated as a substitute authority.

Artifact ID / class	Source / required home	Observed availability	Handoff completion evidence
ART00-PDFSET DOC-01..27 authority PDFs	D01-D27; Appendix A	08..27 local PDF bytes inspected and hashed; 01..07 content retrieved from File Library.	Bind the exact approved PDF bytes, hashes and owner approval records before final frozen issue.
ART00-HTTP Canonical RC7 OpenAPI YAML	contracts/http/BLOG-DOC-15_openapi_v1.0-RC7.yaml	Referenced and expected hash available in D15; original YAML bytes not locally present.	Obtain the original delivered/committed companion; match the D15 expected digest and validate its registry.
ART00-SQL Raw SQL migrations, seeds, RLS and verification	database/{migrations,seeds,rls,verification}/	Required by D08/D23/D24; executable package not inspected.	Record committed paths, checksums, clean bootstrap and upgrade/RLS evidence.
ART00-ERD Editable ERD / generated relationship views	D08 section 4 and Appendix A	PDF ERD available; original editable ERD source not inspected.	Bind the owner-maintained editable source or controlled SQL-derived export; verify all 33 tables and same-site relationships.
ART00-CONTENT Content/validation and public projection schemas	D07/D13; D23 contract package homes	Semantics available in PDFs; standalone schema files not inspected.	Locate versioned schemas and prove parity with all 12 block payloads and 48 public objects.
ART00-CLIENT Generated TS wire types and approved clients	packages/ts/api-contract; api-client-public; api-client-admin	Repository artifacts not inspected.	Generate from canonical RC7; zero generated diff and no unauthorized visual/runtime sharing.
ART00-DESIGN DOC-27 editable design ZIP	BLOG-DOC-27_Editable_Design_Package_v1.0-RC1.zip	Previously delivered; referenced by D27 and this conversation. ZIP bytes are not locally reverified in this assembly.	Verify original delivery checksum, source/asset registers, 14 local folders, frames, wireframes and acceptance/trace matrices.
ART00-TOKENS Public tokens and Admin visual implementation	D26; D27 site-source; D25 Admin-local authority	PDF identity authorities available; D27 reports token files. No production implementation certified.	Preserve exact site values locally; bind approved token and component references without public/Admin leakage.
ART00-ASSETS Approved logos, favicons, typography and imagery	D26 asset governance; D27 asset-handoff.md	Placeholder directions and font-fallback disclosures exist; final artwork/font approval remains open.	Provide approved asset hashes, rights/provenance, font metrics and final lossless visual goldens.
ART00-QA Executable QA21 tests and evidence manifest	tests/; D21 Appendices A-C; D22 trace model	Specification and IDs available; candidate runtime execution evidence not supplied.	Bind test code/fixtures, exact candidate build and every applicable parameterized result.
ART00-TRACE MX22 / REQ22 / EV22 / CHG22 trace records	D22 master matrix; D27 visual chains	D22 PDF matrices and D27 reported visual matrices available. Live implementation evidence graph not verified.	Map actual code/config/tests and invalidate evidence whenever a controlling input changes.
ART00-REPO Hybrid Monorepo and two ecosystem locks	D23 Appendix A/B; approved repository URL/commit	Repository location, commit and checked-out implementation not supplied.	Bind repository URL, immutable commit, root locks, dependency graph and reproducible build evidence.

Artifact ID / class	Source / required home	Observed availability	Handoff completion evidence
ART00-DEPLOY Docker, Compose, infrastructure and CI/CD sources	D24 sections 7-16 and Appendix B/C	Prescribed paths/configuration available; executable deployment package not inspected.	Bind source commit, image digests, migrations, SBOM, release manifest and provider/environment evidence.
ART00-OPS Operational runbooks, dashboards, backup and recovery proof	D19 recovery; D20 DR/alerts; D24 operations	Requirements available; candidate operational evidence not supplied.	Bind protected operational references and current drill results without distributing secrets.
ART00-APPROVAL Final baseline and discipline approvals	D01 freeze rules; D22 FZ22-20; D27 FZ27	Project designation recovered; final byte-specific approval ledger not supplied.	Record approver, decision, time, exact version/hash and any rejected or superseded issue.

Authority: D01 authority hierarchy; D08 sections 22-25; D15 section 30; D21 Appendix C; D22 sections 13-19; D23 Appendix A; D24 sections 9,12,37; D27 pp.265-267.

11.1 Companion integrity and linking rules

Every companion link resolves to a file at a pinned source revision, not merely to a folder name or a mutable latest URL. Record logical artifact ID, owning authority and version, original filename/path, content type, byte size, SHA-256, availability, approval state, producer/generator version and the evidence that validates its parity. These are handoff metadata fields, not additions to the product database or API.

An artifact manifest can reference an unavailable original with an explicit missing-bytes status and an expected digest. It must not copy an expected digest into a recomputed-hash field. Documentation copies may be relocated, but original byte identity and source provenance remain recorded. No production secret or font binary is distributed in this DOC-00 package.

Authority: D22 evidence and drift rules; D24 release manifest; D27 pp.263,266.

11.2 Previously delivered DOC-27 package identity

The earlier delivery recorded the following ZIP identity. It is retained as an expected delivery reference, not as a new checksum validation in this assembly. The locally available DOC-27 PDF is separately hashed in Appendix A.

```
BLOG-DOC-27_Editable_Design_Package_v1.0-RC1.zip
Expected prior-delivery SHA-256:
48c71dcfa9c97520abff17af44b3c16d0d241fa3d8dcf957e7ceffb843294add
```

The earlier delivery also named BLOG-DOC-27_Delivery_Manifest_v1.0-RC1.json. That manifest and the ZIP should travel with the final design handoff, rather than having their contents inferred from PDF screenshots.

Authority: Prior DOC-27 delivery record in this conversation; D27 pp.265-266 define the editable-source handoff. Checksum provenance is explicitly prior delivery, not a claim made by D27 itself.

12. Design authority and frontend handoff

Authority	Owns	Must not become
D25 RC2	One Central Admin visual system for the existing operational page estate and security/access surfaces.	A theme or shared component runtime imported by public sites.
D26 RC1	Fourteen independent public visual identities, exact local tokens and asset/typography direction.	A generic one-theme template, new feature definition or final page composition replacement.

Authority	Owns	Must not become
D27 RC1	Actual responsive page representations, structural wireframes, local designs and visual acceptance mappings.	Proof of a production frontend, approved placeholder artwork, new Page IDs or a substitute for QA21.

Authority: D25 pp.1-4; D26 pp.1-4; D27 pp.3,257,265-267.

The D27 PDF contains the 14 site chapters indexed in section 5. Its companion is documented as 196 editable public-page specimens, 588 responsive full-page reference frames and 252 editable core-page SVG wireframes. Its 2,281 acceptance requirements cover pages, shell, blocks, states, identity, differentiation and isolation. These are design deliverables and acceptance definitions, not 2,281 executed tests.

Authority: D27 coverage and acceptance sections, especially pp.257,265-267; prior design delivery record.

12.1 Editable design package navigation

```
BLOG-DOC-27_Design_Source_v1.0-RC1/
  index.html                       # documentation index, not a public Page ID
  site-source/<frozen-site-folder>/
    home.html  article.html  archives  search
    five fixed static-page specimens
    preview.html  not-found.html  gone.html
    shell.html  blocks-*.html  states-*.html  # documentation boards
    tokens.css  styles.css  interaction.js
    tokens.json  design.json  README.md
    assets/PH-*.svg
  frames/<site-folder>/
  wireframes/<site-folder>/*.svg
  contracts/*.csv  *.json
  qa/                              # design-source checks, not runtime PASS
  tools/
  README.md  asset-handoff.md
```

A documentation board, SVG frame, design-source filename or prototype URL does not create an application route. In particular, gone.html is a design specimen for PUB-SYS-410-01, not authorization to expose a new canonical /410 route. Site implementation continues to use the D23 Pages Router adapters and site-local module structure.

Authority: D27 p.265; D09 route registry; D23 sections 8-10.

12.2 Asset approval and font gates

Asset / open item	Required evidence before final visual acceptance
Logo and favicon	Approved site-local vector/raster exports, light/dark/reduced forms, clear space, minimum-size and alt treatment; exact file hashes. PH specimens are not final brands.
Generated imagery and sample avatars	Explicit approval or replacement, provenance/rights/license, intended site/use, attribution, alt/caption and media mapping. Generated direction art is not silently called licensed or approved.
Primary fonts	Provision the frozen families/weights through an approved rights-aware process; verify Latin/Devanagari shaping, loading and metrics; regenerate lossless goldens. Available fallback rendering does not prove primary-font fidelity.
Editorial and static copy	Approved current PageData, read-only information-page text, dates, author identities, source references and valid destinations; no fixture content is silently published.
Fourteen-site differentiation	Complete 91 unordered masked site-pair comparisons at required desktop/mobile presentations, with the independent reviewer decisions prescribed by D27.

Asset / open item	Required evidence before final visual acceptance
Visual goldens	Approve fixed-input lossless PNG goldens, masks and font/asset digests. Atlas JPEGs and PDF raster plates are review aids, not release pixel goldens.

Authority: D26 sections 23-25; D27 pp.263,266-267. FZ27-08,09,12 remain open in the delivered review candidate.

Accessible semantic application remains mandatory without silently replacing brand primitives. For example, the D27 SITE-14 small-text treatment uses its accessible local text semantic instead of using the muted primitive indiscriminately. Dark-header focus treatments remain site-local. These are documented applications of D26, not permission to redesign a palette during handoff.

Authority: D26 common accessibility/token rules; D27 site-specific notes and acceptance.

12.3 Frontend visual acceptance inputs

Pin site key, Page ID, D26/D27 version, fixture digest, candidate commit/image digest, viewport, browser/OS/DPR, locale/timezone, reduced-motion state, asset hashes and font hashes. Wait for fonts/images and a stable capture state. D27 reference widths are 1440, 834 and 360 CSS pixels; the QA21 fixture viewports and D27 boundary-width checks remain additionally applicable, not replaced by these three review widths.

D27 requires exact semantic/order/privacy/token compliance. Its documented geometry and pixel comparison gates include edge deviation no greater than 2 CSS pixels and at most 0.5% changed pixels using the specified channel-difference threshold of 16. These tolerances are necessary checks, not permission to hide an incorrect layout, font or component behind an overall image score. Every mask needs explicit bounds and justification; no blanket page masking or threshold relaxation is allowed.

Authority: D27 pp.9,263-264; D21 responsive/accessibility suite. Implement the full source capture procedure, not this summary alone.

13. Environments, configuration and release navigation

Environment ID	Tier	Execution home	Data / authority rule
ENV24-DEV	Development	Local workstation / Compose	Non-production fixtures and development credentials; selective startup, no production data or secrets.
ENV24-TEST	Test	Ephemeral CI / deterministic test services	Reproducible seeds and collision fixtures; isolated per candidate/job; no production authority.
ENV24-STG	Staging	Separate non-production AWS account/VPC/EKS estate	Production-shaped validation; isolated data/services/credentials; no routine production secret or data copying.
ENV24-PROD	Production	Separate production AWS account/VPC/EKS estate	Protected deployment and manual approval; immutable promoted artifacts; live-data safety, observability and recovery gates.

ENV21-UNIT, INT, E2E, LOAD and DR are evidence classes, not five additional promotion tiers. LOAD requires the isolated production-shaped load environment specified by QA21. Recovery testing restores into an isolated target; a drill never overwrites the live production environment.

Authority: D24 sections 3-4, AC24-001; D21 section 5; D20 recovery sections 29-31.

13.1 Provider and service references

Concern	Prescribed topology / source	Handoff binding
Compute and images	AWS EKS / ECR; independent site, API, Admin and Worker release units.	Record environment account/region/cluster references and immutable image identities, not secret credentials.
Ingress / TLS / DNS	ALB, ACM, Route53 and trusted effective Host preservation.	Bind domain/ingress/certificate ownership; do not create implicit www aliases or trust arbitrary forwarded headers.
Canonical data	RDS PostgreSQL; private service/network policy and protected backups.	Bind DB identifier, migration history, RLS verification and pool budgets.
Redis / search	Separate Redis control/cache and broker planes; OpenSearch adapter.	Bind endpoints through approved server-only config; preserve D18 keys/leases and D16 search semantics.
Media / CDN	Private S3 originals; CloudFront delivery of eligible sanitized derivatives.	Bind bucket/CDN and revocation configuration; public access does not authorize private originals.
Security / secrets / mail	DynamoDB-compatible security state, Vault-compatible secrets/workload identity and SES mail delivery.	Bind protected operational references; no secrets in PDFs, browser bundles, Docker layers or source code.

Authority: D24 section 23 and Appendix F; D23 sections 18-22. This is the documented provider baseline, not evidence that the cloud resources have been provisioned.

13.2 Configuration and secret boundary

D24 Appendix A is the exact BP_* deployment-variable registry. Non-secret configuration is validated once by the approved loader before readiness. Staging/Production secret values are runtime-mounted through the documented *_FILE references and workload identity; the PDF and environment examples carry names or references only. Missing required production configuration fails startup/readiness rather than selecting development defaults.

Configuration group	Examples from D24	Boundary
Identity / service	BP_ENV; BP_RELEASE_SHA; BP_SERVICE_NAME; BP_HTTP_PORT	Diagnostic/deployment values do not create tenant authority.
Public / SSR	BP_SITE_APP_KEY; BP_API_BASE_PATH; BP_API_INTERNAL_ORIGIN	App key is diagnostic; effective trusted Host still determines site. Browser allowlist does not include infrastructure secrets.
PostgreSQL	BP_POSTGRES_HOST; BP_POSTGRES_POOL_MAX; BP_POSTGRES_SITE_CREDENTIAL_FILE	Server-only connection policy; API pool <=20 and Worker pool <=10; context set per transaction.
Redis / search / media	BP_REDIS_CONTROL_ENDPOINT; BP_REDIS_BROKER_ENDPOINT; BP_OPENSEARCH_ENDPOINT; BP_MEDIA_BUCKET	Server-only dependencies remain isolated by environment and tenant-aware inside shared services.
Security / mail / worker	BP_SECURITY_STATE_TABLE; BP_VAULT_ADDR; BP_SMTP_CREDENTIAL_FILE; BP_WORKER_PROFILE	Protected service bindings; publish/media/search/sitemap/cache/maintenance/scheduler profiles do not add job types.

Authority: D24 Appendix A, p.29; D19 sections 20-21; D20 connection budgets.

13.3 Immutable release and production gates

The release manifest binds Git commit, both ecosystem lock hashes, OpenAPI hash, migration digest, image/static artifact digests, affected graph and source baseline. Produce build artifacts once, verify them, and promote the same digests. A mutable tag alone is not release identity. Source changes, regenerated contracts or unapproved rebuilds invalidate the prior candidate evidence.

Before production, apply the RC3 preflight gate: a valid base backup is no more than 24 hours old and WAL lag meets the no-more-than-5-minute requirement. The 26-hour backup alert threshold is not an alternative release gate. Current QA21 evidence, migration compatibility, database capacity, readiness, queue health, secrets/certificates and critical-alert status must satisfy the owning documents.

Authority: D24 sections 12,28 and RC3 correction; D20 backup/PITR controls. D24 RC3 supersedes its previous deployment-runtime mismatch; it is not an unresolved RC1 stack blocker.

Release phase	Required action / stop condition
Preflight	Acquire controlled release lock; validate manifest and approval, QA results, capacity, DB/PITR and migration compatibility. Stop on any missing mandatory evidence.
Schema expansion	Run approved ordered raw SQL through migration tooling. Verify schema, RLS and seed integrity. No API-startup DDL or unreviewed destructive migration.
Rollout	Roll API, affected Worker profiles with draining, Admin when affected and selected sites independently; use the same approved digests.
Verification	Execute smoke/readiness/host/isolation checks; observe the prescribed 30-minute monitoring window; persist the final release decision and evidence.
Rollback / recovery	Restore a compatible prior application/configuration artifact where safe. Do not auto-run destructive down migrations. Escalate irreversible data damage through D20/D24 recovery, not an ad hoc rollback script.

Authority: D24 sections 29-36 and Appendix E/F, p.31.

14. Developer onboarding and first verified slice

Onboarding starts from the pinned authorities and original companions. It does not start from a guessed framework scaffold or a mockup-to-code export that bypasses the platform contracts. The sequence below is a DOC-00 navigation workflow: all runtime actions remain governed by D23/D24 and their existing tests.

Step	Required input / action	Completion evidence
1. Bind access	Record approved repository URL, candidate commit, artifact store and issue tracker. Assign discipline owners; request least-privilege access through the established process.	Access references and named accountable reviewers; no credentials in the handoff record.
2. Verify baseline	Read this guide and the mandatory/role-specific sequence in section 6. Match selected PDFs/companions to versions and hashes.	Baseline manifest and unresolved-gap review; do not replace absent original OpenAPI/SQL with guesses.
3. Set up toolchains	Use the exact source-controlled runtime patches and both root locks required by D23; install reproducibly.	Tool versions and frozen/locked install log bound to commit; no local lockfile drift.
4. Start isolated dependencies	Use D24 local Compose profiles and approved non-production configuration. Start only the required API/Worker/site subset.	Dependency health and configuration validation; no production data/secrets or unintended cross-environment connection.

Step	Required input / action	Completion evidence
5. Bootstrap persistence	Execute approved raw SQL migrations and deterministic seeds with the migration path. Verify RLS and same-site keys before functional development.	DB/seed/RLS checks and missing-context denial tests, not just successful table creation.
6. Prove contracts	Load canonical RC7 YAML, generate clients and assert runtime parity; bind typed public objects to D13.	No contract/count/status/schema drift; source-linked evidence.
7. Implement a two-site slice	Use SITE-01 and SITE-02 with intentionally overlapping identifiers and distinct markers. Complete one authorized editorial-to-public path.	Trace chain through permissions, API, persistence, workers/derived systems and both public applications.
8. Expand with isolation	Implement the remaining required pages/sites and capability scope through the existing work-item/trace matrix.	All 14 sites and required parameter matrices covered; no assumption that a two-site proof is the final release gate.
9. Close release readiness	Apply QA21, design acceptance, operational/DR evidence, deployment gates and Definition of Done.	Candidate-specific required PASS results, approvals and immutable release manifest.

Authority: D03 minimum collision fixture; D08 bootstrap/RLS; D21 sections 5-8,25; D22 implementation/evidence rules; D23 sections 27-28; D24 sections 10-11.

14.1 Source-prescribed local startup examples

These commands are copied from D24 local-startup guidance. They become runnable only after the prescribed repository, profile definitions, non-production config and locked dependencies are present. They have not been executed against an application repository in this DOC-00 assembly.

```
docker compose -f infrastructure/local/compose.yaml --profile core up -d
pnpm turbo run dev --filter=./apps/api
pnpm --filter @bp/site-01-whats-your-rashi dev

docker compose -f infrastructure/local/compose.yaml --profile core \
  --profile search --profile media --profile security up -d
```

The API package task is a pnpm/Turborepo bridge to the Python toolchain, not a return to a Node API. Core-only startup does not imply every security/media/search-dependent behavior is available. Start the appropriate profiles when exercising those paths; dependency failure must remain safe under the upstream contract.

Authority: D24 sections 10-11, p.10; D23 Python task bridges and local development.

14.2 Minimum first-slice acceptance

Use the same article/category/tag/author slugs and media filenames in SITE-01 and SITE-02. Authenticate an assigned Admin, create/edit/Preview/publish authorized site-owned content, render the correct public Article and discovery pages, and observe same-site media, search, sitemap and cache effects. Attempt cross-site reads, attachments, mutations, Preview reuse and stale updates. The slice is not accepted if unique fixture names are the only thing preventing collisions.

A passing two-site slice reduces integration risk; it does not waive the 182 directed foreign-site pair tests, required per-site page coverage, concurrency/security assertions, performance/DR targets or the final QA21 release pipeline. Scope of local development and scope of release acceptance are different.

Authority: D03 minimum isolation fixture; D21 sections 6,9-24; D22 release-critical chains.

14.3 Work-item handoff record

Field	Required content
Source anchor	Fully qualified document/version/section or stable requirement ID; exact Page/capability/component context where applicable.
Trace identity	Existing MX22 chain; REQ22 reference and affected REL22 edges. Include D27 visual chain when relevant.
Scope	SITE/GLOBAL/PUBLIC/PREVIEW; concrete site and object relationship rules. No client-selected authority assumption.
Implementation home	D23 app/package/module path and affected graph; code commit is evidence, not a new policy.
Acceptance	Applicable QA21 IDs and upstream assertions; D27 visual checks and fixed-input screenshots for UI.
Evidence	EV22 record with immutable candidate, environment, source baseline, result/artifact links and defect/CHG22 when applicable.
Completion decision	Open, blocked, not verified or verified according to D22. Do not infer completion from a task title or merged pull request alone.

Authority: D22 sections 3-6,13-19; D23 implementation status; D27 traceability.

15. QA, evidence and release-gate references

DOC-21 owns executable release QA. DOC-22 owns trace/evidence linkage. DOC-27 contributes public visual acceptance assertions to those chains; DOC-00 only indexes and assembles the handoff. A passed document build, geometry check, prototype interaction or source audit cannot set a runtime implementation to VERIFIED.

Family	Canonical QA21 range	Concern	Primary class
ISO	QA21-ISO-001..016	Tenant isolation	INT/E2E
DB	QA21-DB-001..010	Schema/RLS/relationships	INT/DR
API	QA21-API-001..010	HTTP/OpenAPI	INT
PERM	QA21-PERM-001..012	Permission attacks	INT/E2E
ADM	QA21-ADM-001..010	Admin flows and site switching	E2E
PUB	QA21-PUB-001..010	Public pages and routing	E2E
CONC	QA21-CONC-001..012	Concurrency and lost-update protection	INT/E2E
LIFE	QA21-LIFE-001..010	Publishing/schedule/Preview lifecycle	INT/E2E
MED	QA21-MED-001..010	Media ownership and delivery	INT/E2E
SEO	QA21-SEO-001..012	SEO/search/sitemap/redirect	INT/E2E
WRK	QA21-WRK-001..012	Worker/cache/reconciliation	INT/LOAD
SEC	QA21-SEC-001..016	Credentials/sessions/security	INT/E2E
A11Y	QA21-A11Y-001..010	Responsive and accessible operation	E2E

Family	Canonical QA21 range	Concern	Primary class
PERF	QA21-PERF-001..012	Performance/scale/fairness	LOAD
DR	QA21-DR-001..008	Backup/PITR/recovery	DR
REG	QA21-REG-001..010	Frozen-count and scope regression	UNIT/INT/E2E

Total: 180 canonical QA21 IDs. Their required fixture and parameter instances are part of the gate; a family row is not evidence that every instance ran. Apply the detailed matrix in DOC-21 rather than reducing one ID to one happy-path browser click.

Authority: D21 Appendix A, pp.23-24; D22 Appendix D.

15.1 Release gates in required order

Gate	Purpose / suites	Exit condition
G21-0	Contract/static REG + API schema/static import checks	No frozen-count, OpenAPI or import drift.
G21-1	Isolation/data ISO + DB	All applicable instances PASS. Any tenant/data leak stops the candidate.
G21-2	Authorization/security PERM + SEC	All applicable instances PASS; no bypass, secret or privacy failure.
G21-3	Functional/runtime ADM + PUB + CONC + LIFE + MED + SEO + WRK	All required runtime and parameter matrices PASS.
G21-4	Accessibility A11Y	Frozen WCAG, semantic and responsive assertions PASS.
G21-5	Performance PERF	All D20 numeric latency, fairness and load gates PASS.
G21-6	Recovery DR	Required current PITR, media, derived-state and full-DR evidence PASS.
G21-7	Final regression REG smoke + failure-neighbor reruns	No unresolved release-blocking defect or BLOCKED/FLAKY result.

STOP THE CANDIDATE

Tenant crossover, authorization bypass, unpublished/Preview leakage, secret exposure, lost update, duplicate/early publication, broken PITR isolation or canonical-data corruption rejects the candidate immediately. Later passing tests do not compensate. The existing specification provides no waiver path for an unresolved release-blocking failure.

Authority: D21 section 25, p.21; D24 section 22. D22 preserves PASS/FAIL/BLOCKED/FLAKY semantics and evidence requirements.

15.2 Isolation, concurrency and accessibility coverage

The isolation matrix contains 182 directed source-to-target site pairs: 14 x 13. D27 visual differentiation uses 91 unordered pairs, which is a different question and cannot replace the directed security/isolation matrix. Use intentionally colliding slugs, category/tag names, author names, image filenames and relevant navigation/redirect locators, with distinct site markers. Missing or wrong scope fails closed at every layer.

Concurrency cases use independently controlled clients and barriers at the same expected version, not accidental timing. Verify stale Post updates, autosave/revision distinctions, scheduling/rescheduling, idempotency and stale worker generations. Cross-site negative controls must show that a valid identifier does not convey ownership.

Accessibility evidence covers keyboard/focus, semantic headings and landmarks, labels and errors, contrast, non-color-only states, touch targets, reduced motion, zoom/reflow, table usability and image alternative text. Visual identity never waives these requirements. Private Preview remains distinct and cannot enter normal public caching, search, sitemaps or indexing.

Authority: D21 sections 6,9-12,15-16,21; D27 pp.9,257,263-264; D19 Preview rules.

15.3 Evidence record and result truth

Evidence field	Required use
Candidate identity	Immutable Git commit/build and image/artifact digests; source authority versions and companion hashes.
Execution identity	QA21 ID, all fixture/parameter values, environment class/tier, UTC start/end time and runner/tool versions.
Observed result	PASS, FAIL, BLOCKED or FLAKY exactly as D21 defines. Missing execution is NOT_EXECUTED, not PASS.
Source and trace	Source requirement anchors and applicable MX22/REQ22/REL22 chain, plus upstream visual/API/data/operational acceptance IDs.
Artifacts	Appropriate HTTP/DB/UI/A11Y/QUEUE/REDIS/SEARCH/SITEMAP/MEDIA/AUDIT/METRIC/TRACE/BACKUP/RESTORE/DEFECT evidence.
Defect and change linkage	Defect references for failed/flaky behavior; CHG22/GAP22 for source drift or missing links; retest and neighbor coverage.
Privacy and freshness	No secrets or unnecessary private content; stale candidate/environment/fixture evidence is invalidated rather than reused by appearance.

Authority: D21 sections 7-8 and Appendix C; D22 sections 4,13-17.

D22 implementation status is NOT_VERIFIED until accepted EV22 evidence establishes the linked requirement for the identified candidate. SPEC_MAPPED means a source-to-implementation plan is mapped; it does not prove code exists. VERIFIED does not waive unexecuted QA. N/A needs an authority reason; it is not a convenient way to remove a difficult test.

Authority: D22 section 4, pp.3-4; section 14.

15.4 Operational acceptance quick reference

The table is a navigation aid to D20, not a replacement measurement model. Preserve its percentile definitions, workload composition, measurement windows, failure budgets and recovery conditions when testing.

Measure	Source target	Controlling reference
Warm public read latency	p95 <=200 ms; p99 <=500 ms	D20 performance quick reference, p.27
Uncached public read	p95 <=600 ms; p99 <=1.2 s	D20 p.27

Measure	Source target	Controlling reference
Public search	p95 <=800 ms; p99 <=1.5 s	D20 p.27
Admin read / durable write	Read p95 <=700 ms, p99 <=1.5 s; write p95 <=1 s, p99 <=2 s	D20 p.27
Reference traffic	300 RPS sustained 30 minutes; 600 RPS burst 5 minutes; preserve full source profile	D20 load/performance sections
PostgreSQL recovery	RPO <=5 minutes; RTO <=60 minutes	D20 DR20-01
Private media originals	RPO <=15 minutes; RTO <=2 hours	D20 DR20-02
Production backup preflight	Base backup age <=24 hours; WAL lag <=5 minutes	D24 RC3 production preflight; D20 PITR
Restore-drill currency	Quarterly PITR drill and six-monthly full DR drill, with source-defined scope	D20 restore-drill requirements

Authority: D20 sections 4-5,25-33 and Appendices A/C; D24 RC3 sections 28,35. A quick-reference row does not authorize a reduced load or recovery suite.

16. Definition of Done

Done is decided at a specific scope and immutable baseline. This section assembles existing closure conditions; it does not invent new product requirements or dilute any upstream gate. Documentation completion, design approval, implementation verification and production release are separate decisions.

16.1 Requirement / implementation work item

Closure dimension	Definition of Done	Authority
Source and scope	The owning authority/version and stable requirement are identified; the feature already exists; SITE/GLOBAL and target ownership are explicit.	D01-D04; D22 intake
Contract and placement	Code lives in the D23 app/package boundary and consumes the exact D08/D13/D15 contracts. No unauthorized schema/API/permission/page/state is introduced.	D08; D13-D15; D23
Failure and concurrency	Applicable validation, authorization, loading/error/empty states, optimistic concurrency, idempotency and stale-context handling match the owning sources.	D07; D10-D11; D15; D18-D19
Trace and evidence	MX22/REQ22 edges point to actual candidate code/config and appropriate EV22 proof. Missing or stale evidence remains visible.	D22
Tests and review	Applicable QA21 instances and upstream assertions PASS, with failure-neighbor retests and source/discipline review where required.	D21; D22
No hidden downstream drift	Companions and generated artifacts reproduce; dependent documents/clients/tests/designs are updated through controlled change when needed.	D22; D23-D24

16.2 Public-site implementation

Required closure	Proof required
Fourteen-page contract coverage	Every required D05 Page ID has the correct D09 route/outcome, D11 state behavior, D12 semantics and D13 projection. Header/Footer and critical states are not omitted.
Site-specific fidelity	Owning D26 identity and approved D27 design/asset/font references implemented locally; no recolored shared-template substitute or unapproved PH asset masquerading as final.
Responsive/accessibility parity	Required D/T/M and boundary-width/zoom/reflow behavior; keyboard/focus/forms/headings/media/table/error checks; semantic array order unchanged.
Isolation	No cross-site or Admin-public presentation imports; no wrong-site content/assets/cache/state. Trusted Host and no client-side all-site filtering.
Private and system outcomes	Preview is private/noindex/no-store; 404 and 410 preserve exact routing/non-disclosure behavior; no invented canonical route from design board filenames.
Independent delivery	One-site edit/build/test/deploy succeeds under affected dependency rules; common contracts still trigger all dependent checks when they change.
Evidence	Site/Page/viewport results bind approved design hashes and candidate commit; all applicable QA21 and AC27 evidence is attached.

Authority: D05; D09; D11-D14; D21; D23; D26-D27.

16.3 Shared platform and Central Admin

The shared platform is done only when the 161-capability baseline, 69 permission registry, 36 operational Admin page flows, canonical data/HTTP contracts and all relevant security/worker/media/SEO/operational effects are implemented with traceability and accepted candidate evidence. Conditional capabilities are evaluated under their owning frontend/support conditions, not silently made universal or omitted without an authority reason.

The Admin uses D25 RC2 as its separate visual authority. Its selector changes working context only. Server authorization is repeated on every protected action; GLOBAL context never makes all SITE data public or editable. Non-module authentication/access surfaces implement the D15/D19 security contracts without changing the operational page inventory.

Authority: D02-D03; D06-D10; D15-D25.

16.4 Release candidate and production promotion

A release candidate is done when all applicable G21-0..7 gates and parameter matrices PASS, every required evidence record is current, no unresolved release-blocking conflict/defect remains, all relevant AC23/AC24/AC26/AC27 and upstream assertions are satisfied, and the release manifest binds the exact tested inputs. A green application build alone is insufficient.

Production promotion additionally requires the D24 protected approval, environment/configuration/secret validation, compatible migration plan, current backup/PITR and recovery evidence, prescribed rollout checks and rollback readiness. Promotion uses the already tested immutable digest; no rebuild or undocumented schema/config change is hidden in the promotion step.

Authority: D21 section 25; D22 release trace gates; D24 sections 22,28-37.

16.5 Documentation and final handoff

The final frozen handoff is done when DOC-01..27 are reviewed and explicitly frozen at their recorded byte identities; document-control discrepancies and controlling version lineage are reconciled; original required

companions are present and validated; D27 asset/font/differentiation approvals are closed; all references and registers agree; the owner accepts DOC-00; and the signed source manifest is retained. That documentation decision is still not a claim that production has been built.

At this issue, the handoff content and indexing are delivered for review, while final source approval and implementation evidence remain distinct open gates. Updating the issue label alone cannot close them.

Authority: D01 section 23; D22 FZ22-19/20 and AC22-049; D27 pp.266-268.

17. Change control and conflict resolution

The decision-owning source is revised before dependent implementation meaning changes. DOC-00 records the selected baseline and directs readers to the owner; it is never a loophole for changing product behavior in a summary or overriding a specialist contract because a later file has a larger document number.

D22 class	Meaning	Examples	Required owner routing
CHG22-A	Semantic / product	Feature, Page, lifecycle or permission meaning.	Reopen the relevant D01-D07 authority; propagate to all downstream contracts, tests and designs.
CHG22-B	Persistence / route / data contract	Database schema, route identity or public data projection.	Reopen D08, D09 or D13 as applicable; assess migration, API, client, SEO and QA impact.
CHG22-C	HTTP / security / derived systems	Transport, security mechanics, media, search, workers or caches.	Reopen the owning D15-D19 authority and related semantic dependencies; no framework-default override.
CHG22-D	Performance / operations	Latency/load/recovery/observability thresholds or related operational contract.	Reopen D20 and dependent QA/deployment references; no silent relaxation to make a test pass.
CHG22-E	QA-only clarification	Fixture, observation or test clarity without changing required behavior.	Revise D21 linkage/evidence as needed; expected product behavior cannot be changed under this class.
CHG22-F	Implementation-only	Code correction or internal refactor preserving all approved contracts.	Retain source meaning; update affected code/evidence and run directly affected, neighbor and mandatory regression gates.

Authority: D22 section 16. These are the existing CHG22 categories, not new product change states.

17.1 Deterministic propagation procedure

Stage	Action	Completion / stop rule
Identify	Capture the two exact clauses or changed requirement, versions and artifact hashes; identify the actual decision owner.	A vague statement that the PDF is unclear is not enough to change code behavior.
Classify	Record the applicable CHG22 class and GAP22 conflict/drift/evidence type; map the current MX22/REQ22 edges.	Any semantic discrepancy remains blocking until the owning decision is resolved.
Expand impact	Follow REL22 dependencies through APIs, persistence, workers/derived effects, public/Admin flows, UI, QA and deployment.	Include all affected sites/packages; no assumption that a local edit is semantically local.
Invalidate	Mark affected implementation/test evidence stale for the changed baseline. Preserve its historical candidate identity.	Do not reuse prior PASS as proof of a new contract or untested artifact.

Stage	Action	Completion / stop rule
Approve source	Obtain owner review of the controlling source revision and required specialist reviews. Preserve stable IDs; retire rather than recycle.	DOC-00, an ADR, a mockup or code cannot grant approval outside its authority.
Regenerate	Update canonical companions, derived clients, matrix links, source register and downstream references.	Detect zero unintended drift; preserve prior files/manifests for audit.
Retest	Execute directly affected and failure-neighbor suites plus repository-wide gates and release requirements.	Fail/blocked/flaky required results remain release-blocking.
Reissue	Record new source/hash/approval lineage, update DOC-00 and immutable release evidence, archive superseded issues.	Do not overwrite old approved bytes under an unchanged claimed identity.

Authority: D22 sections 15-19; D23 version/upgrade policy; D24 evidence and promotion rules.

17.2 Practical owner-routing examples

Proposed change	First controlling owner	Downstream impact to review
Move Article URL out of /article/{slug}	D09; D05/D01 if page/scope changes	D11-D16, redirects/history, clients, SEO, QA21, all applicable site adapters and D27.
Add a new public response property	D13; semantic owner if a new capability	D15 YAML, generated types/clients, backend projection, public components, QA and visual data dependencies.
Add database column or relax RLS	D08 plus D04 for isolation meaning	Migrations, repository access, authorization, OpenAPI/projection when affected, QA21, D24 safety.
Alter a site palette/font identity	D26	D27 design/asset approvals and goldens, local source, accessibility/visual QA. No shared runtime theme shortcut.
Change mockup spacing inside identity	D27 within D26/D12/D13 boundaries	Site-local source and captures; no product/API/semantic-order change.
Change Admin button authorization	D02 and the owning capability/flow	D03/D10, D15/D19, D25 presentation and direct-invocation permission tests.
Upgrade framework/queue major line	D23, then D24 implementation wiring	Compatibility against unchanged D08/D15/D18/D19/D20 semantics and complete affected QA.
A generated client disagrees with YAML	D15 is the transport owner	Fix generator/implementation drift or reopen D15 intentionally; never promote generated code to authority.

Authority: Authority partitions in D09/D13/D15/D23/D26/D27; D22 change propagation.

17.3 Approval records and exceptions

Record change ID, rationale, exact old/new sources, affected stable IDs, compatibility/migration/rollback impact, reviewers, decision, UTC approval time and resulting source/companion hashes. Store the record with the source register and link it from the associated CHG22/evidence records. These are governance records, not new business database structures.

No emergency label, deadline, infrastructure convenience or aesthetic preference waives tenant isolation, authorization, canonical-data integrity or an unresolved release-blocking QA failure. A genuine intended policy change must be approved in its owning authority and tested as a new baseline before it can replace the old one.

Authority: D01 controlled change; D21 release principle; D22 conflict/evidence model; D24 stop/rollback rules.

18. Reconciliation and open handoff gates

This register distinguishes already documented reconciliations from issues that still need artifact, approval or implementation evidence. It is not a claim that every clause across 27 documents has received a new independent semantic audit in this assembly. Source inspection and cross-references were used to compile this handoff; final byte-specific freeze acceptance remains the owner gate.

Handoff item	Finding	Owner / closure requirement
H00-GAP-01 APPROVAL EVIDENCE	DOC-01..27 have project freeze designations in later sources, while accessible source covers retain review-candidate labels and no final signed byte-specific register is attached.	Project owner / document controller Record approval decision for each selected version/hash and reissue final source-control metadata. Creation of DOC-00 does not itself approve those sources.
H00-GAP-02 VERSION LINEAGE	D03 RC2 is available and recorded in the continuation baseline; multiple later-uploaded RC1 copies and early-chain all-RC1 references also exist.	D03 owner / document controller Confirm selected RC2 lineage and exact approved bytes against existing approvals; do not silently equate upload timestamp with semantic revision.
H00-GAP-03 COVER METADATA	D24 file/header identifies RC3 but cover Version cell says RC2. Substantive RC3 runtime/preflight corrections are preserved here.	D24 owner Correct cover/control metadata under controlled reissue or an approved byte-linked erratum; keep prior source hash in history.
H00-GAP-04 COVER METADATA	D25 file/header identifies RC2 but cover Version cell says RC1. Current Admin visual baseline remains the navy/gold/ivory/cream RC2 artifact.	D25 owner Reconcile cover version and approval record; do not revert the substantive RC2 visual decisions.
H00-GAP-05 ORIGINAL COMPANION BYTES	Canonical D15 RC7 YAML not locally available in this assembly. Its filename and expected checksum are supported by D15.	API contract owner Bind the original YAML and validate its expected digest/registry. No guessed reconstruction is an acceptable replacement.
H00-GAP-06 SOURCE PACKAGING	D01..07 contents are accessible via File Library; original binary hashes cannot be recomputed from extracted search content.	Document controller Bind original approved files and record their byte sizes/hashes in final manifest. The semantic sources are not described as wholly inaccessible.
H00-GAP-07 DESIGN PACKAGE REVALIDATION	D27 PDF is local and hashed; the previously delivered editable ZIP/manifest is referenced but not locally reverified.	Design handoff owner Verify original ZIP against prior-delivery checksum, inspect its manifest and retain editable assets/frames with the final handoff.
H00-GAP-08 DESIGN / ASSET APPROVAL	D27 explicitly retains open primary-font/final-art, 91-pair differentiation and formal design-owner approvals.	Design owner / editorial asset reviewers Close FZ27-08/09/12 with exact approved fonts/assets/designs and regenerated accepted goldens. Do not relabel PH or fallback plates as final approval.
H00-GAP-09 IMPLEMENTATIO N ARTIFACTS	No application repository commit, SQL execution bundle, deployed environment or runtime QA evidence is certified by this assembly.	Engineering / QA / operations owners Provide candidate-specific code/config/build/QA/recovery evidence. Keep NOT_VERIFIED / EVIDENCE_REQUIRED and NOT_EXECUTED until satisfied.
H00-GAP-10 FINAL CROSS-DOCUMENT SIGNOFF	A final owner-approved consistency decision for the selected 01..27 byte set is not attached.	Project owner and discipline reviewers Review controlling versions, scope/count guards and companion parity; resolve all genuine conflicts, then approve the final master baseline.

Authority: Source covers D03/D24/D25/D26; D15 p.15; D22 explicit freeze and evidence rules; D27 pp.266-268; direct artifact inventory in Appendix A.

18.1 Reconciliations that must not be reopened by mistake

Historical issue	Current documented disposition
Old Astro/Fastify/Kysely/BullMQ implementation stack	D23 RC2 supersedes the implementation choices, while preserving upstream semantics. The current public/API/Worker baseline is Next.js / Python FastAPI / Python Celery.
D24 RC1 deployment-runtime mismatch	Already synchronized with D23 RC2 in the later D24 revision; current input is RC3. Do not claim the old RC1 runtime mismatch is still the current blocker.
Backup alert versus release-preflight age	D24 RC3 preserves a <=24-hour production release gate. A 26-hour alert does not replace that gate.
D19 RC1 missing authentication HTTP homes	D15 RC7 owns the 11 API15-AUTH operations; D19 RC2 records the GAP19-API-01 reconciliation. HTTP remains D15; security mechanics remain D19.
Extra global-system context naming	D18 RC2 uses the frozen CTX-GLOBAL name for explicit global enumeration and CTX-WORKER-SITE for tenant execution. No sixth context class is introduced.
Apka Nakshatra domain spelling	The frozen registry controls apkanakshatra.com. An incidental spelling apnakshatra.com does not become an alias or replacement.
Twenty-eight-document plan	DOC-00 plus DOC-01..27 is the complete planned authority set. DOC-00 is created last and read first; no DOC-28 is added.

Authority: D23 RC2 revision rules; D24 RC3 reconciliation; D19 section 1.4; D18 section 33; D09/D26 site registry; D01 document plan.

19. Deterministic handoff acceptance checklist

H00 identifiers below are DOC-00 handoff-control checklist labels only. They do not extend the product capability registry, QA21 expected behavior, permissions, API, database or public Page IDs. They verify that the final handoff faithfully points to the existing authorities.

H00 ID / subject	Deterministic acceptance condition	Reference
H00-ACC-001 Document set	Exactly DOC-01..27 plus DOC-00 appear once in the current register; superseded copies are identified separately.	Section 3; Appendix A
H00-ACC-002 Version pinning	Each source has an unambiguous selected version, original filename, provenance and correct current control metadata.	Section 3; H00-GAP-02/03/04
H00-ACC-003 Original bytes	Every final distributed source/companion has actual byte size and recomputed SHA-256; expected-only hashes are never represented as recomputed.	Appendix A; companion manifest
H00-ACC-004 Freeze lineage	All 01..27 owner approvals bind exact versions/hashes, and the final DOC-00 issue is explicitly approved.	Section 20 approval ledger
H00-ACC-005 Authority partition	Every subject resolves to its owning source; DOC-00 has no unapproved semantic override.	Section 2 authority matrix
H00-ACC-006 Architecture invariants	14 initial isolated public apps plus one Admin/API/Worker; one shared canonical foundation; no cross-site presentation imports.	Sections 4-5,8; D01/D14/D23
H00-ACC-007 Identity and counts	All canonical site/domain/Page/module/capability/permission/data/API/job counts match their exact owners.	Section 4; Appendices B/C

H00 ID / subject	Deterministic acceptance condition	Reference
H00-ACC-008 Stable references	Existing IDs retain meaning; fully qualified document/version is present where prefixes are ambiguous.	Section 7; D22
H00-ACC-009 Reading order	Mandatory common path and discipline-specific dependencies are explicit, with no claim that reading order changes authority.	Section 6
H00-ACC-010 API companion	Original RC7 YAML is bound and passes PDF/YAML/runtime/client parity; no code-first substitute.	Section 10; D15/D24
H00-ACC-011 Database companions	Migrations/seeds/RLS/verification and ERD references are present; originals versus derived exports are distinguishable.	Section 9; D08
H00-ACC-012 Design companions	D27 editable package and exact approval/font/asset/golden references travel with the PDF; placeholders remain labelled.	Sections 11-12; D26/D27
H00-ACC-013 Repository binding	Approved repository URL/commit, two lockfiles and app/package boundaries are recorded without exposing credentials.	Sections 8,14; D23
H00-ACC-014 Environment binding	Four promotion tiers and QA environment classes are distinguished; approved protected operational references are bound.	Section 13; D21/D24
H00-ACC-015 Onboarding	Reproducible source-prescribed setup and first-slice steps point to actual provisioned companions; no unexecuted command is reported as run.	Section 14
H00-ACC-016 Evidence truth	SPEC_MAPPED/NOT_VERIFIED/NOT_EXECUTED remain distinct from VERIFIED/PASS, with immutable candidate proof for promotions.	Section 15; D22
H00-ACC-017 Release gates	All applicable QA21 instances and upstream gates are retained, including 182 directed pairs and required current recovery proof.	Sections 15-16; D21/D24
H00-ACC-018 Done by scope	Work-item, site, platform, release and final documentation closure criteria are separate and cannot waive one another.	Section 16
H00-ACC-019 Change propagation	CHG22 classification, owner approval, stale-evidence invalidation, downstream regeneration/retest and baseline reissue are retained.	Section 17; D22
H00-ACC-020 Conflict visibility	All unresolved source/version/approval/companion gaps have owner, exact finding, closure evidence and a final-issue disposition.	Section 18
H00-ACC-021 Navigation and readability	PDF opens unencrypted; table rows and source locators are readable; linked section navigation and page controls are correct.	DOC-00 artifact QA
H00-ACC-022 Package safety	No credentials, private runtime data or font binaries are distributed; companion package contents match its manifest.	DOC-00 package check; D19
H00-ACC-023 No implementation overclaim	Document completion does not assert a working frontend/backend/deployment or passing production QA.	Document control and all evidence registers
H00-ACC-024 Final disposition	All final-freeze prerequisites are met before the issue is represented as the final frozen handoff. A review candidate is never self-promoted.	Section 20

Authority: DOC-00 handoff assembly of D01, D21, D22, D23, D24 and D27 requirements. These checks are not new executable product QA IDs.

20. Final freeze-readiness and approval record

This is the final documentation authority in the planned sequence, issued after DOC-27 delivery. A final frozen issue is permitted only after the source-set review/freeze prerequisite is actually met. The present issue leaves the remaining approvals visible instead of interpreting a request to create DOC-00 as an unrecorded signoff on every upstream byte.

Freeze item	Required condition	This issue disposition
FZ00-01	All 27 selected upstream documents have explicit, exact-version/hash freeze approval.	Approval evidence pending; project baseline designation retained.
FZ00-02	D03 selected revision and stale D24/D25 cover metadata are reconciled.	Open document-control closure.
FZ00-03	Every final source file and required original companion is packaged, hashed and parity-checked.	Partially bound; see Appendix A and section 11.
FZ00-04	D26/D27 identity, responsive design and all required final asset/font/differentiation approvals are recorded.	Open FZ27-08/09/12 and resulting approved-golden evidence.
FZ00-05	Final cross-document consistency review has no unresolved controlling conflict.	Owner/discipline final signoff pending; source findings indexed.
FZ00-06	Reading order, ownership, glossary, stable IDs, repo/API/ERD/design/QA references and change control are complete.	Provided in this DOC-00 review candidate; subject to review acceptance.
FZ00-07	The final baseline register, companion manifest and signed approval ledger agree with distributed bytes.	Final manifest completion and signatures pending.
FZ00-08	DOC-00 PDF/navigation/package QA is completed without clipping, inaccessible table text or inconsistent control fields.	Artifact-production check recorded in the accompanying delivery manifest.
FZ00-09	Implementation and runtime-QA status remains evidence-based and independent of documentation freeze.	NOT_VERIFIED / EVIDENCE_REQUIRED; NOT_EXECUTED absent candidate evidence.
FZ00-10	Project owner explicitly approves this final DOC-00 issue after the preceding documentation gates close.	No approval identity/date/signature fabricated.

Authority: D01 section 23; D22 AC22-049 and FZ22-19/20; D27 pp.267-268; user-defined DOC-00 creation order.

20.1 Approval ledger fields

Approval record field	Required value / rule
Authority / artifact	Exact BLOG-DOC number or original companion logical ID.
Version / digest	Selected version and recomputed artifact SHA-256; never just a mutable filename.
Decision	Approve/freeze, reject, supersede or return for revision; any scope restriction must be explicit and cannot waive upstream release failure rules.
Approver and role	Actual project owner or authorized specialist reviewer; no invented names or signatures.
Timestamp and evidence	UTC decision time plus durable decision reference and reviewed issue identity.

Approval record field	Required value / rule
Dependencies	Controlling source-set version/hash manifest, related CHG22 record and affected downstream approvals.
Final master issue	Approved DOC-00 version/hash and final baseline identifier; all previous issues retained as historical evidence.

A blank or null approval field means evidence is not supplied; it does not mean implicit acceptance. The editable records in the handoff-support package preserve that distinction and are ready for the project owner/document controller to complete through the existing governance process.

Authority: D22 explicit approval/evidence rule; D24 immutable identity; DOC-00 handoff record structure.

20.2 Final developer rule

READ FIRST. FOLLOW THE OWNER. PROVE THE RESULT.

Use the pinned source register to find the controlling contract. Do not solve contradictions with framework defaults, copied UI, new endpoints or weakened isolation. Record the owner decision, propagate change, and attach immutable candidate evidence. A complete design or handoff PDF is never a substitute for a verified implementation.

Appendix A. Exact source and byte-identity register

The following entries identify the source copies used for this assembly. The upload-copy suffix is preserved in the filename; it is not a revision. PDF page count, byte size and SHA-256 are recomputed only where original bytes are mounted. Library-only entries retain their actual content/source provenance without inventing a binary digest. The support package contains the same records in source-register.json.

A.01 BLOG-DOC-01 / v1.0-RC1

Product Definition, Scope & Platform Boundaries. File Library content accessed; original binary not mounted for checksum computation.

`BLOG-DOC-01_Product_Definition_Scope_v1.0-RC1.pdf`
Page count / byte size / SHA-256: NOT RECOMPUTED FROM ORIGINAL BYTES.

Authority: D01 pp.1,3,18 File Library source copy; exact original file bytes and approval are final-manifest inputs.

A.02 BLOG-DOC-02 / v1.0-RC1

Users, Roles, Permissions & Authorization Specification. File Library content accessed; original binary not mounted for checksum computation.

`BLOG-DOC-02_Users_Roles_Permissions_Authorization_v1.0-RC1.pdf`
Page count / byte size / SHA-256: NOT RECOMPUTED FROM ORIGINAL BYTES.

Authority: D02 p.1 and permission/authorization registries File Library source copy; exact original file bytes and approval are final-manifest inputs.

A.03 BLOG-DOC-03 / v1.0-RC2

Complete Feature Catalog & Functional Scope. File Library content accessed; original binary not mounted for checksum computation.

`BLOG-DOC-03_Complete_Feature_Catalog_Functional_Scope_v1.0-RC2.pdf`
Page count / byte size / SHA-256: NOT RECOMPUTED FROM ORIGINAL BYTES.

Authority: D03 p.1, section 27 File Library source copy; exact original file bytes and approval are final-manifest inputs.

A.04 BLOG-DOC-04 / v1.0-RC1

Site / Tenant Scoping & Multi-Site Isolation Specification. File Library content accessed; original binary not mounted for checksum computation.

`BLOG-DOC-04_Site_Tenant_Scoping_Multi_Site_Isolation_v1.0-RC1 .pdf`
Page count / byte size / SHA-256: NOT RECOMPUTED FROM ORIGINAL BYTES.

Authority: D04 pp.1-3, section 29 File Library source copy; exact original file bytes and approval are final-manifest inputs.

A.05 BLOG-DOC-05 / v1.0-RC1

Public Information Architecture, Sitemap & Page Inventory Specification. File Library content accessed; original binary not mounted for checksum computation.

`BLOG-DOC-05_Public_Information_Architecture_Sitemap_Page_Inventory_v1.0-RC1.pdf`
Page count / byte size / SHA-256: NOT RECOMPUTED FROM ORIGINAL BYTES.

Authority: D05 p.1, Appendix A/C File Library source copy; exact original file bytes and approval are final-manifest inputs.

A.06 BLOG-DOC-06 / v1.0-RC1

Central Admin Information Architecture & Page Inventory Specification. File Library content accessed; original binary not mounted for checksum computation.

`BLOG-DOC-06_Central_Admin_Information_Architecture_Page_Inventory_v1.0-RC1.pdf`
Page count / byte size / SHA-256: NOT RECOMPUTED FROM ORIGINAL BYTES.

Authority: D06 p.1, page inventory File Library source copy; exact original file bytes and approval are final-manifest inputs.

A.07 BLOG-DOC-07 / v1.0-RC1

Content Model, Article Blocks & Publishing Workflow Specification. File Library content accessed; original binary not mounted for checksum computation.

`BLOG-DOC-07_Content_Model_Article_Blocks_Publishing_Workflow_v1.0-RC1 .pdf`
Page count / byte size / SHA-256: NOT RECOMPUTED FROM ORIGINAL BYTES.

Authority: D07 p.1, Appendix A/B File Library source copy; exact original file bytes and approval are final-manifest inputs.

A.08 BLOG-DOC-08 / v1.0-RC1

Complete PostgreSQL Data Model, Schema, Relationships, Constraints, RLS & Seed Specification. Original PDF bytes inspected; 60 pages; 2,662,435 bytes.

`BLOG-DOC-08_Complete_PostgreSQL_Data_Model_Schema_Relationships_Constraints_RLS_Seed_v1.0-RC1(1).pdf`
`SHA-256: e32e1a68bfedefe053a983b93842ad56866a59b3b55bca315a8129a04660051a`
Authority: D08 sections 4,16-25; Appendices A-E

A.09 BLOG-DOC-09 / v1.0-RC1

Domain, URL, Slug, Routing & Site Resolution Architecture. Original PDF bytes inspected; 26 pages; 983,837 bytes.

`BLOG-DOC-09_Domain_URL_Slug_Routing_Site_Resolution_Architecture_v1.0-RC1(2).pdf`
`SHA-256: 88ce8f5bc5633c19a1714ba31800ef30126a0078e9d5092a7ed780f634f163ca`
Authority: D09 sections 3-23; Appendices A-E

A.10 BLOG-DOC-10 / v1.0-RC1

Complete Central Admin Page-by-Page Flow & State Specification. Original PDF bytes inspected; 135 pages; 4,093,532 bytes.

`BLOG-DOC-10_Complete_Central_Admin_Page_by_Page_Flow_State_Specification_v1.0-RC1(1).pdf`
`SHA-256: 2a6f1e888a9551a7e453db22d4cc30aaa30db01922ed72b5e9991beac15c9c90`
Authority: D10 pp.4-5; sections 13-53

A.11 BLOG-DOC-11 / v1.0-RC1

Complete Public Page-by-Page Flow & State Specification. Original PDF bytes inspected; 57 pages; 1,526,185 bytes.

`BLOG-DOC-11_Complete_Public_Page_by_Page_Flow_State_Specification_v1.0-RC1(2).pdf`
`SHA-256: 38898f36a074e1d6591dd5eade47f94c161b41f1b91fe28507fb11543d127c63`
Authority: D11 sections 3-29

A.12 BLOG-DOC-12 / v1.0-RC1

Public Page Structure, Section, Card & Component Contract. Original PDF bytes inspected; 45 pages; 1,657,810 bytes.

`BLOG-DOC-12_Public_Page_Structure_Section_Card_Component_Contract_v1.0-RC1(2).pdf`
`SHA-256: cfa31d6e534d031ae37379fac8586f86454af3f9ee57fb54b635846a87c3305a`
Authority: D12 sections 11-25; Appendices A-D

A.13 BLOG-DOC-13 / v1.0-RC1

Public Content/Data & Page-Type Contract. Original PDF bytes inspected; 34 pages; 1,515,841 bytes.

`BLOG-DOC-13_Public_Content_Data_Page_Type_Contract_v1.0-RC1(2).pdf`
`SHA-256: 21282f75f3c38b2ccdde828205111473369f71ea8fa712a555f1fe6c8a4dda3e`
Authority: D13 sections 3-31; Appendices A-D

A.14 BLOG-DOC-14 / v1.0-RC1

14-Site Frontend Application & Integration Architecture. Original PDF bytes inspected; 21 pages; 670,346 bytes.

`BLOG-DOC-14_14-Site_Frontend_Application_Integration_Architecture_v1.0-RC1(4).pdf`
`SHA-256: 7a7edda0f4842488265314c179e30a56b524c7e511a17b2703ce4f29c326d38c`
Authority: D14 sections 4-32; Appendices A-E

A.15 BLOG-DOC-15 / v1.0-RC7

Complete API Contract & HTTP Specification. Original PDF bytes inspected; 28 pages; 149,580 bytes.

`BLOG-DOC-15_Complete_API_Contract_Specification_v1.0-RC7(1).pdf`
`SHA-256: cf9c08662ed3b98be783d26bea7cf616ca8357833fbe28a8c281328a1ad07ae6`
Authority: D15 section 30 and Appendices A-E; canonical YAML

A.16 BLOG-DOC-16 / v1.0-RC4

SEO, Search, XML Sitemap, Canonical & Redirect Specification. Original PDF bytes inspected; 28 pages; 844,396 bytes.

`BLOG-DOC-16_SEO_Search_XML_Sitemap_Canonical_Redirect_Specification_v1.0-RC4(2).pdf`
`SHA-256: a4117f22c1581d1c149812f8cfc32f013959db5d8ca343a0dc9158178335a3cf`
Authority: D16 sections 5-32; Appendices B-F

A.17 BLOG-DOC-17 / v1.0-RC2

Media, Object Storage, Image Processing & CDN Specification. Original PDF bytes inspected; 29 pages; 913,342 bytes.

`BLOG-DOC-17_Media_Object_Storage_Image_Processing_CDN_Specification_v1.0-RC2(1).pdf`
`SHA-256: 61a6c9414512bd085b7e9a148fce44d39401e022ad54ee1e5be350ef2047c8f3`
Authority: D17 sections 6-29; Appendices A-E

A.18 BLOG-DOC-18 / v1.0-RC2

Workers, Scheduling, Queue, Redis Cache & Background Processing Specification. Original PDF bytes inspected; 37 pages; 824,398 bytes.

`BLOG-DOC-18_Workers_Scheduling_Queue_Redis_Cache_Background_Processing_Specification_v1.0-RC2(1).pdf`
`SHA-256: 2a4daf7c4510f4fc5550cfbac39a67fcf09ad03fb4296196069f0d73a89a0867`
Authority: D18 sections 5-29; Appendices A-F

A.19 BLOG-DOC-19 / v1.0-RC2

Security, Authentication, Sessions, Audit, Privacy, Secrets & Recovery Specification. Original PDF bytes inspected; 36 pages; 863,315 bytes.

`BLOG-DOC-19_Security_Authentication_Sessions_Audit_Privacy_Secrets_Recovery_v1.0-RC2(1).pdf`
`SHA-256: 57dc07984f083af4c34c732779145568d1cfc6fdd1e0c5b9cb74e060d92c9fab`
Authority: D19 sections 4-30; Appendices A-E

A.20 BLOG-DOC-20 / v1.0-RC1

Performance, Scale, Concurrency, Backup, Disaster Recovery & Observability. Original PDF bytes inspected; 29 pages; 815,609 bytes.

`BLOG-DOC-20_Performance_Scale_Concurrency_Backup_DR_Observability_v1.0-RC1(1).pdf`
`SHA-256: aa5e55ed9af7a4eecd8bd0c3ace2b84259a62e6c3c72bea8b2316b2fa91430c3`
Authority: D20 sections 4-35; Appendices A-D

A.21 BLOG-DOC-21 / v1.0-RC1

QA, Multi-Site Isolation, Concurrency & Acceptance Test Specification. Original PDF bytes inspected; 25 pages; 763,138 bytes.

`BLOG-DOC-21_QA_Multi-Site_Isolation_Concurrency_Acceptance_Test_Specification_v1.0-RC1(2).pdf`
`SHA-256: 56ea418e917292197e6abe03cdf4d603c90970e7dd0dd3b8f9e3dcdbd6074737`
Authority: D21 sections 4-25; Appendices A-D

A.22 BLOG-DOC-22 / v1.0-RC1

Master Traceability & Implementation Matrix. Original PDF bytes inspected; 35 pages; 1,352,860 bytes.

`BLOG-DOC-22_Master_Traceability_Implementation_Matrix_v1.0-RC1(1).pdf`
`SHA-256: 7a10f70a93b14a2271de38efe6f60b71b0d690aa7708dd2ad25c16fde51dd02f`
Authority: D22 sections 3-19; Appendices A-E

A.23 BLOG-DOC-23 / v1.0-RC2

Technical Architecture, Stack, Repository & Dependency Contract - Revised Technology Baseline. Original PDF bytes inspected; 27 pages; 849,709 bytes.

`BLOG-DOC-23_Technical_Architecture_Stack_Repository_Dependency_Contract_Revised_Technology_Baseline_v1.0-RC2(2).pdf`
`SHA-256: 86a389116a4546fba0e11596b640bff118737a078e35b660f9a07d8490f1fef6`
Authority: D23 sections 3-28; Appendices A-F

A.24 BLOG-DOC-24 / v1.0-RC3

Environment, Docker, CI/CD, Database Migration, Deployment, Release & Rollback Contract. Original PDF bytes inspected; 31 pages; 869,006 bytes.

`BLOG-DOC-24_Environment_Docker_CI-CD_Database_Migration_Deployment_Release_Rollback_Contract_v1.0-RC3(2).pdf`
`SHA-256: 5808253b5f5103e0824b84ea0def4cee9a6ecfe015e013d3ed4a158257ca0021`
Authority: D24 sections 3-37; Appendices A-F

A.25 BLOG-DOC-25 / v1.0-RC2

Central Admin Visual Design System & Component Authority. Original PDF bytes inspected; 33 pages; 961,659 bytes.

`BLOG-DOC-25_Central_Admin_Visual_Design_System_Component_Authority_v1.0-RC2(3).pdf`
`SHA-256: 8e446f7510c7bc0e1c7426d046d7a0e311c82bed2f56b752ffc9dec6ee18104d`
Authority: D25 sections 4-33; Appendices A-C

A.26 BLOG-DOC-26 / v1.0-RC1

14-Site Visual Identity, Design Token & Site-Local UI Authority. Original PDF bytes inspected; 61 pages; 1,664,614 bytes.

`BLOG-DOC-26_14-Site_Visual_Identity_Design_Token_Site-Local_UI_Authority_v1.0-RC1(3).pdf`
`SHA-256: 5f427e61da7d299371feda701d4dddcba56de33f619026d41e675e506c4a0a7c`
Authority: D26 site chapters, sections 22-30; Appendices A-C

A.27 BLOG-DOC-27 / v1.0-RC1

14-Site Responsive Wireframe, High-Fidelity Mockup & Frontend Acceptance Authority. Original PDF bytes inspected; 268 pages; 90,658,652 bytes.

`BLOG-DOC-27_14-Site_Responsive_Wireframe_High-Fidelity_Mockup_Frontend_Acceptance_Authority_v1.0-RC1.pdf`
`SHA-256: ac64b6f4300416ef49edd6e46a001ef94710d659a84305e6003f62373ef1d972`
Authority: D27 site chapters pp.15-252; pp.253-268

Checksums prove source-byte identity, not approval, correctness or implementation. A metadata correction changes the file hash and must be registered as a new approved issue or byte-linked erratum. The DOC-00 output hash is recorded outside this PDF in its delivery manifest, avoiding a self-referential checksum claim.

Appendix B. Public and Admin page navigation index

This appendix is a locator for existing page identities, not a new page inventory authority. Route patterns are from D09; exact page behavior is D11/D10; public data is D13; visuals are D25/D27. Logical data-root names below are readable contract names, not new HTTP endpoints.

B.1 Fourteen public Page IDs

Page ID	Canonical path / outcome	Data root / SEO class
PUB-HOME-01	/	HomePageData INDEX-ELIGIBLE
PUB-ARTICLE-01	/article/{post_slug}	ArticlePageData INDEX-ELIGIBLE
PUB-CATEGORY-01	/category/{category_slug}	CategoryPageData CONDITIONAL-INDEX
PUB-TAG-01	/tag/{tag_slug}	TagPageData CONDITIONAL-INDEX
PUB-AUTHOR-01	/author/{author_slug}	AuthorPageData CONDITIONAL-INDEX
PUB-SEARCH-01	/search	SearchPageData NOINDEX
PUB-STATIC-ABOUT-01	/about	StaticPageData / ABOUT INDEX-ELIGIBLE
PUB-STATIC-CONTACT-01	/contact	StaticPageData / CONTACT INDEX-ELIGIBLE
PUB-STATIC-PRIVACY-01	/privacy-policy	StaticPageData / PRIVACY INDEX-ELIGIBLE
PUB-STATIC-TERMS-01	/terms-of-use	StaticPageData / TERMS INDEX-ELIGIBLE
PUB-STATIC-DISCLAIMER-01	/disclaimer	StaticPageData / DISCLAIMER INDEX-ELIGIBLE
PUB-SYS-PREVIEW-01	/_preview/post/{post_id}	PreviewPageData NOINDEX / PRIVATE
PUB-SYS-404-01	Resolved 404 outcome; no new canonical direct route	NotFoundPageData NOINDEX
PUB-SYS-410-01	Resolved 410 outcome; no new canonical direct route	GonePageData NOINDEX

Every public site implements this same semantic estate through its own source. Loading/empty/error/no-results/unavailable are state outcomes, not new Page IDs. Header, Footer, mobile menu and block boards are component or design specimens. The Contact page remains the approved read-only information projection, not a new contact-submission feature.

Authority: D05 page registry; D09 Appendix B; D11 section 3; D13 Appendix B; D27 source-package distinction.

B.2 Twenty SITE operational Admin pages

Page ID	Operational page	Module
ADM-S-DASH-01	Selected-Site Dashboard	MOD-S-01
ADM-S-POST-01	Posts List	MOD-S-02
ADM-S-POST-02	Create Post	MOD-S-02
ADM-S-POST-03	Edit Post / Article Editor	MOD-S-02
ADM-S-POST-04	Post Revision History	MOD-S-02
ADM-S-CAT-01	Categories List	MOD-S-03
ADM-S-CAT-02	Category Editor	MOD-S-03
ADM-S-TAG-01	Tags List	MOD-S-04
ADM-S-TAG-02	Tag Editor	MOD-S-04
ADM-S-AUTHOR-01	Authors List	MOD-S-05
ADM-S-AUTHOR-02	Author Editor	MOD-S-05
ADM-S-MEDIA-01	Media Library	MOD-S-06
ADM-S-MEDIA-02	Media Detail	MOD-S-06
ADM-S-NAV-01	Navigation & Homepage Controls	MOD-S-07
ADM-S-SEO-01	SEO Management	MOD-S-08
ADM-S-REDIR-01	Redirects List	MOD-S-09
ADM-S-REDIR-02	Redirect Editor	MOD-S-09
ADM-S-SEARCH-01	Search & Indexing	MOD-S-10
ADM-S-CAL-01	Editorial Calendar	MOD-S-11
ADM-S-SET-01	Site Settings	MOD-S-12

All SITE pages require a validated Active Website context. Exact access permissions and composite field actions are D02/D10, not inferred from the page title. Page availability never grants action permission.

Authority: D06 canonical page registry; D10 section 3, p.4 and Appendix A.

B.3 Sixteen GLOBAL operational Admin pages

Page ID	Operational page	Module
ADM-G-NET-01	Network Dashboard	MOD-G-01
ADM-G-NET-02	Global All Posts	MOD-G-01
ADM-G-SITE-01	Sites Registry	MOD-G-02
ADM-G-SITE-02	Create Site	MOD-G-02
ADM-G-SITE-03	Site Detail / Lifecycle	MOD-G-02

Page ID	Operational page	Module
ADM-G-SITE-04	Domain Management	MOD-G-02
ADM-G-USER-01	Admin Users List	MOD-G-03
ADM-G-USER-02	Invite Admin	MOD-G-03
ADM-G-USER-03	Admin User Detail	MOD-G-03
ADM-G-ROLE-01	Roles List	MOD-G-04
ADM-G-ROLE-02	Create Role	MOD-G-04
ADM-G-ROLE-03	Role Detail / Edit	MOD-G-04
ADM-G-PERM-01	Permission Registry	MOD-G-07
ADM-G-AUDIT-01	Audit Log	MOD-G-05
ADM-G-AUDIT-02	Audit Detail	MOD-G-05
ADM-G-PLAT-01	Platform Settings	MOD-G-06

GLOBAL pages use explicit GLOBAL authority and their frozen target/row filtering rules. Selector presence in the shell does not turn them into SITE pages. A site-owned drilldown creates a newly validated site context; it never reuses the selector as authorization. The permission-registry module remains MOD-G-07, even though its page can appear before Audit in a reading list.

Authority: D06 canonical page registry; D10 section 3, pp.4-5 and GLOBAL flow chapters; D25 context projection.

Appendix C. Canonical table and content-type locators

This table is a name/ownership locator for D08 Appendix A. It does not reproduce keys, field definitions, RLS predicates or migrations. All those details remain D08. SITE means non-null site ownership and the prescribed FORCE-RLS protection, not permission for direct frontend database access.

D08 table ID	Canonical table	Ownership
DB-TBL-001	sites	GLOBAL / system
DB-TBL-002	domains	GLOBAL / system
DB-TBL-003	admin_accounts	GLOBAL / system
DB-TBL-004	permissions	GLOBAL / system
DB-TBL-005	permission_prerequisites	GLOBAL / system
DB-TBL-006	roles	GLOBAL / system
DB-TBL-007	role_permissions	GLOBAL / system
DB-TBL-008	account_site_assignments	GLOBAL / system
DB-TBL-009	account_site_role_assignments	GLOBAL / system
DB-TBL-010	account_global_role_assignments	GLOBAL / system
DB-TBL-011	categories	SITE / FORCE RLS
DB-TBL-012	tags	SITE / FORCE RLS
DB-TBL-013	media	SITE / FORCE RLS
DB-TBL-014	media_variants	SITE / FORCE RLS
DB-TBL-015	author_site_profiles	SITE / FORCE RLS
DB-TBL-016	posts	SITE / FORCE RLS
DB-TBL-017	post_categories	SITE / FORCE RLS
DB-TBL-018	post_tags	SITE / FORCE RLS
DB-TBL-019	post_related_posts	SITE / FORCE RLS
DB-TBL-020	post_revisions	SITE / FORCE RLS
DB-TBL-021	post_autosaves	SITE / FORCE RLS
DB-TBL-022	post_url_history	SITE / FORCE RLS
DB-TBL-023	media_usages	SITE / FORCE RLS
DB-TBL-024	navigation_menus	SITE / FORCE RLS
DB-TBL-025	navigation_items	SITE / FORCE RLS
DB-TBL-026	homepage_sections	SITE / FORCE RLS
DB-TBL-027	homepage_section_posts	SITE / FORCE RLS

D08 table ID	Canonical table	Ownership
DB-TBL-028	homepage_section_categories	SITE / FORCE RLS
DB-TBL-029	site_settings	SITE / FORCE RLS
DB-TBL-030	redirects	SITE / FORCE RLS
DB-TBL-031	platform_settings	GLOBAL / system
DB-TBL-032	audit_events	GLOBAL / system
DB-TBL-033	site_deletion_requests	GLOBAL / system

Authority: D08 Appendix A, pp.54-55. Exactly 33 tables: 20 SITE + 13 GLOBAL/system.

C.1 Frozen ArticleBody types

Block type	Locator summary
PARAGRAPH	RichText content; no author-controlled visual styling.
HEADING	H2/H3/H4 content hierarchy; Article title owns H1.
LIST	Approved list style and items; no arbitrary nested block tree.
QUOTE	Quote plus permitted attribution/source; no raw markup.
SEPARATOR	Semantic separator; frontend controls visual treatment.
MEDIA	Same-site media reference and permitted alt/caption overrides.
TABLE	Rectangular data; no formulas/scripts or nested arbitrary blocks.
EMBED	Approved provider and source; never raw iframe/HTML.
CALLOUT	Body and optional label; site-local styling.
CTA	Label, validated destination and optional support text; not executable component source.
DISCLAIMER	Body and optional label; not a new page or policy engine.
SOURCES_REFERENCES	Ordered source entries with approved URL/publisher/note fields.

Persisted Post lifecycle: DRAFT, SCHEDULED, PUBLISHED, ARCHIVED and TRASH. Preview is a private rendering authority, not a sixth state. An autosave is not a formal revision; restoring Trash does not silently republish. The exact transition and field authorization rules remain D07/D02.

Authority: D07 Appendix B and lifecycle sections; D12 article renderers; D13 twelve public block variants.

Appendix D. Project glossary

Terms are defined in the context of this platform. The owning document controls full semantics when a short glossary entry cannot express all conditions. No glossary term creates a new record, permission or API.

Term	Project meaning	Owner
Active Website	The Admin working-context selection. It does not grant permission or override assignment, lifecycle or object ownership.	D02/D04/D10
Admin / Central Admin	The single authenticated administrative application with SITE and GLOBAL operational workspaces.	D01/D06
APP ID	Stable public application identity corresponding to the canonical SITE key; not the source of runtime tenant authority.	D14/D23
Article / Post	A site-owned editorial aggregate. Post is the managed lifecycle entity; ordinary public Article content must be publicly eligible.	D07/D11
ArticleBody	Structured content limited to the twelve frozen block types; no raw/custom HTML escape.	D07/D13
Asset approval	A recorded decision on exact logo/font/image/icon bytes and use. A placeholder or generated specimen does not imply approval.	D26/D27
At-least-once delivery	Background execution may be retried or duplicated; effects remain idempotent and must revalidate current tenant/state.	D18
Authority	The document assigned to define a specific decision. Higher document number and newer upload time do not automatically override it.	D01/D22
Autosave	Private recoverable editorial work distinct from a durable formal revision or publication.	D07
Canonical domain	The single active canonical domain for a site; explicit aliases redirect under D09 and no www alias is assumed.	D08/D09
Canonical data	The authoritative persisted product state; caches, search, sitemaps and derivatives cannot redefine it.	D08/D18/D20
Capability	An approved functional action or effect in the 161-capability catalog; not necessarily its own page or permission.	D03
CHG22	Existing change-impact record/classification used to propagate a controlled requirement change.	D22
Conditional capability	A catalogued capability whose enablement depends on its frozen support/condition rules; not a universal feature switch invented in UI.	D03
Context source	The trusted resolution path used to construct SiteContext. Raw client/payload fields alone are not trusted authority.	D04
CTX-ADMIN-SITE	Trusted context for one authorized Admin site operation, after current account/scope/assignment checks.	D04
CTX-GLOBAL	Explicit privileged global context; never the fallback for absent site scope.	D04
CTX-PREVIEW-SITE	Private site-bound Preview authority, distinct from ordinary anonymous public access.	D04/D19

Term	Project meaning	Owner
CTX-PUBLIC-SITE	Trusted ordinary public context for exactly one ACTIVE site resolved from the effective Host.	D04/D09
CTX-WORKER-SITE	Trusted one-site worker execution context, revalidated against current site/target/state before effects.	D04/D18
Derived state	Search documents, caches, sitemaps and media derivatives that follow canonical source truth and source-owned recovery rules.	D16-D18/D20
DLQ	Dead-letter destination for terminal or exhausted job handling; replay is not a force/bypass of current authorization or state.	D18
EV22	Implementation evidence record tied to an immutable candidate; a source specification alone is not such evidence.	D22
Evidence class	QA observation environment/purpose such as UNIT, INT, E2E, LOAD or DR; different from promotion tier.	D21/D24
Expected version	Optimistic concurrency input checked against current durable Post version; mismatch must not overwrite newer work.	D07/D15
Explicit alias	An active registered domain mapping. Similar spelling, www or a design label does not create it.	D08/D09
Fail closed	Reject absent/invalid/unauthorized scope or dependencies rather than broaden access or disclose other-site data.	D04/D19
FORCE RLS	The prescribed PostgreSQL table protection applied to all 20 site-owned tables with runtime bypass prohibited.	D08
Formal revision	Durable approved content-history snapshot, separate from private autosave. Restore follows exact atomic field/permission/version rules.	D07
Freeze	Explicit approval of a controlled version/baseline. A review candidate, polished PDF or checksum does not self-promote.	D01/D22
G21 gate	One of the eight ordered release acceptance gates G21-0 through G21-7.	D21
GAP22	A source, implementation, QA, orphan, drift or evidence gap record with an explicit disposition.	D22
Generated contract	Types/client or framework output derived from the canonical contract; never a replacement source of truth.	D15/D23
Golden image	Approved fixed-input lossless reference capture with bound fonts/assets/environment. A JPEG atlas is not a final pixel golden.	D27
GLOBAL ownership	Platform/system ownership through explicit global paths; it does not make site-owned content shared.	D01/D04/D08
Home section	A supported predefined site-local Home section represented through existing contracts; not a general page-builder capability.	D03/D12/D13
Hybrid Monorepo	One controlled repository containing isolated apps, technical shared packages and both JS/TS and Python ecosystems.	D23
Idempotency	Contract-defined treatment of repeated operations/jobs so retries do not create ambiguous duplicate effects.	D15/D18

Term	Project meaning	Owner
Immutable artifact	Release content identified by digest and promoted without rebuilding or unrecorded mutation.	D24
Index eligibility	A page/content condition for discovery; Search/Preview/404/410 remain NOINDEX and archive types obey conditional rules.	D05/D16
Isolation wall	A source-defined enforcement boundary preserving tenant ownership across application, persistence and derived delivery systems.	D04
MX22	End-to-end requirement/execution-home trace chain; 36 Admin and 14 public homes in the current matrix.	D22
Noisy neighbor	One site/workload consuming shared capacity in a way that harms other sites; fairness controls never weaken isolation.	D20
NOT_EXECUTED	Required runtime QA has no execution evidence for the candidate. It cannot be treated as PASS.	D22
NOT_VERIFIED	Accepted implementation evidence is absent for a requirement/candidate. Specified or visually represented does not mean implemented.	D22
Page ID	Frozen public or operational Admin page-type identity, not every URL instance, component or visual state.	D05/D06
PageData	Canonical public structured-data projection assembled after trusted site/public-eligibility checks.	D13
PH asset	Explicit placeholder asset or fixture. It must not be represented as an approved logo, image, avatar or final editorial content.	D27
PITR	Point-in-time recovery under the canonical PostgreSQL backup/WAL policy, validated through isolated restoration evidence.	D20/D24
Preview	Private rendering of permitted editorial content; never ordinary publication, a shared public cache entry or a new Post state.	D07/D19
PublicDestination	Validated resolved public navigation destination. A site frontend does not reconstruct canonical URLs ad hoc from slugs.	D13
RC	Review-candidate version suffix. It preserves revision identity and does not itself certify approval or implementation.	Document control
REL22	Typed dependency edge used to connect authorities, implementation and evidence impacts.	D22
REQ22	Trace requirement anchor referencing an upstream requirement/acceptance ID or exact source decision.	D22
RLS	Row-Level Security: persistence defense in depth in addition to mandatory scoped application/repository access.	D08
RPO	Maximum permitted recovery point/data-loss budget for a protection class, exactly as D20 defines.	D20
RTO	Maximum permitted restoration time under the class-specific measurement and recovery conditions in D20.	D20
Semantic order	Authoritative content/array/heading meaning preserved across responsive layout; CSS cannot reshuffle source order arbitrarily.	D12/D13

Term	Project meaning	Owner
SITE key / site_id	Stable public diagnostic key and internal canonical tenant identifier respectively; neither is authorization by itself.	D04/D08
Site-local UI	Presentation implementation owned by exactly one public site, including shell, tokens, assets and component styling.	D14/D26/D27
SLO	Source-defined service objective with measurement windows/workloads and acceptance conditions; not a marketing uptime claim.	D20
SPEC_MAPPED	Requirement has an authoritative specification chain; no claim that code or executed tests exist.	D22
Stale evidence	Evidence whose candidate/input/authority basis no longer proves the changed requirement; it must be invalidated and retested.	D22
Step-up	Additional time-bound security proof for high-risk actions, separate from base session and permission checks.	D19
Tenant / site	The isolation/ownership boundary for one editorial website within shared infrastructure.	D01/D04
Traceability	Navigable requirement-to-execution-to-contract/persistence/derived-effect-to-QA/evidence relationships.	D22
Two-site slice	Minimum early integration proof using overlapping identifiers in SITE-01 and SITE-02; not the final 14-site release coverage.	D03/D21
Worker profile	Deployment execution selection using the common Worker image; does not create a new job or clone the shared core.	D18/D24

Appendix E. Handoff-support package and final distribution

The accompanying DOC-00 support ZIP contains editable handoff records and the editable DOC-00 document. It is not a replacement for the original DOC-01..27 PDFs, D15 YAML, D27 design ZIP or a verified application repository. Those remain separately referenced inputs whose availability and approval status are explicitly recorded.

```
BLOG-DOC-00_Handoff_Support_v1.0-RC1/
  README.md
  BLOG-DOC-00_..._v1.0-RC1.docx
  source-register.json
  companion-register.json
  site-application-register.json
  page-register.json
  table-register.json
  reading-order.json
  qa-family-register.json
  release-gates.json
  glossary.json
  handoff-acceptance.json
  open-gates.json
  freeze-readiness.json
  approval-ledger.json
  change-control-template.json
  evidence-record-template.json
  package-manifest.json
```

These metadata records describe the handoff and reuse upstream identities. They are not production schemas, seed files, API response models or replacements for D22 records. Null evidence/approval fields remain intentionally unfilled; populating them requires the actual source bytes, owner decision or candidate result.

E.1 Final distribution contents

Distribution layer	Required final contents
Entry document	Approved DOC-00 PDF and the same-version editable handoff records, final source manifest and approval ledger.
Specialist authorities	Exact approved DOC-01..27 PDFs with consistent versions, hashes and explicit supersession history.
Machine-readable contracts	Original canonical OpenAPI; approved raw SQL/migrations/seeds/RLS; content/public schemas; generated bindings with parity evidence.
Editable designs	D27 original design ZIP, D26 token bindings, approved assets/fonts reference manifests and accepted lossless goldens. Font licensing/provisioning is handled separately; no font binaries are redistributed here.
Implementation and operations references	Approved repository URL/commit, environment/provider bindings, Docker/Compose/CI sources, release manifest, QA/EV22 evidence and protected recovery/runbook references.
Change and audit history	Source/companion hashes, approvals, CHG22/GAP22 history, evidence invalidation and prior release identities. No mutable latest-only reference is sufficient.

Authority: D01 authority/companion hierarchy; D22 handoff/evidence; D23 repository; D24 immutable release; D27 editable-source/asset handoff.

End of BLOG-DOC-00 v1.0-RC1. The owner-approved final issue is the same controlled handoff after its explicit freeze gates are satisfied, not a silent assertion that missing implementation or asset evidence exists.