DOC-25 | CONTROLLED SOURCE SYNCHRONIZATION

Cross-reference-only revision notice

v1.0-RC3 | 11 September 2026 | SOURCE-OF-TRUTH SYNCHRONIZATION ONLY

Control	Selected value
Revision	v1.0-RC2 -> **v1.0-RC3**
Semantic change	**NONE.** This revision changes source version/count/path references only.
Wave-2 semantic authorities	DOC-07 RC2 | DOC-08 RC2 | DOC-15 RC8 | DOC-16 RC5
Canonical HTTP companion	contracts/http/BLOG-DOC-15_openapi_v1.0-RC8.yaml
OpenAPI SHA-256	bf577a463b4c5d8fdceddc2087f53216426ef88d67d8e1a0d22ccf819751cd00
RC8 estate	113 operations | 86 paths | 221 schemas/helpers | 1,311 resolved internal refs | 0 unresolved refs 12 AUTH | 2 PUBLIC/PREVIEW | 63 SITE | 36 GLOBAL

DOCUMENT-SPECIFIC SYNCHRONIZATION

• Central Admin visual semantics are unchanged. Upstream transport/discovery references are synchronized to DOC-15 v1.0-RC8 and DOC-16 v1.0-RC5.

• The Active Website selector remains a working-context control only; its authenticated selectable-sites projection is API15-AUTH-012. Server authorization remains upstream truth. No visual component, page, token or interaction state is added.

SUPERSESSION AND HISTORICAL CLASSIFICATION

The inherited body that follows is retained unchanged in substantive page content. Any inherited non-owning reference to DOC-15 RC7/RC6, the old 112/85/217/1,297 estate, 11 AUTH operations, DOC-16 RC4, or the RC7 YAML filename is classified **HISTORICAL / SUPERSEDED REFERENCE** and is not normative in this revision. All other inherited owned semantics remain in force.

Occurrence ledger: RC7/old HTTP: inherited printed pages 1, 4, 26, 27; RC4: inherited printed pages 1, 26.

IMPLEMENTATION IMPACT: NONE. The accepted NAKSHATRA_MASTER_WAVE2_HANDOFF application/database/API behavior is unchanged by this document synchronization.

BLOG-DOC-25

Central Admin Visual Design System & Component Authority

Complete visual, interaction and accessibility authority for the single Central Admin application across all 36 operational Admin pages and non-module access/security surfaces.

1	19	36	13	1
Central Admin	modules	operational pages	Admin execution states	visual authority

CORE VISUAL RULE	The Admin has one coherent visual language across SITE and GLOBAL workspaces. Visual treatment may reveal context and permission availability, but it never creates authority. The Active Website selector changes working context only; server authorization, SiteContext and object ownership remain upstream truth.

Document control	Value
Status	REVIEW CANDIDATE - built against project-owner-designated finalized/frozen BLOG-DOC-01 through BLOG-DOC-24; freeze after DOC-25 approval
Version	1.0-RC1
Date	10 September 2026
Upstream baseline	DOC-01..14 frozen project baseline; DOC-15 RC7; DOC-16 RC4; DOC-17 RC2; DOC-18 RC2; DOC-19 RC2; DOC-20 RC1; DOC-21 RC1; DOC-22 RC1; DOC-23 RC2; DOC-24 RC3
Admin estate	1 Central Admin; 19 modules = 12 SITE + 7 GLOBAL; 36 operational pages = 20 SITE + 16 GLOBAL
Primary authority	Central Admin identity, palette, typography, spacing, grid, shell, navigation, selector, components, editor/media patterns, responsive behavior, accessibility, interaction states and design tokens.
Explicit non-authority	Does not add or redefine features, permissions, capabilities, Page IDs, APIs, DB structures, SiteContext, security mechanics, public-site visual identity, QA semantics or deployment architecture.
Implementation home	Admin-local React/Vite application under DOC-23 RC2. No public-site package may consume this visual system.

DEVELOPER LOCK	A developer must not invent a second Admin theme, copy a public-site visual identity into Admin, create new pages because a component exists, hide authorization failures as empty states, use color as the sole state cue, or make the Active Website selector a security boundary.

Table of Contents / Document Map

Section	Subject
1	Purpose, authority and conflict rules
2	Frozen upstream visual/UX invariants
3	Admin design principles and identity
4	Design-token architecture
5	Color system and semantic palette
6	Typography system
7	Spacing, sizing, grid and density
8	Borders, radii, elevation and motion
9	Central Admin shell
10	Sidebar and primary navigation
11	Topbar and account/security utilities
12	Active Website selector
13	Page header, breadcrumbs and action zones
14	Buttons and action hierarchy
15	Forms, inputs and validation
16	Filters, search, sorting and pagination
17	Tables, lists, cards and data density
18	Statuses, badges and contextual labels
19	Article Editor visual authority
20	Media Library, picker and Media Detail
21	Navigation/Homepage-controls visual pattern
22	SEO, Redirect, Search, Calendar and Settings patterns
23	GLOBAL workspace patterns
24	Modals, drawers, popovers, menus and tooltips
25	Notifications and feedback
26	Mapping the 13 DOC-10 Admin execution states
27	Authentication/access/security surfaces
28	Responsive behavior and viewport adaptation
29	Accessibility and keyboard contract
30	Copy, labels, dates and destructive wording
31	React/Vite implementation boundaries
32	Canonical component registry
33	36-page visual-pattern matrix
34	DOC-01 through DOC-24 consistency audit
35	Traceability
36	Comprehensive acceptance criteria
37	Freeze-readiness checklist

Section	Subject
Appendix A	Canonical design-token reference
Appendix B	Component state matrix
Appendix C	One-page developer execution reference

ONE SOURCE OF TRUTH	PDF-25 owns Central Admin visual design only. DOC-06 owns which Admin pages/modules exist; DOC-10 owns what they do and which states/actions they enter; DOC-19 owns security mechanics; DOC-23 owns code placement; DOC-21 owns executable release QA.

1. Purpose, Authority and Conflict Rules

BLOG-DOC-25 converts the frozen Central Admin information architecture and page-flow contracts into one deterministic visual system. It specifies how the Admin looks, how reusable Admin-local components behave visually and interactively, and how state, scope and accessibility are communicated without changing any upstream business rule.

Authority layer	Owns	DOC-25 obligation
DOC-02 / DOC-04	Permission, role, site assignment, SiteContext and non-disclosure	Project authority accurately; never simulate authority from UI.
DOC-06	19 modules / 36 operational pages / selector presence	Render exactly that estate; no extra operational page.
DOC-10	Page section order, actions, states, dirty/conflict/site-switch flows	Style and compose them without changing execution semantics.
DOC-15 RC7	HTTP status/errors/transport	Present server outcomes faithfully; never invent transport.
DOC-19 RC2	Authentication, MFA, session, CSRF, step-up, destructive security	Provide visual surfaces for those mechanics without weakening them.
DOC-21	Release-blocking QA	Map visual assertions to existing QA families; no replacement QA authority.
DOC-23 RC2	React/Vite Admin app and folders	Implement this design inside Admin-local ui/styles/assets.
DOC-26/27	14 public-site identities and mockups	Out of scope; Admin design must not become their visual template.

CONFLICT RULE	If a visual proposal would require a new capability, page, API field, state, permission, database value or security exception, the proposal is rejected. DOC-25 may change presentation, hierarchy and component styling only within existing behavior.

2. Frozen Upstream Visual / UX Invariants

Invariant	Locked visual consequence
VIS25-INV-01	One Central Admin only. No per-site Admin application or per-site Admin theme.
VIS25-INV-02	SITE pages visibly bind to one validated Active Website; GLOBAL pages may show the selector only as shell context.
VIS25-INV-03	Button/menu visibility is usability only. Server authorization remains authoritative.
VIS25-INV-04	Wrong-site/unauthorized targets never reveal title, metadata, counts or existence through visual states.
VIS25-INV-05	Dirty, validating, saving, success, conflict, stale-context and confirming states remain distinct.
VIS25-INV-06	No client state from Site A is visually carried into Site B after validated context switch.
VIS25-INV-07	Admin components never import public-site visual code and public sites never import Admin visual code.
VIS25-INV-08	Preview handoff remains private, no-store and visually distinct from ordinary public content.
VIS25-INV-09	All interactive states remain operable without hover and without color-only meaning.
VIS25-INV-10	Public-site visual identity remains PDF-26/27 authority and is never inferred from the Active Website selector.

3. Admin Design Principles and Identity

- Brand DNA, operational treatment: the Central Admin inherits the established Cosmic Navy / Antique Gold / Warm Ivory visual foundation, but applies it with restrained decoration, dense readability and clear operational hierarchy.
- Context before action: active workspace/site, page identity and target identity appear before primary mutation controls.
- Dense but readable: tables may be information-rich, but sustained text and forms use comfortable line height, warm neutral surfaces and deliberate whitespace.
- Predictable action placement: primary commit on the right side of the page action area; destructive actions are visually separated and never disguised as primary progress.
- Server truth wins: successful/failed/conflict states re-render from authoritative responses and do not imply acceptance while still pending.
- One Admin brand, never site-themed: selecting a public website changes working context only. It never swaps Admin colors, logo treatment, typography, shell, components or semantic state styling to match that site.

BRAND BASELINE	The Admin uses one light operational theme rooted in the established brand palette: Cosmic Navy #111A36, Midnight Navy #091127, Celestial Indigo #2C3B6B, Antique Gold #C3A15A, Burnished Gold #987437, Sand Gold #E8D8AE, Warm Ivory #FCF8EF, Temple Cream #F3E9D7 and Sacred White #FFFEFB. A selected public site never changes this Admin theme.

THEME SCOPE	A dark-mode/theme switch is not implied by DOC-25. Adding a user-selectable Admin theme later is a controlled visual-scope change, not an assumed browser feature.

4. Design-Token Architecture

All reusable Admin styling is expressed through Admin-local CSS custom properties. The token graph has two layers: exact established brand primitives, then Admin semantic aliases. Components consume semantic aliases rather than hard-coded hex values. Admin semantic utility colors used only for success/danger accessibility are explicitly separated from brand primitives. Page/module CSS may compose tokens but may not fork a second palette, spacing scale or per-site theme.

```
apps/admin/src/styles/
  tokens.css           # canonical primitive + semantic tokens
  reset.css            # Admin-local browser normalization
  global.css           # shell/body defaults only
apps/admin/src/ui/     # reusable Admin-only components
modules/**/            # page/module-local composition; may consume ui + tokens
```

Token family	Prefix	Examples	Rule
Color	--adm-color-*	bg, surface, text, primary, danger	Components consume semantic roles.
Typography	--adm-font-* / --adm-text-*	sans, mono, body, label, title	No page-local font-size inventions outside scale.
Spacing	--adm-space-*	1=4px, 2=8px, 3=12px	4px base scale.
Size	--adm-size-*	control-md, sidebar, topbar	Use named dimensions for shell and controls.
Radius	--adm-radius-*	sm, md, lg, pill	No arbitrary per-module radius.
Shadow	--adm-shadow-*	sm, md, overlay	Overlay elevation only where needed.
Motion	--adm-motion-*	fast, base, slow	Reduced-motion aware.
Layer	--adm-z-*	dropdown, sticky, overlay, toast	Predictable stacking; no magic z-index.

5. Color System and Semantic Palette

The established brand palette is immutable input to the Admin visual identity. DOC-25 assigns operational roles to those colors; it does not rename them into a new brand. Antique Gold is an accent, not the default body-text or warning-only color. Cosmic/Midnight Navy carry the strongest action/text contrast. Warm Ivory, Temple Cream and Sacred White provide the light operational surfaces.

Token	Swatch	Role	Contrast / use
--adm-brand-cosmic-navy	#111A36	Established brand primary / strongest Admin identity	Primary action, headings, critical text
--adm-brand-midnight-navy	#091127	Established deep brand navy	Sidebar/deep surfaces, primary pressed
--adm-brand-celestial-indigo	#2C3B6B	Established secondary indigo	Focus/light links/info/selected utility
--adm-brand-antique-gold	#C3A15A	Established primary accent	Selection marker, key dividers, premium accent
--adm-brand-burnished-gold	#987437	Established dark gold	Readable gold-outline/accent utility; warning foreground
--adm-brand-sand-gold	#E8D8AE	Established light gold	Borders, selected subtle surfaces, separators
--adm-brand-warm-ivory	#FCF8EF	Established primary light background	Application canvas
--adm-brand-temple-cream	#F3E9D7	Established secondary light surface	Subtle panels/hover/secondary

Token	Swatch	Role	Contrast / use
			emphasis
--adm-brand-sacred-white	**#FFFEFB**	Established lightest surface	Cards/forms/tables/dialog surfaces

Admin semantic token	Value / source	Operational role	Brand status
--adm-color-primary	#111A36	Primary commit/action; active high-emphasis control	Brand - Cosmic Navy
--adm-color-primary-hover	#091127	Primary hover/pressed	Brand - Midnight Navy
--adm-color-accent	#C3A15A	Active nav marker, selected context accent, key divider	Brand - Antique Gold
--adm-color-focus	#2C3B6B	2px focus-visible ring on light surfaces	Brand - Celestial Indigo
--adm-color-focus-on-dark	#E8D8AE	2px focus-visible ring on Midnight/Cosmic surfaces	Brand - Sand Gold
--adm-color-bg	#FCF8EF	Application canvas	Brand - Warm Ivory
--adm-color-surface	#FFFEFB	Cards, forms, tables, dialogs	Brand - Sacred White
--adm-color-surface-subtle	#F3E9D7	Secondary/hover/subtle sections	Brand - Temple Cream
--adm-color-border	#D7C9AF	Operational border derived between Sand Gold and light surfaces	Admin neutral tint
--adm-color-text	#111A36	Primary readable text	Brand - Cosmic Navy
--adm-color-text-muted	#5B6274	Secondary text; navy-neutral utility	Admin neutral utility
--adm-color-info	#2C3B6B	Informational state / links where appropriate	Brand - Celestial Indigo
--adm-color-warning	#987437	Warnings / scheduled attention	Brand - Burnished Gold
--adm-color-success	#2F5B4B	Success / PUBLISHED utility only	Admin semantic utility - not brand
--adm-color-danger	#8F3434	Destructive / error / TRASH utility only	Admin semantic utility - not brand

Semantic background	Value	Foreground	Usage
brand-subtle	#F3E9D7	#111A36	Selected/hover context that is not status
info-subtle	#EEF0F6	#2C3B6B	Information/reindex/loading context
warning-subtle	#FBF4E5	#987437	Warning/scheduled attention
success-subtle	#EEF4F0	#2F5B4B	Success/PUBLISHED confirmation
danger-subtle	#F9EEEE	#8F3434	Errors/destructive confirmation

SEMANTIC UTILITY RULE	Success green (#2F5B4B) and danger oxblood (#8F3434) are Admin semantic utilities used only where state recognition and accessible contrast need distinct functional meaning. They are not new brand colors, may not replace Cosmic Navy/Antique Gold in identity surfaces, and must always be paired with text/icon/programmatic state.

COLOR SAFETY	No state is encoded by hue alone. Every status uses readable text, optional icon/shape and programmatic state. The selected public website never injects its own public-site brand colors into the Admin shell, controls or status meaning.

6. Typography System

Token	Size / line	Weight	Use
display	32 / 40	700	Rare Admin landing/title emphasis; not routine page heading.
page-title	24 / 32	700	One visible page title/H1-equivalent in Admin content region.
section-title	18 / 26	650	Major page section heading.
subsection	16 / 24	650	Card/panel heading.
body	14 / 21	400	Default Admin UI/body text.
body-strong	14 / 21	600	Values, row names, concise emphasis.
label	13 / 18	600	Form labels, column labels, compact metadata.
caption	12 / 17	400	Supplemental metadata only; never critical instructions.
mono	12 / 18	500	IDs, paths, slugs, hashes where needed.

- Primary font stack: `Inter, ui-sans-serif, system-ui, -apple-system, BlinkMacSystemFont, "Segoe UI", sans-serif`.
- Monospace stack: `ui-monospace, SFMono-Regular, Menlo, Consolas, monospace`.
- Critical instructions, validation and action labels are never smaller than 13px.
- Text may zoom to 200% without clipping, fixed-height loss or horizontal page scroll except intentionally scrollable data regions.

7. Spacing, Sizing, Grid and Density

Token	px	Primary use
--adm-space-0	0	zero
--adm-space-1	4	micro gap
--adm-space-2	8	inline gap
--adm-space-3	12	compact stack
--adm-space-4	16	standard gap
--adm-space-5	20	comfortable control group
--adm-space-6	24	section/card padding
--adm-space-8	32	page gutter/section gap
--adm-space-10	40	large gap
--adm-space-12	48	major separation
--adm-space-16	64	shell/hero separation

Named size	Desktop	Tablet	Mobile / narrow
Topbar height	64px	60px	56px
Sidebar	264px fixed	off-canvas drawer	off-canvas drawer
Page gutter	32px	24px	16px
Control height	40px default	40px	44px for primary touch controls

Named size	Desktop	Tablet	Mobile / narrow
Icon button	40x40	40x40	44x44
Form content max	760px	100%	100%
Modal max width	400 / 560 / 760	min(viewport-48px)	full width minus 24px


Admin pages use a 12-column fluid content grid only as a composition aid; semantic DOM order is independent of visual column placement. Tables and calendars may use full available width. Forms default to a readable 760px measure rather than stretching every input across the screen.

8. Borders, Radii, Elevation and Motion

Family	Locked values	Usage
Border	1px #D7C9AF default; 1px #E9DFC9 subtle	Brand-derived light borders; focus ring is separate.
Radius	6px sm; 8px md; 12px lg; 999px pill	Inputs/buttons=8; cards=12; badges=pill.
Shadow	sm 0 1 2 / 6%; md 0 8 24 / 10%; overlay 0 16 40 / 16%	Cards usually border-only; overlays get shadow.
Motion	fast 120ms; base 180ms; slow 240ms	Opacity/transform only; no long decorative motion.
Reduced motion	prefers-reduced-motion => 0-1ms nonessential transitions	State meaning cannot depend on animation.

9. Central Admin Shell

The authenticated shell has three persistent information zones: navigation, global/context utilities, and the current page content. The shell never becomes the authorization source.



Shell region	Visual contract	Behavior boundary
Sidebar	Midnight Navy #091127, 264px; Sacred White labels; Sand Gold secondary text; scrolls independently if needed	Only frozen primary module entries; visibility is usability.
Topbar	Sacred White #FFFEFB, 64px, Sand Gold/light border; context/account utilities	No business action except existing security/account/context utilities.
Page header	Warm Ivory canvas; Cosmic Navy title; restrained Antique Gold divider/accent where useful	Action set comes from DOC-10 permissions/state.
Main	#FCF8EF canvas with #FFFEFB panels/tables/forms as needed	Section order follows DOC-10 page contract.
Overlay root	Portal above shell with modal/drawer/toast layers	No overlay becomes a new Admin Page ID.

10. Sidebar and Primary Navigation

Group	Items	Visual rule
SITE WORKSPACE	Dashboard, Posts, Categories, Tags, Authors, Media, Navigation, SEO, Redirects, Search, Editorial Calendar, Site Settings	Section label + 12 possible primary entries; unauthorized entries may be omitted from navigation, never used as security.
GLOBAL	Network Dashboard, Sites & Domains, Admin Users, Roles, Audit, Platform Settings, Permission Registry	Separate divider/label; GLOBAL pages do not inherit site authority from selector.

- Nav item height 40px desktop; icon 20px; label 14px/600; horizontal inset 12px.
- Active item on the dark sidebar uses a Celestial Indigo/Cosmic Navy tonal surface plus a 3px Antique Gold leading indicator and `aria-current="page"` where route-level appropriate.
- Sidebar hover uses a restrained Cosmic Navy/Celestial Indigo tonal surface. Focus-visible uses Sand Gold on dark surfaces and Celestial Indigo on light surfaces; hover never removes focus.
- Child/editor/detail pages keep the parent module active; they do not appear as additional primary nav entries.
- When sidebar becomes a drawer, focus moves into it on open, Escape closes it, and focus returns to the menu trigger.

11. Topbar and Account / Security Utilities


Zone	Contents	Rules
Left	Mobile menu trigger; workspace indicator	No duplicate primary navigation on wide desktop.
Center/primary context	Active Website selector on SITE pages; available on GLOBAL pages	Selector is visually labeled as context, not authority.
Right	Session/account menu; security prompts when upstream requires	No permission editing or hidden support bypass.

Zone	Contents	Rules
System strip	Optional transient maintenance/session-expiry/reauth notice	Uses banner component; never silently blocks content without text.

12. Active Website Selector

NON-NEGOTIABLE	The selector is a working-context control. It never grants permission, never proves assignment, never retargets an explicit GLOBAL record form, and never acts as the only tenant identity in a request.

Element	Specification
Label	Always visible text `Active website` on SITE pages. Icon-only site switching is prohibited.
Selected value	Display approved site display name on first line and canonical domain on second line when available.
Scope cue	Small `SITE workspace` label adjacent to selector. Use Admin Cosmic Navy/Gold/Indigo tokens only; never use the selected public site brand as scope cue.
Menu contents	Only server-provided sites the current session may attempt to enter; client list does not itself authorize destination.
Search/filter	When assigned-site list is long, menu may locally filter loaded selector options; it does not discover hidden/unassigned sites.
Switching	Immediately enter context-transition state, clear old page selection/site-bound render data, show destination label + spinner, and accept only destination-context result.
Dirty page	Invoke DOC-10 confirming flow before switch. Save / Discard / Cancel wording must be explicit.
GLOBAL page	Selector may remain available as shell convenience, visually separated from explicit GLOBAL target identity.
Multi-tab	Each tab reflects its own current page/site context. A selector change in one tab does not repaint another tab.



13. Page Header, Breadcrumbs and Action Zones

Region	Required visual behavior
Breadcrumb/back context	Use breadcrumbs for stable hierarchy or a clear Back link for task-focused child pages. Do not fabricate a new route hierarchy.
Title	One page title, 24/32, includes mode where needed: `Create Post`, `Edit Post`, `Media Detail`, etc.
Context metadata	SITE page may repeat site name/domain as subtle context. GLOBAL explicit target pages show target identity separately from Active Website.
Primary actions	Right-aligned on wide screens, stacked below title on narrow screens; only currently authorized/applicable actions rendered.
Secondary actions	Adjacent or overflow menu depending risk/frequency; destructive separated by divider and danger styling.
State strip	Dirty/conflict/saving/session/step-up states may appear below page header, not as hidden tooltip-only information.

14. Buttons and Action Hierarchy

Save	Secondary	Tertiary	Delete	Disabled
Primary	Secondary	Tertiary	Destructive	Disabled

Variant	Use	Visual	Rules
Primary	Single preferred forward/commit action	Cosmic Navy fill / Sacred White text	At most one primary emphasis per action cluster; Antique Gold is accent, not default fill.
Secondary	Alternative safe action	Sacred White, Burnished/Sand Gold border, Cosmic Navy text	Save-adjacent alternatives, Cancel where appropriate.
Tertiary	Low-emphasis action	Transparent/soft hover	Table row utilities and noncritical actions.
Destructive	Delete/disable/permanent destructive commit	Red fill or red text secondary	Confirmation/step-up rules remain DOC-10/19.
Icon-only	Compact utility with established icon meaning	40x40/44x44 touch, tooltip	Must have accessible name and visible focus.
Loading	Submitted action pending	Spinner + stable text or `Saving...`	Prevent duplicate submission; do not imply success.
Disabled	Action unavailable due current local state	Muted + noninteractive	Do not use disabled styling as sole explanation of denied authority; hide or accompany with safe reason when allowed.

15. Forms, Inputs and Validation

Component	Locked visual contract
Text field	Label above; 40px height; 12px horizontal padding; dark text; visible border; focus ring outside border.
Textarea	Min 96px; grows or scrolls; never fixed-height clip for validation/help text.
Select/combobox	Text label + chevron; keyboard listbox/combobox pattern; selected value never color-only.
Search field	Search icon + clear control when value exists; Enter and explicit action both

Component	Locked visual contract
	supported where upstream action exists.
Checkbox/radio	20px indicator with 44px effective label hit region; full label clickable.
Switch	Use only for existing boolean settings. Always pair with text state/label; no unlabeled toggle.
Date/time	Text-readable value plus picker enhancement; timezone label visible for scheduling where relevant.
Slug field	Monospace optional; validation/help shows canonical semantics without reconstructing public routes client-side.
Field help	12-13px muted text; instructions before error; error uses danger text + icon + field association.
Read-only value	Readable surface/value with copy affordance only where useful; not styled identically to disabled input.

- Required fields are communicated in text/programmatic metadata. An asterisk may be used only with an accompanying page-level `* Required` explanation.
- Validation is shown after blur/submit as appropriate but server validation is authoritative. Do not pre-emptively expose restricted field errors.
- On failed mutation, preserve safe local values and move focus/summary to the first actionable error without losing site context.
- Form sections use 24px spacing; label-to-control 6-8px; control-to-help/error 6px; field-to-field 16-20px.

16. Filters, Search, Sorting and Pagination

Pattern	Desktop	Narrow viewport	Rule
Filter bar	Inline search + compact filters + clear	Wrap into rows or open a filter drawer	Filters never broaden site scope.
Applied filters	Removable chips below toolbar	Horizontal wrap	Each chip names field + value; Clear all only clears filters.
Sort	Column header or compact select	Select or accessible header	Current sort announced in text/aria.
Pagination	Results summary + previous/page/next	Previous / current / next	Page state preserved in URL/query if upstream contract does; not invented here.
Bulk selection	Checkbox column + selection count action bar	Sticky bottom action bar	Only pages/actions with frozen bulk capability may use it.

17. Tables, Lists, Cards and Data Density

Operational data defaults to tables when comparison across rows matters. Cards are used for dashboard summaries and media thumbnails, not as a universal responsive replacement for structured tabular data.

Table property	Locked rule
Header	13px/600, neutral soft background, 44px minimum height. Sort control stays inside header cell.
Body row	48px minimum; 14px text; 1px horizontal divider. No alternating zebra fill required.
Primary cell	Row title/name uses body-strong; supporting ID/domain/date uses caption/muted.
Row actions	Rightmost action zone; common safe action may be text/icon, remaining actions in menu.
Selection	Checkbox column only when the page has existing bulk actions. Selected row gets subtle primary tint + programmatic selected state.
Sticky header	Allowed for long tables if it does not cover page header or break keyboard focus.
Empty	Table shell may remain with headers plus explicit empty state; do not show a blank white rectangle.
Responsive	Wide data table uses bounded horizontal scrolling with sticky first/action column where useful. Do not hide required site/target/status columns merely to fit.
Loading	Skeleton rows approximate final column geometry; mutation actions disabled.
Error	Replace body with page/table error state preserving filter/context; Retry stays inside same SiteContext.

18. Statuses, Badges and Contextual Labels

DRAFT	SCHEDULED	PUBLISHED	ARCHIVED	TRASH

Domain status	Visual treatment	Required text
Post DRAFT	Neutral gray pill	DRAFT
Post SCHEDULED	Amber/info pill + schedule timestamp nearby	SCHEDULED
Post PUBLISHED	Green success pill	PUBLISHED
Post ARCHIVED	Muted slate pill	ARCHIVED
Post TRASH	Red subtle pill	TRASH
Admin account INVITED	Info pill	INVITED
Admin account ACTIVE	Success pill	ACTIVE
Admin account DISABLED	Muted/danger pill	DISABLED
Search READY	Success/neutral	READY
Search REINDEXING	Info + spinner only while active	REINDEXING
Search DEGRADED	Warning/danger depending severity	DEGRADED

STATUS RULE	A badge is a projection of upstream state; clicking a badge never changes the state unless an already-approved action/control is separately present. Status color is supplemental, not authoritative.

19. Article Editor Visual Authority

ADM-S-POST-02 and ADM-S-POST-03 use the same editor system in create/edit mode. The editor visually separates content authoring, metadata/relationships and lifecycle actions while preserving DOC-07/DOC-10 behavior.



Editor surface	Visual / interaction contract
Title/excerpt	Large but Admin-neutral fields; title is not styled as public-site H1 preview.
Block list	Vertical ordered list with clear block boundaries, 16px inter-block gap, selected block border/focus state.
Block handle	Drag handle may exist, but keyboard Move up/Move down controls are required; order change is explicit.
Inserter	Adds only the 12 frozen block types. No custom HTML/component option.
Inline toolbar	Bold, Italic, Link only where compatible with upstream rich-text capabilities; toolbar is keyboard reachable.
Settings rail	320px desktop; collapsible drawer on narrow viewports. Contains only existing fields/relationships/actions.
Autosave indicator	`Unsaved`, `Autosaving...`, `Autosaved`, `Autosave failed`; never displayed as `Published` or durable-revision confirmation.
Save state	`Saving...` disables duplicate commit. Success updates version/state from server.
Conflict	Persistent danger/warning panel with current-server-state/reload/review action. No automatic merge/overwrite.
Preview	Existing Preview action only; opens private Preview handoff. Preview state never looks like publication confirmation.
Publish/Schedule	High-impact lifecycle controls visually separated from ordinary Save. Step-up/confirmation follows DOC-19/10 where required.
Site switching	Dirty guard appears before context switch; editor canvas is never transplanted between sites.

19.1 Approved Editor Block Palette

Stored type	Inserter label	Admin visual note
PARAGRAPH	Paragraph	Semantic block; no arbitrary style/theme payload.
HEADING	Heading H2/H3/H4	Semantic block; no arbitrary style/theme payload.
LIST	Ordered/Unordered List	Semantic block; no arbitrary style/theme payload.
QUOTE	Quote	Semantic block; no arbitrary style/theme payload.
SEPARATOR	Separator	Semantic block; no arbitrary style/theme payload.
MEDIA	Media	Semantic block; no arbitrary style/theme payload.
TABLE	Table	Semantic block; no arbitrary style/theme payload.

Stored type	Inserter label	Admin visual note
EMBED	Approved Embed	Semantic block; no arbitrary style/theme payload.
CALLOUT	Callout	Semantic block; no arbitrary style/theme payload.
CTA	CTA	Semantic block; no arbitrary style/theme payload.
DISCLAIMER	Disclaimer	Semantic block; no arbitrary style/theme payload.
SOURCES_REFERENCES	Sources / References	Semantic block; no arbitrary style/theme payload.

20. Media Library, Picker and Media Detail

Surface	Visual authority
Media Library	Responsive thumbnail grid on wide views with 160-220px cards; toolbar contains existing search/filter/upload. Usage indicator is textual/count-based.
Media tile	Thumbnail, filename/title, MIME/dimensions where provided, usage count and selected state. No private original URL or storage key shown.
Upload	Dropzone is enhancement only; visible `Choose files` control remains. Per-file progress, validation failure and retry are explicit.
Media picker	Modal/drawer reusing same-site Media Library result set; selected media gets border/check + accessible selected state. Cannot browse other site.
Media Detail	Large safe derivative preview + metadata form + variant/dimension list + usage list. Original private storage internals remain hidden.
Replace	High-impact action separated from metadata Save; metadata authorization requirements remain DOC-15/17.
Delete	Danger zone shows usage blocking information before confirmation. Never visually promise deletion while authoritative usage still exists.
Missing variant	Use explicit `Unavailable` text/placeholder, never another site asset and never private original fallback.

21. Navigation / Homepage Controls Visual Pattern

- Navigation menu items render as an ordered tree/list with indentation, destination summary and explicit drag handle plus keyboard move controls.
- Nesting depth is displayed through indentation and connector/guideline treatment, but the stored/allowed hierarchy remains upstream authority.
- Header and Footer menu sections are visually separate panels. DOC-25 does not provide a visual website-builder canvas.
- Conditional homepage controls render only when the active site contract exposes them. Their absence is not an error and does not create generic sections.
- Preview of destination uses safe label/path text only; no arbitrary HTML/source editor is introduced.

22. SEO, Redirect, Search, Calendar and Settings Patterns

Page pattern	Visual system rule
SEO Management	Group Site defaults, Robots/Indexing, Open Graph/media, Structured data inputs and diagnostics into labelled panels. Raw JSON-LD/HTML editor is prohibited.
Redirects List/Editor	Source and destination visually distinguished. Conflict/loop/external validation renders inline + summary; destructive delete remains separate.
Search & Indexing	Status card for READY/REINDEXING/DEGRADED, last-indexed metadata, diagnostics and authorized Reindex action. Reindex uses async progress/state; not a fake synchronous success.
Editorial Calendar	Calendar grid on wide screens; narrow screens may use ordered agenda presentation of the same data/actions. Scheduled items use text + status, not color-only dots.
Site Settings	Sectioned forms. Links/handoffs into SEO or domain/global pages preserve separate permissions and context.
Platform Settings	GLOBAL-only approved settings. No secret/server/database/container editor visual exists.

23. GLOBAL Workspace Patterns

GLOBAL surface	Visual distinction / rule
Network Dashboard	Uses neutral `GLOBAL workspace` scope pill and site-labelled aggregates. Clicking site-owned detail reauthorizes under destination SITE context.
Global All-Posts	Table must show site identity/domain in a persistent column. A row action never assumes all-site content permission.
Sites Registry / Detail	Explicit target site identity is shown in page header and target summary. Active Website selector remains separate shell control.
Domain Management	Canonical/alias/status rows use exact target site panel; destructive/domain changes use step-up/confirmation when upstream requires.
Admin Users	Account state badge + assignments summary; user identity is not confused with public Author profile.
Roles	Scope label SITE/GLOBAL is prominent. Permission changes use grouped checkboxes/summary while privilege ceiling stays server-authoritative.
Permission Registry	Read-only searchable table; no edit/create/delete affordance is rendered.
Audit	Filter bar + immutable event table/detail. Sensitive values are already privacy-filtered upstream; UI does not reconstruct/redact secrets ad hoc.

24. Modals, Drawers, Popovers, Menus and Tooltips

Overlay	Use	Visual/accessibility contract
Modal	Focused decision/form that cannot safely remain inline	Centered; sm 400, md 560, lg 760; focus trap; Escape only when cancellation allowed; labelled title/description.
Confirm dialog	Destructive/high-impact confirmation	Target + site/context named; destructive action on right; Cancel first/left; step-up occurs as DOC-19 dictates.
Drawer	Responsive filter/settings/detail surface	Right drawer desktop/tablet; full-width on mobile; focus managed; preserves page beneath inert.
Popover	Compact contextual options	Anchored; closes on outside/Escape; no critical workflow solely in hover popover.
Menu	Row/site/account action choices	Keyboard roving focus; dangerous items separated visually; disabled item has reason when safe.
Tooltip	Supplemental explanation only	Never contains required form instructions, permission denial or unique action name.

25. Notifications and Feedback

Component	When	Visual rule
Inline field error	Field-specific validation	Danger text + icon below field, associated programmatically.
Page alert	Load/mutation/security/context message	Placed below page header; may contain Retry/Review action.
Toast	Nonblocking confirmation after state is already reflected	Bottom/right desktop, bottom mobile; 5-8s informational duration; critical errors persist inline instead.
Progress	Upload/long operation with measurable progress	Determinate bar + text percentage/file; no animation-only meaning.
Skeleton	Initial data load	Neutral blocks matching layout; no fake content strings.
Empty state	Authorized valid zero-data result	Clear title, explanatory text, only existing authorized creation/action CTA.
Error state	Recoverable failure	Safe summary + Retry under same context; no raw stack trace.
Success state	Mutation accepted by server	Short confirmation + refreshed authoritative state; no celebratory motion requirement.
Denied/not-found	Security/non-disclosure outcome	Generic safe message; no hidden target name/count/site leak.

26. Mapping the 13 DOC-10 Admin Execution States

State	Required Admin presentation
ST10-LOADING	Skeleton/spinner at page/section scope; mutation disabled; retain explicit context label.
ST10-READY	Normal controls and data; only applicable/authorized actions exposed.
ST10-EMPTY	Explicit empty illustration/icon optional + text + existing authorized next action.
ST10-DIRTY	Persistent `Unsaved changes` indicator near page actions; site switch/navigation guard armed.
ST10-VALIDATING	Field/page progress text; commit unavailable until outcome.
ST10-SAVING	Primary commit shows spinner + stable width; duplicate submit blocked.
ST10-SUCCESS	Inline/toast confirmation plus authoritative refresh; dirty cleared.
ST10-ERROR-RETRY	Alert with safe error + Retry; preserve current site/target/form values where safe.
ST10-DENIED	Access-denied safe state; hide protected payload and actions.
ST10-NOT-FOUND	Object unavailable message identical enough to wrong-site non-disclosure; no target metadata.
ST10-CONFLICT	Persistent conflict panel; show review/reload path; no auto overwrite/merge.
ST10-STALE-CONTEXT	Discard stale response; show current context only. Optional subtle `Context changed` notice.
ST10-CONFIRMING	Confirmation overlay with explicit action/target/site and security requirements.

27. Authentication, Access and Security Surfaces

Sign-in, invitation/setup, reset, MFA and reauthentication are part of the Central Admin experience but are not additional operational Admin Page IDs. They use the same typography/control tokens with a simplified access shell and no Active Website selector before authenticated context exists.

Surface	Visual contract
Sign-in	Centered 400px card, Central Admin identity, email/password fields, neutral errors, no site selector.
Invitation/setup	Step heading + account identity + password/MFA controls as required; progress wording never promises ACTIVE before upstream lifecycle succeeds.
Reset	Neutral request/completion forms; request response avoids account-existence disclosure.
MFA	6-digit code input with accessible single-field or grouped pattern; recovery path clearly separated.
Session expired	Blocking access-state panel/dialog; protected data removed; return to authentication flow.
Step-up L1/L2	Modal/dialog clearly names why fresh proof is required; current operation resumes only after server accepts proof.
L3 recovery	Operational/security recovery surface follows DOC-19; DOC-25 does not invent a self-service bypass.
Preview handoff	Admin action launches owning-site private Preview; no Preview token rendered in UI.

28. Responsive Behavior and Viewport Adaptation

Range	Shell	Content behavior
>=1200px	Persistent 264px sidebar + 64px topbar	Full page grid; editor/settings rail may be side-by-side; tables full width.
768-1199px	Sidebar becomes off-canvas; 60px topbar	Single main column by default; filters/actions wrap; editor rail becomes drawer/stack.
<768px	56px topbar + menu drawer	16px gutter; controls full-width where needed; modals near-full-width; tables horizontally scroll; calendar may become agenda.
QA fixtures	360x800, 768x1024, 1440x900	Must remain usable. These are QA fixtures, not the only supported device sizes.

- Responsive presentation may change placement but never action availability, permission meaning, section semantic order or SiteContext.
- No content/action becomes hover-only on wide screens and disappears on touch devices.
- Critical table columns may scroll horizontally; do not silently omit site identity, status, target, or action context.
- At 400% zoom, page content may reflow to a narrow logical viewport while bounded data-table scrolling remains acceptable.

29. Accessibility and Keyboard Contract

A11Y25 rule	Release-blocking requirement
A11Y25-01	Central Admin targets WCAG 2.2 AA for applicable interface criteria; accessible names/roles/states exist for all controls.
A11Y25-02	Keyboard-only operation covers sidebar, selector, menus, tables, forms, editor blocks, media picker, dialogs and pagination.
A11Y25-03	Focus-visible ring: 2px #2C3B6B with 2px offset on light surfaces; use #E8D8AE on dark navy surfaces; never removed without an equivalent visible replacement.
A11Y25-04	Modal/drawer focus enters predictably, remains contained while modal, and returns to trigger on close.
A11Y25-05	State/validation/status meaning is not color-only; text and programmatic state are provided.
A11Y25-06	Normal text contrast >=4.5:1; large text >=3:1; essential UI boundaries/focus indicators >=3:1 against adjacent colors.
A11Y25-07	Icon-only buttons have accessible names; tooltip is supplemental only.
A11Y25-08	Drag/reorder interactions have keyboard alternatives and do not require pointer precision.
A11Y25-09	Dynamic search/filter/save/upload/reindex updates use appropriate live-region announcement without stealing focus.
A11Y25-10	Reduced-motion preference suppresses nonessential motion; loading remains understandable without animation.
A11Y25-11	Error summary points to invalid controls and does not expose unauthorized hidden fields.
A11Y25-12	Touch-oriented controls on narrow layouts provide at least 44x44 effective hit area for icon-only/primary touch actions.

30. Copy, Labels, Dates and Destructive Wording

- Action labels use verbs: `Save changes`, `Publish`, `Schedule`, `Reindex`, `Replace media`, `Delete permanently` - not vague `OK` for consequential actions.
- Destructive confirmations state the target and consequence in plain language. They do not imply reversibility when upstream behavior is terminal.

- Site-aware confirmations include the current site display name/domain when the target could otherwise be confused across sites.
- Dates/times display the relevant site timezone for editorial scheduling and an explicit timezone label where ambiguity matters; transport stays upstream.
- Identifiers such as Page IDs, request IDs, media IDs and hashes use monospace only when shown for diagnostics; they are never treated as user authority.
- Success copy is factual: `Saved`, `Scheduled for ...`, `Published`, `Reindex requested`. It does not claim downstream completion before that state is authoritative.

31. React / Vite Implementation Boundaries

Zone	DOC-25 implementation rule
apps/admin/src/ui/	Reusable Admin-only components and primitives from this specification.
apps/admin/src/styles/	Canonical Admin tokens/reset/global shell styles.
modules/site/*	SITE page composition, module-specific tables/forms/editor integrations.
modules/global/*	GLOBAL page composition, explicit target identity patterns.
access-surfaces/	Login/invite/reset/MFA/reauth visual compositions; not operational Admin pages.
api-client-admin	Transport only; visual components never infer authorization from local client metadata.
public site apps	PROHIBITED consumer of Admin visual runtime/tokens/components.
Backend/API	No CSS/UI imports; returns frozen contract/state only.

COMPONENT OWNERSHIP	The Admin component library is internal to `apps/admin`. It is intentionally reusable across the single Central Admin, but it is not a shared public visual package and may not become the template for the 14 site frontends.

32. Canonical Component Registry

Component ID	Name	Group
CMP25-SHELL-01	AdminShell	SHELL
CMP25-SHELL-02	Sidebar	SHELL
CMP25-SHELL-03	Topbar	SHELL
CMP25-SHELL-04	PageHeader	SHELL
CMP25-SHELL-05	Breadcrumbs/Back	SHELL
CMP25-CTX-01	ActiveWebsiteSelector	CONTEXT
CMP25-CTX-02	WorkspaceBadge	CONTEXT
CMP25-NAV-01	NavGroup	NAV
CMP25-NAV-02	NavItem	NAV
CMP25-ACT-01	Button	ACTION
CMP25-ACT-02	IconButton	ACTION
CMP25-ACT-03	ActionMenu	ACTION
CMP25-ACT-04	BulkActionBar	ACTION
CMP25-FRM-01	TextField	FORM
CMP25-FRM-02	TextArea	FORM
CMP25-FRM-03	Select	FORM

Component ID	Name	Group
CMP25-FRM-04	Combobox	FORM
CMP25-FRM-05	Checkbox	FORM
CMP25-FRM-06	RadioGroup	FORM
CMP25-FRM-07	Switch	FORM
CMP25-FRM-08	DateTimeField	FORM
CMP25-FRM-09	SearchField	FORM
CMP25-FRM-10	FieldMessage	FORM
CMP25-FRM-11	FormSection	FORM
CMP25-FLT-01	FilterBar	FILTER
CMP25-FLT-02	FilterChip	FILTER
CMP25-FLT-03	Pagination	FILTER
CMP25-DAT-01	DataTable	DATA
CMP25-DAT-02	SortHeader	DATA
CMP25-DAT-03	StatCard	DATA
CMP25-DAT-04	DefinitionList	DATA
CMP25-STS-01	StatusBadge	STATUS
CMP25-STS-02	ScopeBadge	STATUS
CMP25-EDT-01	EditorShell	EDITOR
CMP25-EDT-02	BlockList	EDITOR
CMP25-EDT-03	BlockFrame	EDITOR
CMP25-EDT-04	BlockInserter	EDITOR
CMP25-EDT-05	InlineToolbar	EDITOR
CMP25-EDT-06	EditorSettingsRail	EDITOR
CMP25-EDT-07	AutosaveIndicator	EDITOR
CMP25-EDT-08	ConflictPanel	EDITOR
CMP25-MED-01	MediaGrid	MEDIA
CMP25-MED-02	MediaTile	MEDIA
CMP25-MED-03	MediaPicker	MEDIA
CMP25-MED-04	UploadDropzone	MEDIA
CMP25-MED-05	UploadProgress	MEDIA
CMP25-MED-06	MediaPreview	MEDIA
CMP25-MED-07	VariantList	MEDIA
CMP25-MED-08	UsageList	MEDIA
CMP25-OVR-01	Modal	OVERLAY
CMP25-OVR-02	ConfirmDialog	OVERLAY
CMP25-OVR-03	Drawer	OVERLAY
CMP25-OVR-04	Popover	OVERLAY
CMP25-OVR-05	Tooltip	OVERLAY
CMP25-FBK-01	Alert	FEEDBACK

Component ID	Name	Group
CMP25-FBK-02	Toast	FEEDBACK
CMP25-FBK-03	Skeleton	FEEDBACK
CMP25-FBK-04	Spinner	FEEDBACK
CMP25-FBK-05	EmptyState	FEEDBACK
CMP25-FBK-06	ErrorState	FEEDBACK
CMP25-FBK-07	SuccessState	FEEDBACK
CMP25-FBK-08	DeniedState	FEEDBACK
CMP25-FBK-09	NotFoundState	FEEDBACK
CMP25-FBK-10	StaleContextState	FEEDBACK
CMP25-SEC-01	AuthCard	SECURITY
CMP25-SEC-02	MfaCodeInput	SECURITY
CMP25-SEC-03	StepUpDialog	SECURITY
CMP25-SEC-04	SessionExpiredState	SECURITY

REGISTRY RULE	This registry contains 68 Admin visual component contracts. A component ID is a UI implementation artifact only; it is not a new product capability, page, API object or permission.

33. 36-Page Visual-Pattern Matrix

Page ID	Page	Archetype	Primary visual composition
ADM-S-DASH-01	Selected-Site Dashboard	Dashboard	Stat cards + activity/list panels
ADM-S-POST-01	Posts List	List	FilterBar + DataTable + optional BulkActionBar
ADM-S-POST-02	Create Post	Editor	EditorShell create mode
ADM-S-POST-03	Edit Post / Article Editor	Editor	EditorShell edit mode + state strip
ADM-S-POST-04	Post Revision History	History	DataTable/timeline + restore confirmation
ADM-S-CAT-01	Categories List	List	FilterBar + DataTable
ADM-S-CAT-02	Category Editor	Form	FormSection + Save/Cancel
ADM-S-TAG-01	Tags List	List	FilterBar + DataTable
ADM-S-TAG-02	Tag Editor	Form	FormSection + merge/delete dialogs as authorized
ADM-S-AUTHOR-01	Authors List	List	FilterBar + DataTable
ADM-S-AUTHOR-02	Author Editor	Form	FormSection + media chooser where existing
ADM-S-MEDIA-01	Media Library	Media	MediaGrid + upload/filter
ADM-S-MEDIA-02	Media Detail	Media detail	Preview + metadata + variants + usages
ADM-S-NAV-01	Navigation & Homepage Controls	Tree/config	Ordered tree + conditional panels
ADM-S-SEO-01	SEO Management	Settings/diagnostics	Sectioned form + alerts
ADM-S-REDIR-01	Redirects List	List	FilterBar + DataTable
ADM-S-REDIR-02	Redirect Editor	Form	Source/destination form + conflict feedback
ADM-S-SEARCH-01	Search & Indexing	Diagnostics	Status card + diagnostics + reindex action
ADM-S-CAL-01	Editorial Calendar	Calendar	Calendar grid / narrow agenda
ADM-S-SET-01	Site Settings	Settings	Sectioned form
ADM-G-NET-01	Network Dashboard	Dashboard GLOBAL	Global scope badge + cross-site stat/list panels
ADM-G-NET-02	Global All-Posts View	List GLOBAL	Site-labelled DataTable
ADM-G-SITE-01	Sites Registry	Registry	DataTable + lifecycle/status
ADM-G-SITE-02	Create Site	Form GLOBAL	FormSection
ADM-G-SITE-03	Site Detail & Lifecycle	Detail GLOBAL	Target identity + definition/forms + danger zone
ADM-G-SITE-04	Domain Management	Registry/detail	Explicit target + domain table/forms
ADM-G-USER-01	Admin Users List	Registry	DataTable + account states
ADM-G-USER-02	Invite Admin	Form	Access form; no site selector authority
ADM-G-USER-03	Admin User Detail	Detail	Account/assignments + security-sensitive actions
ADM-G-ROLE-01	Roles List	Registry	DataTable + scope badges
ADM-G-ROLE-02	Create Role	Form	Permission grouping + privilege notices
ADM-G-ROLE-03	Role Detail / Edit	Detail/Form	Permission grouping + assignments + danger zone
ADM-G-PERM-01	Permission Registry	Read-only registry	Search/filter + read-only DataTable

Page ID	Page	Archetype	Primary visual composition
ADM-G-AUDIT-01	Audit Log	Audit list	FilterBar + immutable DataTable
ADM-G-AUDIT-02	Audit Detail	Audit detail	DefinitionList + safe structured change detail
ADM-G-PLAT-01	Platform Settings	Settings GLOBAL	Approved settings only

MATRIX LOCK	Every operational page maps to exactly one existing DOC-06 Page ID. Dialogs, pickers, auth surfaces, editor panels and responsive drawers do not increase the 36-page count.

34. DOC-01 through DOC-24 Consistency Audit

Authority	Result	DOC-25 compatibility outcome
DOC-01	PASS	One Central Admin and 14-site/shared-core topology unchanged.
DOC-02	PASS	Visual permission projection never becomes authorization; role/site semantics unchanged.
DOC-03	PASS	No module/capability added; UI controls only expose existing feature surface.
DOC-04	PASS	SITE/GLOBAL context, wrong-site non-disclosure and multi-tab isolation preserved.
DOC-05	PASS	No public Page ID added; Preview remains public/private handoff only.
DOC-06	PASS	Exactly 19 modules / 36 operational Admin pages and selector rules preserved.
DOC-07	PASS	Editor exposes only existing fields, five Post states and 12 block types; no raw HTML block.
DOC-08	PASS	No visual token/theme DB table or schema change introduced.
DOC-09	PASS	UI displays resolved routes/URLs; does not redefine routing/canonicalization.
DOC-10	PASS	All 13 states, section/action/state/site-switch/conflict semantics are visually implemented.
DOC-11	PASS	Public Preview handoff semantics not redefined.
DOC-12	PASS	Public component semantics remain public-site authority; Admin visual system is separate.
DOC-13	PASS	No public PageData shape changed or reused as Admin authorization state.
DOC-14	PASS	Public-site independence remains; no shared Admin/public visual runtime.
DOC-15 RC7	PASS	Admin visual states consume exact HTTP outcomes; no endpoint/schema/status change.
DOC-16 RC4	PASS	SEO/search/sitemap algorithms not redefined by UI diagnostics/forms.
DOC-17 RC2	PASS	Media UI exposes safe metadata/variants and never private original/storage internals.
DOC-18 RC2	PASS	Async worker/search/cache states are presented but queue/job semantics stay unchanged.
DOC-19 RC2	PASS	Auth/MFA/session/CSRF/step-up/security mechanics preserved; DOC-25 only specifies presentation.
DOC-20 RC1	PASS	Visual density/loading does not relax performance/SLO/observability requirements.
DOC-21 RC1	PASS	WCAG/keyboard/responsive/Admin flow evidence remains executable QA authority.
DOC-22 RC1	PASS	Traceability status/evidence model unchanged; this PDF adds visual-authority references only.
DOC-23 RC2	PASS	Central Admin remains React/Vite with Admin-local ui/styles/assets; no prohibited cross-site imports.
DOC-24 RC3	PASS	Deployment/build/secrets/environment behavior unchanged; static Admin artifact consumes this design system. The brand-based palette is Admin-local source, not deployment config.

AUDIT RESULT	No genuine blocking contradiction or missing upstream dependency was found for DOC-25 scope. The exact brand palette supplied for DOC-25 is compatible with DOC-01 through DOC-24 because no upstream document owns a conflicting Central Admin palette. The prior teal proposal was only an unfrozen DOC-25

	review candidate and is superseded here without changing product, API, persistence, security, worker, QA or deployment authority.

35. Traceability

Trace ID	Upstream	DOC-25 visual lock
TR25-001	DOC-01	One Central Admin identity and shared platform boundary.
TR25-002	DOC-02	Permission-aware visual exposure; server authorization remains source.
TR25-003	DOC-03	Component/action surfaces map only to existing capabilities.
TR25-004	DOC-04	Active Website/context/multi-tab visual isolation.
TR25-005	DOC-06	19 modules, 36 pages, SITE/GLOBAL navigation and selector presence.
TR25-006	DOC-07	Article editor block/status/autosave/revision visual treatment.
TR25-007	DOC-10	13 page states, dirty/conflict/confirm/switch behavior.
TR25-008	DOC-15 RC7	Error/loading/success and operation-result presentation.
TR25-009	DOC-17 RC2	Media Library/detail/variant/private-original safety.
TR25-010	DOC-19 RC2	Access surfaces, session expiry, MFA and step-up UI.
TR25-011	DOC-21 RC1	Keyboard, responsive and accessibility evidence families.
TR25-012	DOC-22 RC1	Visual implementation/evidence trace attachment.
TR25-013	DOC-23 RC2	Admin-local React/Vite component implementation home.
TR25-014	DOC-24 RC3	Static Admin build/deployment consumes unchanged visual source.

36. Comprehensive Acceptance Criteria

ID	Release-blocking visual assertion
AC25-001	Exactly one Central Admin visual system is defined; it does not create per-site Admin themes or applications.
AC25-002	All 36 operational Admin Page IDs have a visual implementation archetype and no 37th operational page is introduced.
AC25-003	All 19 module entry points are represented in the sidebar groups with SITE/GLOBAL separation.
AC25-004	Active Website selector is required/visually present on every SITE operational page and remains context-only.
AC25-005	GLOBAL pages never visually imply that the Active Website selector is the explicit target or authority.
AC25-006	Changing site context clears old site-bound render data and late old-context responses cannot repaint the new context.
AC25-007	Dirty SITE forms/editors invoke explicit Save/Discard/Cancel confirmation before a site switch.
AC25-008	Each browser tab can present its own current SiteContext without a browser-global visual rebinding.
AC25-009	Wrong-site and unauthorized object states reveal no protected title, metadata, count or site identity.
AC25-010	Primary/secondary/tertiary/destructive button variants follow the locked palette, focus and action hierarchy.
AC25-011	No consequential action is exposed only through hover.
AC25-012	Icon-only actions have accessible names, visible focus and adequate hit area.
AC25-013	Forms use the locked label/help/error order and distinguish read-only from disabled.
AC25-014	Server validation remains authoritative and unauthorized hidden-field validation is never exposed.
AC25-015	Filter/search controls cannot broaden the current trusted tenant scope.
AC25-016	Data tables retain required site/status/target context at narrow viewports via scrolling rather than silent omission.
AC25-017	Bulk selection/action UI appears only where an upstream bulk capability exists.
AC25-018	Status badges use text plus color and do not become state-changing controls by themselves.
AC25-019	All five Post states have deterministic badge styling and readable labels.
AC25-020	Article Editor exposes only the twelve frozen ArticleBody block types.
AC25-021	Article Editor contains no raw HTML/script/style/custom-component insertion affordance.
AC25-022	Block reorder supports keyboard Move up/Move down in addition to any drag interaction.
AC25-023	Editor autosave indicator never implies publish or formal revision success.
AC25-024	Editor conflict presentation never auto-merges or overwrites the newer server version.
AC25-025	Editor Preview action remains visually distinct from Publish and never claims public publication.
AC25-026	Article lifecycle actions retain current site/target identity and existing confirmation/step-up semantics.
AC25-027	Media Library picker/list/grid is site-scoped and cannot surface another site media item.
AC25-028	Media UI never renders private original object keys, signed credentials or raw storage internals.
AC25-029	Media Detail visibly separates metadata Save, binary Replace and Delete

ID	Release-blocking visual assertion
	actions according to risk.
AC25-030	Media delete presentation shows authoritative usage blocking rather than promising deletion before checks complete.
AC25-031	Navigation editor is a data/config editor, not a public header/footer visual builder or arbitrary page builder.
AC25-032	Navigation reorder/nesting is keyboard operable and preserves stored semantic order.
AC25-033	SEO page contains no raw HTML/JSON-LD/source-code editing surface.
AC25-034	Redirect editor shows source/destination/conflict states without redefining routing logic.
AC25-035	Search & Indexing page displays READY/REINDEXING/DEGRADED without inventing a second search index.
AC25-036	Reindex action presents asynchronous acceptance/state instead of fake synchronous completion.
AC25-037	Editorial Calendar preserves schedule state in text and remains operable at narrow viewports.
AC25-038	Site Settings handoffs to other modules reauthorize and do not visually merge permission domains.
AC25-039	Network Dashboard uses explicit GLOBAL scope treatment and site-labelled aggregates.
AC25-040	Global All-Posts view displays site identity per row and row actions do not imply universal site authority.
AC25-041	Site Detail and Domain Management show explicit target identity separate from the Active Website selector.
AC25-042	Admin User UI never confuses public Author identity with Admin credentials.
AC25-043	Roles UI communicates SITE/GLOBAL scope and never bypasses server privilege ceiling.
AC25-044	Permission Registry is visually read-only and exposes no create/edit/delete controls.
AC25-045	Audit UI treats event data as immutable and does not expose/redact secrets through client inference.
AC25-046	Platform Settings UI contains no secret/database/server/container console affordance.
AC25-047	Modal and drawer focus is trapped while modal and restored on close.
AC25-048	Destructive confirmation names action, target and site/context where applicable.
AC25-049	Tooltips contain only supplemental information and never the sole instruction or error.
AC25-050	Loading uses skeleton/spinner with explicit state; mutation controls are not active during initial protected load.
AC25-051	Empty states distinguish valid zero results from DENIED/NOT-FOUND/ERROR conditions.
AC25-052	Error states provide safe retry inside the same context and do not expose raw stack traces.
AC25-053	Success feedback appears only after authoritative server acceptance.
AC25-054	ST10-DIRTY, VALIDATING, SAVING, SUCCESS, ERROR-RETRY, DENIED, NOT-FOUND, CONFLICT, STALE-CONTEXT and CONFIRMING are visually distinguishable.
AC25-055	Access/login/invite/reset/MFA/reauth surfaces remain outside the 36 operational Page ID count.
AC25-056	No Active Website selector is displayed before authenticated Admin context exists.
AC25-057	Session-expired presentation removes protected content and routes back through existing security flow.

BLOG-DOC-25 | CENTRAL ADMIN VISUAL DESIGN SYSTEM & COMPONENT AUTHORITY

ID	Release-blocking visual assertion
AC25-058	Step-up dialog identifies purpose without exposing secrets and resumes action only after server success.
AC25-059	Preview credentials/tokens are never rendered in Admin UI.
AC25-060	Admin normal text meets at least 4.5:1 contrast and essential focus/UI indicators meet required contrast.
AC25-061	Focus-visible uses a consistent visible ring and is never removed solely for aesthetics.
AC25-062	All interactive controls are keyboard operable, including site selector, menus, editor, media picker and dialogs.
AC25-063	Dynamic state updates are announced appropriately without unnecessary focus theft.
AC25-064	Reduced-motion preference suppresses nonessential animations.
AC25-065	At 360x800, 768x1024 and 1440x900 QA fixtures, key Admin interactions remain usable and preserve authority/state meaning.
AC25-066	Responsive adaptation never changes action eligibility, semantic order or tenant scope.
AC25-067	Text zoom/reflow does not clip critical labels, validation messages or action text.
AC25-068	Admin uses one light brand-aligned operational theme baseline; no unapproved theme switch or selected-public-site brand injection exists.
AC25-069	The nine established brand primitives are represented exactly in Admin-local design tokens and are not replaced by teal/generic SaaS brand colors.
AC25-070	Cosmic Navy/Midnight Navy/Antique Gold/Celestial Indigo/Warm Ivory/Temple Cream/Sacred White are applied according to the locked Admin roles rather than as decorative public-site styling.
AC25-071	Success green and danger oxblood are explicitly limited to Admin semantic utility roles and never presented as new brand identity colors.
AC25-072	Selecting any of the 14 websites leaves the Admin palette, shell, typography and component styling unchanged.
AC25-073	Admin palette/typography/spacing/radii/motion derive from the canonical token file rather than module-local duplicate scales.
AC25-074	Admin visual runtime remains internal to apps/admin and is not imported by public site applications.
AC25-075	Public-site visual components/tokens are not imported into Central Admin.
AC25-076	Central Admin remains React/Vite and visual code does not introduce direct DB/Redis/search/storage access.
AC25-077	All API/server errors are mapped to safe Admin states instead of framework/raw provider payload rendering.
AC25-078	Dates/times requiring editorial interpretation display explicit relevant timezone context.
AC25-079	Destructive labels truthfully distinguish reversible versus terminal consequences from upstream workflow.
AC25-080	Action text uses specific verbs rather than ambiguous OK/Yes for consequential mutations.
AC25-081	Component IDs in the CMP25 registry remain UI implementation artifacts and do not create product capabilities.
AC25-082	Page-specific components stay module/page-local unless genuinely reusable within the Admin app.
AC25-083	No Admin component stores an authoritative mutable currentSite singleton outside the existing context architecture.
AC25-084	No design token is persisted into DOC-08 database tables or Platform Settings as an arbitrary theme editor.
AC25-085	QA evidence for visual assertions maps to existing QA21 ADM/A11Y/PERM/REG families rather than replacing QA21 IDs.

ID	Release-blocking visual assertion
AC25-086	DOC-22 implementation status is not marked VERIFIED solely because this PDF exists.
AC25-087	Cross-document audit remains free of unresolved authority conflict before formal freeze.
AC25-088	No new feature, permission, capability, Admin Page ID, public Page ID, API operation, DB structure, job type, tenant context or public-site visual rule is introduced by DOC-25.
AC25-089	All acceptance assertions in this section are satisfied by candidate Admin implementation/evidence before release approval.

37. Freeze-Readiness Checklist

Freeze ID	Required condition
FZ25-01	Authority boundary accepted: Central Admin visual design only.
FZ25-02	One light established-brand-derived Admin identity/palette/typography system accepted; no per-site Admin theming.
FZ25-03	Nine exact brand primitives, Admin semantic aliases and controlled utility-color policy accepted.
FZ25-04	Sidebar/topbar/shell dimensions and responsive behavior accepted.
FZ25-05	All 19 module navigation entries and 36 page mappings accepted.
FZ25-06	Active Website selector visual/context rules accepted.
FZ25-07	Button/form/filter/table component rules accepted.
FZ25-08	Article Editor component and 12-block palette accepted.
FZ25-09	Media Library/picker/detail visual rules accepted.
FZ25-10	GLOBAL workspace target/site distinction accepted.
FZ25-11	13 DOC-10 state presentations accepted.
FZ25-12	Modal/drawer/feedback patterns accepted.
FZ25-13	Auth/MFA/session/step-up visual mapping accepted without new Page IDs.
FZ25-14	Responsive viewport adaptation accepted.
FZ25-15	WCAG 2.2 AA/keyboard/focus/contrast rules accepted.
FZ25-16	React/Vite Admin-local implementation boundary accepted.
FZ25-17	68 CMP25 component registry accepted.
FZ25-18	89 AC25 visual acceptance assertions accepted.
FZ25-19	DOC-01 through DOC-24 cross-document audit has zero unresolved blocker.
FZ25-20	Implementation remains NOT_VERIFIED / EVIDENCE_REQUIRED until candidate Admin build + QA evidence proves this visual contract.

REVIEW STATUS	BLOG-DOC-25 v1.0-RC2 is a complete brand-aligned Central Admin visual-design review candidate. It is technically freeze-ready as a specification if the project owner accepts this visual baseline; implementation verification still requires the existing QA21/DOC-22 evidence path.

Appendix A - Canonical Design-Token Reference

```
:root {
  /* Established brand primitives - exact, Admin-local aliases */
  --adm-brand-cosmic-navy: #111A36;
  --adm-brand-midnight-navy: #091127;
  --adm-brand-celestial-indigo: #2C3B6B;
  --adm-brand-antique-gold: #C3A15A;
  --adm-brand-burnished-gold: #987437;
  --adm-brand-sand-gold: #E8D8AE;
  --adm-brand-warm-ivory: #FCF8EF;
  --adm-brand-temple-cream: #F3E9D7;
  --adm-brand-sacred-white: #FFFEFB;

  /* Admin semantic aliases */
  --adm-color-bg: var(--adm-brand-warm-ivory);
  --adm-color-surface: var(--adm-brand-sacred-white);
  --adm-color-surface-subtle: var(--adm-brand-temple-cream);
  --adm-color-text: var(--adm-brand-cosmic-navy);
  --adm-color-text-muted: #5B6274;
  --adm-color-text-subtle: #6E7280;
  --adm-color-border: #D7C9AF;
  --adm-color-border-subtle: #E9DFC9;
  --adm-color-primary: var(--adm-brand-cosmic-navy);
  --adm-color-primary-hover: var(--adm-brand-midnight-navy);
  --adm-color-accent: var(--adm-brand-antique-gold);
  --adm-color-focus: var(--adm-brand-celestial-indigo);
  --adm-color-focus-on-dark: var(--adm-brand-sand-gold);
  --adm-color-info: var(--adm-brand-celestial-indigo);
  --adm-color-warning: var(--adm-brand-burnished-gold);

  /* Functional Admin semantic utilities - NOT brand identity colors */
  --adm-color-success: #2F5B4B;
  --adm-color-danger: #8F3434;
  --adm-color-info-subtle: #EEF0F6;
  --adm-color-warning-subtle: #FBF4E5;
  --adm-color-success-subtle: #EEF4F0;
  --adm-color-danger-subtle: #F9EEEE;

  --adm-font-sans: Inter, ui-sans-serif, system-ui, sans-serif;
  --adm-font-mono: ui-monospace, SFMono-Regular, Menlo, Consolas, monospace;

  --adm-space-1: 4px;  --adm-space-2: 8px;   --adm-space-3: 12px;
  --adm-space-4: 16px; --adm-space-5: 20px;  --adm-space-6: 24px;
  --adm-space-8: 32px; --adm-space-10: 40px; --adm-space-12: 48px;

  --adm-radius-sm: 6px; --adm-radius-md: 8px; --adm-radius-lg: 12px;
  --adm-size-topbar: 64px; --adm-size-sidebar: 264px;
  --adm-size-control: 40px;
  --adm-motion-fast: 120ms; --adm-motion-base: 180ms; --adm-motion-slow: 240ms;
}
```

Layer token	Value	Purpose
--adm-z-sticky	100	Sticky table/header regions
--adm-z-dropdown	300	Menus/select/popovers
--adm-z-drawer	500	Responsive drawers
--adm-z-modal	600	Blocking modal/confirm
--adm-z-toast	700	Transient notifications
--adm-z-tooltip	800	Supplemental tooltip only

Appendix B - Component Interaction State Matrix

Component	States	Invariant
Button	default / hover / focus-visible / pressed / loading / disabled	Loading prevents duplicate submit; disabled not used to hide denial semantics.
Text/Select	default / hover / focus / filled / read-only / disabled / invalid	Error remains text-associated; read-only remains selectable where safe.
Nav item	default / hover / focus / active	Active includes non-color indicator + aria-current where route applies.
Site selector	closed / open / filtering / switching / denied destination / dirty-confirm	Destination revalidated server-side.
Table row	default / hover / focus-within / selected / unavailable	Selection only where bulk capability exists.
Editor block	idle / hover / focus / selected / invalid / dragging	Keyboard reorder available; invalid does not lose content.
Media tile	idle / hover / focus / selected / unavailable	Selected state includes check/label + border; no cross-site fallback.
Modal/Drawer	opening / open / validating / saving / error / closing	Focus and Escape behavior deterministic.
Toast/Alert	info / success / warning / danger	Critical actions/errors persist inline rather than disappearing.
Status badge	neutral / info / success / warning / danger	Text required; no click-to-change implied.

Appendix C - One-Page Developer Execution Reference

Area	Locked answer
ADMIN APP	One React/Vite Central Admin; exactly 19 modules / 36 operational pages. Auth/MFA/reauth/session surfaces use the same Admin tokens but are not extra operational Page IDs.
VISUAL IDENTITY	Established brand DNA adapted for operations: Cosmic Navy #111A36 primary, Antique Gold #C3A15A accent, Warm Ivory #FCF8EF canvas, Sacred White #FFFEFB surfaces, Celestial Indigo #2C3B6B focus/info. Semantic success/danger utilities are functional-only.
SITE CONTEXT	SITE page always shows labelled Active Website selector; selector is working context only, never authorization and never changes the Admin brand/theme. GLOBAL pages use GLOBAL scope badge + explicit target identity; the selector cannot retarget global forms.
SHELL	Desktop: 264px sidebar + 64px topbar + 32px page gutter. Narrow: off-canvas nav, 16-24px gutters.
TYPE	Inter/system sans; body 14/21; labels 13/18; page title 24/32.
CONTROLS	40px default; icon buttons 40px desktop, 44px narrow; 8px radius; visible 2px focus ring.
EDITOR	Only 12 frozen blocks; 320px settings rail desktop; autosave != publish; conflict never auto-merges.
MEDIA	Site-scoped grid/picker/detail; safe derivatives only; no private original/storage internals.
STATES	Render all 13 DOC-10 states distinctly: LOADING/READY/EMPTY/DIRTY/VALIDATING/SAVING/SUCCESS/ERROR/DENIED/NOT-FOUND/CONFLICT/STALE-CONTEXT/CONFIRMING.
A11Y	WCAG 2.2 AA target; keyboard-only; focus restoration; no color-only meaning; reduced-motion respected.
IMPLEMENTATION	Admin-local tokens/components only; public sites cannot import them. QA maps to existing QA21 families. Status remains NOT_VERIFIED / EVIDENCE_REQUIRED.