Fusion at the electromagnetic Address


Constructed plasma organizations
New freedoms for geometry, current, source and phase

R. Wade H. Marr and Joseph Adam Thiel
21 October 2026 · Public research release

An exact equilibrium opened the design space

Three-dimensional flux surfaces persist as stellarator symmetry is released.

A geometric parameter becomes an available constructive choice.



The organization leads the construction


Field and distribution
Geometry and containing stress
Source and receiving
Phase and preparation

Formative participation
Reciprocal conjugacy
Containing return

Current with zero net mechanical spin

Electrons and D–T ions countercirculate.


Their mechanical angular momenta cancel pointwise.
Their electric currents reinforce.



Support participates in selecting shape

The field supplies Maxwell traction.
The membrane supplies admissible tension.


Solving both changes the selected geometry.



The distribution determines nuclear birth

Exact velocity-ball overlap reduces
the D–T source from 6D to 1D.

Velocity shape and relative drift enter the calculation directly.



Energy destinations become calculable

Reaction products enter physical trajectories.


Collisions deliver species energy and momentum. Fields receive phase-dependent work.

Nuclear source
Species receiving
Coherent field exchange
Terminal receiving

Engagement selects direction and destination

Prepared phase selects emission or absorption.

Spatial resonance shapes donor and receiver coupling.
A catalytic channel admits seed-free startup.



One action constructs reciprocal participation

The deposited current and receiving force come from the same field evaluation.

New participants enter through their actual reciprocal work.

$$j_i = \Sigma\, wq\, A_i(x) \cdot v$$

$$Pparticle = -j^T \dot{a}$$

Positive stress carries finite deformation

A positive velocity ellipsoid evolves
with the moving material.

Internal pressure work and bulk deformation
receive complementary transfers.


$$C^{+} = \exp(hK)\, C\, \exp(hK^{T})$$

$$\dot{U}_{internal} = -\int \Pi : \nabla u \, dV$$

Fast electromagnetic phase is computable


The reciprocal exponential advances
a 2.229 ps phase clock through
a 2 ns step.

Measured phase-state error:
5.82×10^{-12}



Handedness changes alpha–field work

Physical quadrupolar
engagement selects
a different reciprocal response
when its handedness reverses.



Preparation targets a collective phase state

Actual sheet ports prepare a 6,742-coordinate frozen-stage target.


Endpoint bound: 8.28e−8

$$\delta z(T) = \int \exp((T-t)L)\, Bv(t)\, dt$$

Response follows the moving organization

Field and participant response advance
with the actual nonlinear background.

Displacement, stress, live orbits and support participate together.



Physical succession can be represented directly

Positive source histories carry current, charge, work and torque.


Exact half-turn symmetry halves the independent orbit calculation.

1,096 representatives
2,192 physical histories

$$f^* = \mu T + P T f^*$$

A collective return can be inverse-designed

Components select a target collective profile.
Preparation forms the profile.
Source removal leaves intrinsic return.



The available design space has expanded

Current with controlled mechanical spin
Geometry with containing stress
Source with participating distributions
Exchange with prepared phase
Response with physical succession

Equations
Constructors
Receipts
New experiments

The constructions are open to investigation

Read the result. Follow its derivation.
Run its receipt. Change the design relation.

doi.org/10.5281/zenodo.23523832