
Part 1: Creating Tables

User Table



User Login Table

```
.APTOP-851USRJO (SQL Server 15.0.2000.5 - A
                                            --End creating the User table
Databases
                                        22
System Databases
                                             --Creating the UserLogin table
                                        23

    ■ Database Snapshots

                                            Create Table vc_UserLogin(
∃ ST_659_Labs
                                             --Columns for the UserLogin table
  vc_UserLoginID int identity,
                                        26
  ☐ III Tables
                                        27
                                             vc UserID int not null,
    System Tables
                                             UserLoginTimestamp datetime not null default GetDate(),
                                        28
                                        29
                                             LoginLocation varchar(50) not null,
    30
                                             --Constraints on the User Login Table

    External Tables

                                        31
                                             CONSTRAINT PK_vc_UserLogin Primary Key (vc_UserLoginID),

⊕ ■ Graph Tables

                                             CONSTRAINT FK1_vc_UserLogin Foreign Key (vc_UserID) References vc_User(vc_UserID)
    33
    34
                                             -- End Creating the User Login Table

☐ I Columns


                                    100 %
            wo vc_UserLoginID (PK, int
                                    Messages
            ©= vc_UserID (FK, int, not i
                                       Commands completed successfully.
            UserLoginTimestamp (
            LoginLocation (varchar
                                       Completion time: 2021-02-20T18:12:49.9251146-05:00
       - PK_vc_UserLogin

    FK1_vc_UserLogin
```

User records

```
36 -- Adding Data to the User table
          ☐Insert into vc_User(UserName, EmailAddress, UserDescription)
      37
      38
            ('RDwright', 'rdwight@nodomain.xyz', 'Piano Teacher'),
     39
           ('SaulHudson', 'slash@nodomain.xyz', 'I like Les Paul guitars'),
('Gordon', 'sumner@nodomain.xyz', 'Former cop')
     40
     41
     42
           select * from vc User
     43
100 % +
Results Messages
                                                    UserDescription
      vc_UserID
                  UserName
                               Email Address
                                                                         WebSiteURL UserRegisteredDate
                  RDwright
                               rdwight@nodomain.xyz
                                                                         NULL
                                                                                      2021-02-20 18:18:22.440
                                                    Piano Teacher
      2
                  Saul Hudson slash@nodomain.xyz
                                                                                      2021-02-20 18:18:22.440
 2
                                                     I like Les Paul guitars
                                                                         NULL
 3
      3
                                                                         NULL
                                                                                      2021-02-20 18:18:22.440
                  Gordon
                               sumner@nodomain.xyz
                                                    Former cop
```

User Tables



Part 2: The Rest of the Tables

Tag Tables

```
61 Create Table vc_Tag(

☐ Columns

                                                     --Columns for the Tag table
                                               62
        wo vc_TagID (PK, int, not null)
                                               63
                                                     vc_TagID int identity,
                                                     TagText varchar(20) not null,
        ☐ TagText (varchar(20), not null)
                                               65
                                                     TagDescription varchar(100) not null,
        TagDescription (varchar(100), not nu
                                               66
                                                     -- Constraints on the Tag table
  67
                                                     CONSTRAINT PK_vc_Tag Primary Key (vc_TagID),
        ₩ PK_vc_Tag
                                               68
                                                     CONSTRAINT U1_vc_Tag Unique (TagText)
        & U1_vc_Tag
                                               69
  ⊞ Constraints
                                               70
                                                     -- End Creating the Tag table
  🖂 🚟 Triggers
```

Status Tables

```
-- Creating the Status table
  Columns
                                                    Create Table vc_Status(
                                               73

→ vc_StatusID (PK, int, not null)

                                                    -- Columns for the Status table
                                               74
                                               75
                                                    vc_StatusID int identity,
       StatusText (varchar(20), not null)
  76
                                                    StatusText varchar(20) not null,
                                               77
                                                    -- Constraints on the Status table
       - PK_vc_Status
                                               78
                                                    CONSTRAINT PK_vc_Status Primary Key (vc_StatusID),
        & U1_vc_Status
                                               79
                                                    CONSTRAINT U1_vc_Status Unique (StatusText)
  Constraints
                                               80
  Triggers
                                               81
                                                    -- End Creating the Status table
```

VidCast Tables

```
Object Explorer
                                             IST_659_Lab05_ML.s...1USRJO\lewis (51)) + ×
                                                        -- Creating the VidCast table
Connect ▼ * ▼ ■ ▼ C →
                                                       CREATE TABLE vc_VidCast (
 85
                                                       -- Columns for the VidCast table

☐ III Columns

                                                       vc_VidCastID int identity,
         - vc_VidCastID (PK, int, not null)
                                                  87
                                                       VidCastTitle varchar(50) not null,
                                                       StartDateTime datetime not null,
                                                  88

☐ VidCastTitle (varchar(50), not null)

                                                  89
                                                       EndDateTime datetime not null,
          StartDateTime (datetime, not null)
                                                       ScheduledDurationMinutes int not null,
                                                  90
          EndDateTime (datetime, not null)
                                                  91
                                                       RecordingURL varchar(50) not null,
          ScheduledDurationMinutes (int, no
                                                  92
                                                       vc_UserID int not null,
          RecordingURL (varchar(50), not nul
                                                       vc_StatusID int not null,
                                                  93
         c⇒ vc_UserID (FK, int, not null)
                                                  94
                                                        -- Constraints on the VidCast table
         c vc_StatusID (FK, int, not null)
                                                  95
                                                       CONSTRAINT PK_vc_VidCast PRIMARY KEY (vc_VidCastID),
                                                       CONSTRAINT FK1_vc_VidCast FOREIGN KEY (vc_UserID) REFERENCES vc_User(vc_UserID),
                                                  96
    97
                                                       CONSTRAINT FK2_vc_VidCast FOREIGN KEY (vc_StatusID) REFERENCES vc_Status(vc_StatusID)
         - PK_vc_VidCast
                                                  98
         c FK1_vc_VidCast
         c⇒ FK2_vc_VidCast
```

VidCastTagList Tables

```
-- Creating the VidCastTag List table
101
                                              CREATE TABLE vc_VidCastTagList (
  ☐ Columns
                                          102
                                               -- Columns for the VidCastTag list table
       wc_VidCastTagListID (PK, int, not nu
                                               vc_VidCastTagListID int identity,
                                          103
      @ vc_TagID (FK, int, not null)
                                          104
                                               vc_TagID int not null,
      c= vc_VidCastID (FK, int, not null)
                                               vc VidCastID int not null,
                                          105
  106
                                                -- Constraints on the VidCastTag List table
      ₩ PK_vc_VidCastTagList
                                          107
                                               CONSTRAINT PK_vc_VidCastTagList PRIMARY KEY (vc_VidCastTagListID),
                                          108
                                               CONSTRAINT U1_vc_VidCastTagList UNIQUE (vc_TagID, vc_VidCastID)
      109
                                               CONSTRAINT FK1_vc_VidCastTagList FOREIGN KEY (vc_TagID) REFERENCES vc_Tag(vc_TagID),
      110
                                               CONSTRAINT FK2_vc_VidCastTagList FOREIGN KEY (vc_VidCastID) REFERENCES vc_VidCast(vc_VidCastID)
       & U1_vc_VidCastTagList
                                          111
  112
                                                -- End creating the VidCastTag List table
  # Triggers
```

UserTagList Tables

```
CREATE TABLE vc_UserTagList (
115
                                                     116
                                                             -- Columns for the UserTag list table

☐ I Columns

                                                     117
                                                            vc_UserTagListID int identity,

wo vc_UserTagListID (PK, int, not null)

■ vc_UserTagListID (PK, int, not null)
                                                            vc_TagID int not null,
                                                     118
        € vc_TagID (FK, int, not null)
                                                            vc_UserID int not null,
                                                     119
        € vc_UserID (FK, int, not null)
                                                             -- Constraints on the UserTag List table
   🗏 📕 Keys
                                                            CONSTRAINT PK_vc_UserTagList PRIMARY KEY (vc_UserTagListID),
                                                            CONSTRAINT U1_vc_UserTagList UNIQUE (vc_TagID, vc_UserID),
CONSTRAINT FK1_vc_UserTagList FOREIGN KEY (vc_TagID) REFERENCES vc_Tag(vc_TagID),
        → PK_vc_UserTagList
                                                     122

⇒ FK1_vc_UserTagList

                                                     123
        © FK2_vc_UserTagList
                                                     124
                                                            CONSTRAINT FK2_vc_UserTagList FOREIGN KEY (vc_UserID) REFERENCES vc_User(vc_UserID)
                                                     125
         & U1_vc_UserTagList
                                                            -- End creating the UserTag List table
```