
TP53: tumor protein p53

Role: oncogene, TSG, fusion · Somatic tumour types: breast, colorectal, lung, sarcoma, prostate, adrenocortical, glioma, Spitzoid tumour, ...




Human COSMIC (GRCh38)

2,805 distinct mutations · 28,931 mutation calls · 26,151 samples

Highlighted: 3 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

NOTCH1: notch 1

Role: oncogene, TSG, fusion · Somatic tumour types: T−ALL, breast, bladder, skin SCC, lung SCC, head and neck SCC




Human COSMIC (GRCh38)

2,914 distinct mutations · 5,442 mutation calls · 4,212 samples

Highlighted: 0 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

KEAP1: kelch like ECH associated protein 1

Role: TSG · Somatic tumour types: NSCLC, breast carcinoma




Human COSMIC (GRCh38)

832 distinct mutations · 1,348 mutation calls · 1,252 samples

Highlighted: 1 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

CUL3: cullin 3

Role: TSG · Somatic tumour types: lung cancer




Human COSMIC (GRCh38)

423 distinct mutations · 570 mutation calls · 544 samples

Highlighted: 2 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

TP63: tumor protein p63

Role: oncogene, TSG · Somatic tumour types: HNSCC, DLBCL




Human COSMIC (GRCh38)

690 distinct mutations · 1,174 mutation calls · 1,019 samples

Highlighted: 2 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

KDM6A: lysine demethylase 6A


Role: oncogene, TSG · Somatic tumour types: renal cell carcinoma, bladder carcinoma, oesophageal SCC, MM, medulloblastoma, T−ALL, other tumour types



Highlighted: 0 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

IL7R: interleukin 7 receptor


Role: oncogene · Somatic tumour types: ALL, ETP ALL



Highlighted: 1 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

ERBB2: erb−b2 receptor tyrosine kinase 2

Role: oncogene, fusion · Somatic tumour types: breast, ovarian, other tumour types, NSCLC, gastric




Human COSMIC (GRCh38)

878 distinct mutations · 2,275 mutation calls · 1,996 samples

Highlighted: 2 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

FAT1: FAT atypical cadherin 1

Role: TSG · Somatic tumour types: oral squamous cell, chemorefractory CLL, head and neck, pancreatic acinar cell carcinoma




Highlighted: 1 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

ALB

Not in COSMIC Cancer Gene Census

Macaca mulatta

Mmul_10 · 17 mutations mapped to human (1 unmapped) · 8 samples



Consequence

- Frameshift
- In−frame indel
- Missense
- Nonsense

CDS

UTR

Human COSMIC (GRCh38)

0 distinct mutations · 0 mutation calls · 0 samples


Highlighted: 0 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

CBLB: Cbl proto−oncogene B

Role: TSG · Somatic tumour types: AML

Macaca mulatta

Mmul_10 · 10 mutations mapped to human (3 unmapped) · 9 samples




Human COSMIC (GRCh38)

543 distinct mutations · 740 mutation calls · 656 samples

Highlighted: 0 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

CBL: Cbl proto−oncogene

Role: oncogene, TSG, fusion · Somatic tumour types: AML, JMML, MDS




Human COSMIC (GRCh38)

564 distinct mutations · 833 mutation calls · 748 samples

Highlighted: 4 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

CHD4: chromodomain helicase DNA binding protein 4

Role: oncogene · Somatic tumour types: uterine serous carcinoma




Human COSMIC (GRCh38)

1,003 distinct mutations · 1,630 mutation calls · 1,366 samples

Highlighted: 3 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

MTOR: mechanistic target of rapamycin kinase

Role: oncogene · Somatic tumour types: endometrial carcinoma, head and neck, clear cell renal cell carcinoma, anaplastic thyroid cancer, urothelial cell carcinoma, central nervous system tumours, testicular germ cell tumours and other tumour types




Human COSMIC (GRCh38)

1,464 distinct mutations · 2,271 mutation calls · 1,934 samples

Highlighted: 1 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

ARID2: AT−rich interaction domain 2

Role: TSG · Somatic tumour types: hepatocellular carcinoma




Human COSMIC (GRCh38)

1,528 distinct mutations · 2,347 mutation calls · 1,992 samples

Highlighted: 1 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

RB1: RB transcriptional corepressor 1

Role: TSG · Somatic tumour types: retinoblastoma, sarcoma, breast, small cell lung carcinoma




Highlighted: 1 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

ERBB4: erb−b2 receptor tyrosine kinase 4

Role: oncogene, TSG · Somatic tumour types: melanoma, gastric, NSCLC

Macaca mulatta

Mmul_10 · 24 mutations mapped to human (1 unmapped) · 13 samples



Consequence

- Missense
- Nonsense
- Synonymous

CDS

UTR

Consequence

- Frameshift
- In−frame indel
- Missense
- Nonsense
- Other
- Splice
- Synonymous


Human COSMIC (GRCh38)

1,628 distinct mutations · 2,633 mutation calls · 2,185 samples

Highlighted: 0 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

ERBB3: erb−b2 receptor tyrosine kinase 3

Role: oncogene · Somatic tumour types: colon, gastric, head and neck, bladder, skin



Human COSMIC (GRCh38)

966 distinct mutations · 2,020 mutation calls · 1,780 samples


Highlighted: 0 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

NOTCH3

Not in COSMIC Cancer Gene Census

Macaca mulatta

Mmul_10 · 22 mutations mapped to human (1 unmapped) · 11 samples



Consequence

- Frameshift
- Missense
- Synonymous

CDS

UTR


Human COSMIC (GRCh38)

0 distinct mutations · 0 mutation calls · 0 samples

Highlighted: 0 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

PPM1D: protein phosphatase, Mg2+/Mn2+ dependent 1D

Role: oncogene · Somatic tumour types: glioma, ovarian cancer, breast cancer




Human COSMIC (GRCh38)

306 distinct mutations · 548 mutation calls · 512 samples

Highlighted: 0 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).

PIK3CA: phosphatidylinositol−4,5−bisphosphate 3−kinase catalytic subunit alpha

Role: oncogene · Somatic tumour types: colorectal, gastric, glioblastoma, breast



Human COSMIC (GRCh38)

1,016 distinct mutations · 10,450 mutation calls · 9,239 samples

Highlighted: 0 mutation(s) within ±1 aa of the top 15 COSMIC hotspot residues (min. 2 samples each).