



# *Roadmap* *development of integration* *services and OIH key* *components*


Stephan Pfeiffer / X-INTEGRATE  
Franz Degenhardt / X-INTEGRATE

# Agenda

Development Approach and Roadmap


# POC 1 – point to point integration of ISV applications

- Business API is provided and maintained by ISV application owner or system integrator; It is not an OIH component
- Integration Node contains a minimum of one Integration flow, but can also contain more integration flows to allow communication between additional ISV applications for different uses cases




# POC 2 – point to point integration of ISV applications using Connectors

- Business API is provided and maintained by ISV application owner or system integrator; It is not an OIH component
- Integration Node contains a minimum of one Integration flow, but can also contain more integration flows to allow communication between additional ISV applications for different uses cases
- Decoupling of ISV applications using Connectors
- Integration flow provides simple mapping & routing features between Connectors




# POC 3 – hub & spoke integration of ISV applications with MDM

- Business API is provided and maintained by ISV application owner or system integrator; It is not an OIH component
- Integration Node contains a minimum of one Integration flow, but can also contain more integration flows to allow communication between additional ISV applications for different uses cases
- Decoupling of ISV applications using Connectors
- ISV specific connector component includes adapter and transformer modules to interact with the OIH Smart Data Framework
- Routing between OIH components is part of Integration Node deployment settings




# POC 4 – hub & spoke integration of ISV applications with MDM and Identity Management

- Business API is provided and maintained by ISV application owner or system integrator; It is not an OIH component
- Integration Node contains a minimum of one Integration flow, but can also contain more integration flows to allow communication between additional ISV applications for different uses cases
- Decoupling of ISV applications using Connectors
- ISV specific connector component includes adapter and transformer modules to interact with the OIH Smart Data Framework
- Routing between OIH components is part of Integration Node deployment settings
- Identity management features allow secured transactions and processing of data



# POC 5 – hub & spoke integration of ISV applications with MDM, Identity Management and Integration Repository

- Business API is provided and maintained by ISV application owner or system integrator; It is not an OIH component
- Integration Node contains a minimum of one Integration flow, but can also contain more integration flows to allow communication between additional ISV applications for different uses cases
- Decoupling of ISV applications using Connectors
- ISV specific connector component includes adapter and transformer modules to interact with the OIH Smart Data Framework
- Identity management features allow secured transactions and processing of data
- Integration repository allows central management including technical configuration of all Integration Nodes







*Vielen Dank!*