Nama :Fikri Ranavian

NPM :201843501350

Kelas :S4C

1. Menampilkan database

```
MariaDB [(none)]> create database Fikriranavian;
Query OK, 1 row affected (0.402 sec)
```

2.Lanjut MariaDB untuk mengaktifkan database

3.Lanjut pembuatan table (Anggota, Pinjam, Daftar Buku)

# 4. ALTER TABLE nama table ADD Column field "Daftar buku'

```
MariaDB [Fikriranavian]> alter table pinjam change judul_buku
-> judul varchar(30);
Query OK, 0 rows affected (0.267 sec)
Records: 0 Duplicates: 0 Warnings: 0
MariaDB [Fikriranavian]> alter table Buku change judul_buku
-> judul varchar(30);
Query OK, O rows affected (0.712 sec)
Records: O Duplicates: O Warnings: O
MariaDB [Fikriranavian]> desc pinjam;
   Field
                            l Type
                                                          Null | Key
                                                                                  Default
                                                                                                       Extra
                              varchar(15)
varchar(30)
varchar(15)
int(15)
int(15)
                                                                                   NULL
NULL
NULL
NULL
                                                          YES
YES
YES
YES
YES
    Kd_anggota
   judul
Tgl_Pinjam
Tgl_kembali
    Denda
   rows in set (0.195 sec)
 lariaDB [Fikriranavian]> desc buku;
   Field
                           Type
                                                      Null ¦
                                                                    Key
                                                                               Default
                                                                                                   Extra
   KD_Buku
judu1
Pengarang
Jum1ah
                                                      YES
YES
YES
YES
                          varchar(10)
varchar(30)
varchar(25)
int(5)
                                                                               NULL
NULL
NULL
   rows in set (0.123 sec)
```

## 5. ALTER TABLE Judul\_buku change new\_judul

```
MariaDB [Fikriranavian]> alter table pinjam change judul_buku
-> judul varchar(30);
Query OK, 0 rows affected (0.267 sec)
Records: 0 Duplicates: 0 Warnings: 0
MariaDB [Fikriranavian]> alter table Buku change judul_buku
-> judul varchar(30);
Query OK, 0 rows affected (0.712 sec)
Records: 0 Duplicates: 0 Warnings: 0
MariaDB [Fikriranavian]> desc pinjam;
   Field
                           ! Type
                                                         Nu11
                                                                                  Default
                                                                                                      Extra
                                                                      Key
                              varchar(15)
varchar(30)
varchar(15)
int(15)
int(15)
                                                         YES
YES
YES
YES
YES
                                                                                  NULL
NULL
NULL
NULL
   Kd_anggota
   judul
Tgl_Pinjam
Tgl_kembali
    Denda
   rows in set (0.195 sec)
 lariaDB [Fikriranavian]> desc buku;
   Field
                          Type
                                                     Mu11
                                                                   Key
                                                                              Default
                                                                                                  Extra
                          varchar(10)
varchar(30)
varchar(25)
int(5)
                                                     YES
YES
YES
YES
                                                                              NULL
NULL
NULL
    KD_Buku
   judul
Pengarang
Jumlah
   rows in set (0.123 sec)
```

### 6. ALTER TABLE Kd Buku ADD Column field Kd anggota

```
MariaDB [Fikriranavian]> alter table pinjam add column Kd_buku varchar(10)
-> after Kd_Anggota;
Query OK, O rows affected (0.270 sec)
Records: O Duplicates: O Warnings: O
```

### CREATE TABLE Kd\_Anggota (Kd\_anggota);

```
MariaDB [Fikriranavian]> alter table anggota add primary key (Kd_Anggota);
Query OK, 0 rows affected (1.315 sec)
Records: 0 Duplicates: 0 Warnings: 0
MariaDB [Fikriranavian]> alter table buku add primary key (Kd_Buku);
Query OK, 0 rows affected (1.451 sec)
Records: 0 Duplicates: 0 Warnings: 0
MariaDB [Fikriranavian]> desc anggota;
! Field
                           Type
                                               | Null | Key
                                                                    ! Default
                                                                                       Extra
                                                                                                  Н
                                                                                     Н
                                                                       NULL
NULL
NULL
                           varchar(15)
varchar(20)
varchar(15)
                                                  NO
Yes
   Kd_anggota
                                                             PRI
   Nama_anggota
                                                  ŸES
   Alamat
                                                                                                  Н
  rows in set (0.147 sec)
MariaDB [Fikriranavian]> desc buku;
  Field
                                          | Null
                    : Type
                                                        Key
                                                                  Default
                                                                                  Extra
                      varchar(10)
varchar(30)
varchar(25)
int(5)
                                             NO
YES
YES
YES
                                                                  NULL
NULL
NULL
   KD_Buku
                                                         PRI
   judul
Pengarang
Jumlah
   rows in set (0.149 sec)
```

#### 8. ALTER TABLE Nama ADD column Judul(40);

```
MariaDB [Fikriranavian]> alter table buku add column penerbit varchar(10>
-> after pengarang;
Query OK, O rows affected (0.331 sec)
Records: O Duplicates: O Warnings: O
MariaDB [Fikriranavian]> desc buku;
                    Type
                                       | Null | Key
! Field
                                                         | Default
                                                                           Extra
                                         NO
YES
YES
YES
                                                             NULL
NULL
NULL
NULL
                    varchar(10)
varchar(40)
varchar(25)
  KD_Buku
  judul
Pengarang
  penerbit
Jumlah
                    varchar(10)
int(5)
                                         ŸĒŠ
  rows in set (0.048 sec)
```

# 9. ALTER TABLE "Penerbit" ADD column Pengarang varchar

```
MariaDB [Fikriranavian]> alter table buku add column penerbit varchar(10)
-> after pengarang;
Query OK, 0 rows affected (0.331 sec)
Records: 0 Duplicates: 0 Warnings: 0
MariaDB [Fikriranavian]> desc buku;
| Field
                        Type
                                                | Null
                                                                        ! Default
                                                                                              Extra
                                                                Key
                         varchar(10)
varchar(40)
varchar(25)
varchar(10)
int(5)
                                                   NO
YES
YES
YES
YES
                                                                           NULL
NULL
NULL
   KD_Buku
                                                                PRI
   judul
Pengarang
   penerbit
Jumlah
   rows in set (0.048 sec)
```

## 10.input data dan Tampilkan

```
MariaDB [Fikriranavian]> insert buku values
-> ("BK001","Algoritma dan Pemograman Menggunakan java","abdul Kadir","andi Offset","23");
Query OK, 1 row affected, 2 warnings (0.205 sec)
MariaDB [Fikriranavian]> insert buku values
    -> ("BK002", "Kriptografi Untuk Keamanan Jaringan", "Rifki Sadikin", "andi Offset", "15");
Query OK, 1 row affected, 1 warning (0.680 sec)
MariaDB [Fikriranavian]> insert buku values
   -> ("BK003", "Seluk Beluk Database Relasional (Edisi Kedua)", "Mark Whitehorn dan Bill marklyn", "Erlangga", "12");
Query OK, 1 row affected, 2 warnings (0.161 sec)
MariaDB [Fikriranavian]> select * from buku;
  KD_Buku | judul
                                                                  Pengarang
                                                                                                     penerbit
                                                                                                                    ¦ Jumlah ¦
            ¦ Algoritma dan Pemograman Menggunakan jav¦ abdul Kadir
¦ Kriptografi Untuk Keamanan Jaringan ¦ Rifki Sadikin
¦ Seluk Beluk Database Relasional (Edisi K¦ Mark Whitehorn dan Bill m
                                                                                                                           23 |
15 |
12 |
  BK001
                                                                                                      andi Offse
                                                                                                      andi Offse
                                                                                                   ! Erlangga
  rows in set (0.047 sec)
```