```
C: \ users\ Rudi Nuryanto > cd/
   C: > cd Kampp
   C: \ xampp > cd mysql
    C: \ Kampp \myng1 ) cd bin
    C: \ Kampp \ mysgl \ bin > mysgl - 4 root
    Maria DB [Crone)] > create database Rudi_ Nuryanto 205;
    Query OK, I now affected (0.002 sec)
    Maria DB [Cnore)] > Use Rudi-Nuryonto 205;
     Data Lase Changed
2.) Maria DB [ Rudi Nuryanto 205] > Create falle buky (
                          -> Ed-buty varchor (6) primary leey,
                          -> Judul vorchan (150),
                          -> Jenis-buty Worchan (150),
                           -> pergarang vardon (150), and the
                           -> JMI_buku int (5));
  Maria DB [ Rudi_ Nunyanto 205] > Create table angoota (
                           -> No_anggota worken (6) primary key,
                           -> Wentitas vandan (10),
                           -> nama-anssota vorchor (150),
                           -> Alamot Varchor (150));
 Maria OB[Rudi_Nuryanto 205] > create table pinjam (
                           -> Ed-pinjam varchan (6),
                           -> No-anggota varcham (6),
                           -) Ed-but u Varchor (6),
                           -> tol -pinjom date,
                           -> tol-tembali date,
```

Rudi Nuryanto SAC 201843500205

No. Hp: 085711812172

3) SELECT A. Judul

FROM buku A

[NNER JOIN

Pinjam B ON A.Kd\_Buku= B.Kd\_Buku

WHERE B.fol\_Pinjam between

'2017-05-23' and '2017-05-24';

9) SELECT B. Nama\_Anopota, B. Alamat
FROM Pinjam A

LEFT JOIN Anopota B ON A. No\_Anopota

= B. No\_Anopota

WHERE A. Tol\_Pinjam = '2017-05-22';

5) SELECT B. Judul, B. Jonis-Bury

FROM Pinjam A

LEFT JOIN BURY BON A. Ed-Bury:

B. Ed-Bury

LEFT JOIN Anasota C ON A. No. Angeota

- C. No. Angeota

WHERE C. Nama - Angeota = 'Lugyaana';

6) SELECT C. Nama\_Angota, B. Judul,

A. Tol-Pinjam

FROM Pinjam A

LEFT JOIN BULY BON A. Ed\_Bulu =

B. Ed\_Buly

LEFT JOIN Angota CON A. No\_Angoda

= C. No\_ Anggota

WHERE C. Nama\_Angoda LIKE

'% Rogon's';

7) SELECT B. JUHU, A.KI-Pinjam

FROM Pinjam A

LEFT JOHN BUKU B ON A. Fd\_BUKU:

B. Fd\_BUKU

LEFT JOHN Anggota C ON A. No\_Anggota

= C. No\_Anggota

WHERE C. Nama\_Anggota LIKE '% R %;

8) SELECT C. Nama\_Anggota, B.Jenis\_Buty,

A. Tol-Pinjam

FROM pinjam A

LEFT JOHN BURN BON A td\_Buty =

B. td\_Buty

LEFT JOHN Anggota CON A. No\_Anggota

= C. No\_Anggota

WHERE (c. laborations = 'KTM' DR

C. Ucatitas = 'KTP') AND A. Tyl\_Pinjam

BETWEEN '2012-05-23' AND '2012-05-24';

) Maria OB [ (Rudi - Norya	outo 205) / ) Select Nama- Angoto, kode-pinjam, sml-pinjam
	ponto 205)] > Select Nama_ Anggo to, kode-pinjam, sml_pinjam  From pinjam where sml_pinjam = 2;
) Marin DB[ ( Rudi_ Nury.	anto 2057)]) Select # Ansooton, buxu unrer Join pinjam on Kd. Buxu: Kd-Bux
	where to (-tendali = '29 -08-2017' and '38-05-2017';