

INVESTIGATING ATMOSPHERIC EFFECTS ON TEMPERATURE TIME SERIES OF THE SANTORINI VOLCANOES USING WAVELET ANALYSIS

Fraser, S.¹ & Marsellos, A.E.²

¹Hicksville High School, Hicksville, NY

²Dept. Geology, Environment and Sustainability, Hofstra University, Hempstead, NY, USA



Abstract:

Long Island's North Shore has been experiencing a series of landslides and mudslides since 2010. Most landslides occur on the North Shore of Long Island, an area with higher elevation. This research investigates the relationship between groundwater fluctuations and landslide occurrences. The methods employed in this research encompassed the construction of a digital elevation model of Long Island using GIS software (Global Mapper v.24.1) to delineate affected areas. This software was also used to plot landslide occurrences reported by the media on a map of Long Island's North Shore, and utilizing the USGS (United States Geological Survey) database of monitoring wells to analyze groundwater level for identifying areas of high- and low- groundwater fluctuations. Additionally, spectral analysis aimed to test the hypothesis that high-frequency groundwater level fluctuations might exacerbate underground erosion. At the same time, lower frequencies, such as those occurring annually, have a comparatively lesser impact on landslide formation.

Based on the results, fluctuations in groundwater level located along the outer shore of Long Island may trigger groundwater "vibrational" long-term movements causing accelerated erosion underground, leading to potential landslides. With the climate showing warmer temperature fluctuations, particularly in regions with higher latitudes, the risks of landslides grow more severe, notably due to increased underground water mobility during periods previously characterized by prolonged winter cold temperatures and water mobility pauses. Therefore, understanding which areas of Long Island are prone to landslides can prevent the loss of life, damage to roads or structures, and environmental decay.

Background Information:

- Long Island's North Shore has been experiencing a series of landslides and mudslides since 2010.
- Due to climate change, there has been an increase in the severity and frequency of storms, which has led to an increase in groundwater.
- Since 1901, New York's annual precipitation has increased from 10% to 20%, and it is expected to keep increasing to 17% by the end of the century (New York State Climate Impact Assessment 2024).
- North Shore formed by headland erosion, creating steep bluffs of sandy and glacial till.
- To control further erosion, more vegetation has been planted because the roots can keep soil in place while taking in excess water in the bluffs (Fallon 2018).




Figure 1: Conceptual figure showing the effects of fluctuating groundwater levels on landslides

Method/Materials:

- Google Earth Pro**
 - Outlining a map of Long Island to begin looking for landslide sites
 - Pinpoint of each site and groundwater stations in close proximity
- USGS National Water Information System**
 - Groundwater data from 11 sites
 - National Geodetic Vertical Datum of 1929
- Global Mapper**
 - Creation of a path profile of Long Island
 - Shows sites of landslides have higher elevation
- RStudio (v.4.2.1)**
 - Extrapolated data from NWIS
 - Fill in missing data (gaps in NWIS graphs)
 - Packages used: data.table, imputeTS, etc.
 - Moving average (kza)
 - Spectral analysis (periodograms)

Results:

$$Y_t = \frac{1}{m} \sum_{j=-k}^k (X_{t+j})$$

- KZ-Filter equation utilized for the moving average adapted from Zurbenko (1986); package kza (Close et al. 2020).

filtered ground water = groundwater - moving_average(groundwater, window(27),iterations(3))

- The groundwater equation is used to process raw groundwater data with a 27-day moving average filter with an iteration of three times.
- This period corresponds to the lunar cycle highlighting its potential impact on groundwater levels.



Figure 2: Map of Long Island's recorded landslide occurrences (red dots) and groundwater monitoring stations by USGS (blue dots). Blue dots represent the stations used to gather groundwater data. Stations 6 and 7 are located at the same point. These sites are located in areas of higher elevation.




Figure 3: Groundwater fluctuations and frequency levels at USGS Sites 9 and 11. The dominant frequency peaks in spectral analysis are highlighted in purple.




Figure 4: Path profile of Long Island's North Shore created in Global Mapper (v.24.1).

Discussion/Conclusion:

- Less than semi-annual frequencies (spikes) in groundwater → increased risk of landslides
- GIS: high elevation → increased likelihood of landslides
 - North shore of Long Island has steeper elevations
 - Loose sediment susceptible to erosion
- 27-day lunar cycle impacts groundwater fluctuation
- Heavy populated areas do not show annual peaks
 - Possibility it is the consumption of groundwater by those living in and around the site

Acknowledgements:

We would like to thank Dr. Antonios E. Marsellos and the Geology, Environment and Sustainability department at Hofstra University for providing us with the necessary tools to conduct this research.

Credit Authorship Contribution Statement:

Badger, T.: editing, literature, Rstudio coding, Figure 4, Figure 5, writing- Results, Discussion; Parag, A: Literature, editing, writing- Global Mapper, Google Earth, Abstract, Results- figure 1, Methods, Discussion; Pelletier, A.: references, literature, editing, writing - Introduction, Discussion; DeRocchis, S.: figures, editing, USGS Graphs, Global Mapper, writing - Methods, Discussion; Marsellos, A.E.: supervision, Rstudio coding, guidance, editing; Tsakiri, K.G.: Rstudio coding.

References:

Barrett T, Dowle M, Srinivasan A, Gorecki J, Chirico M, Hocking T (2024) „data table: Extension of 'data frame' „, R package version 1.15.2, <https://CRAN.R-project.org/package=data.table>.

Bischl B, Lang M, Bousdek J, Horn D, Richter J, Surrann D (2022) „BIBmisc: Miscellaneous Helper Functions for B. Bischl „, R package version 1.13, <https://CRAN.R-project.org/package=BIBmisc>.

Cao, Ying, Yin, Kunlong, Yin, Zhao, Chao, Ahmed, Bayes, Establishment of Landslide Groundwater Level Prediction Model Based on GA-SVM and Influencing Factor Analysis, PubMed Central, National Library of Medicine, February 5, 2020, <https://pubmed.ncbi.nlm.nih.gov/32014101/>.

Chan K, Ripley B (2022) „TSA: Time Series Analysis „, R package version 1.3.1, <https://CRAN.R-project.org/package=TSA>.

Close B, Zurbenko I, Sun M (2020) „kza: Kolmogorov-Zurbenko Adaptive Filters „, R package version 4.1.0.1, <https://CRAN.R-project.org/package=kza>.

Deamini, Michael, Callahan's Beach Off Fort Salonga Reopens After Seawall Collapse, Kings Park, NY Patch, November 08, 2023, <https://www.patch.com/story/news/local/103118-patch/kings-park-ny-patch-november-08-2023-callahans-beach-off-fort-salonga-reopens-after-seawall-collapse>.

Fallon, Kathleen M. Coastal Processes on Long Island: An Introduction to Erosion, Sea Grant, March 27, 2024, <https://www.seagrant.org/publications/103118-patch/kings-park-ny-patch-november-08-2023-callahans-beach-off-fort-salonga-reopens-after-seawall-collapse>.

Garret Grolemand, Hadley Wickham (2011) Dates and Times Made Easy with lubridate, Journal of Statistical Software, 40(3), 1-25, URL: <https://www.jstatsoft.org/v40/i03/p01>.

Good, R. E., & Good, N. F. Vegetation of the Sea Cliffs and Adjacent Uplands on the North Shore of Long Island, New York, 1970, Bulletin of the Torrey Botanical Club, 97(4), 204-208, <https://www.jstor.org/stable/3091088>.

Hester J, Bryan J (2024) „ghor: Interpreted String Literals „, R package version 1.7.0, <https://CRAN.R-project.org/package=ghor>.

Kozłowski, Dr. Andrzej, Landslides in New York State | The New York State Museum, New York State Museum, March 25, 2024, <https://www.nysmuseum.org/blog/landslides-in-new-york-state>.

„Landslide Susceptibility “, NYS Hazard Mitigation Plan, Oct. 2004, <https://www.nysmuseum.org/blog/landslides-in-new-york-state>.

Taskiri, K.G. & Marsellos, A.E., 2024, Signal detection in high-noise time series data using R, International conference on Time Series and Forecasting, ITSE2024, Spain, July 2024, <https://www.researchgate.net/publication/381111111>.

Oregon Department of Transportation, FACT SHEET Climate Change Impacts and Landslides in Oregon, Oregon Department of Transportation, March 13, 2024, <https://www.oregon.gov/odot/ClimateChange/Documents/Landslides.pdf>.

Pair, Donald L, Kappel, William M. Geomorphic studies of landslides in the Tully Valley, New York: implications for public policy and planning, Geomorphology, May 24, 2002, <https://www.sciencedirect.com/science/article/pii/S0167636902000011>.

USGS U.S. Landslide Inventory Web Application, ARGIS Web Application, March 27, 2024, <https://www.usgs.gov/landslide-inventory>.

USGS U.S. Landslide Inventory Web Application, ARGIS Web Application, March 27, 2024, <https://www.usgs.gov/landslide-inventory>.

USGS Water Resources of the United States, USGS Water Data for the Nation, March 27, 2024, <https://water.usgs.gov/nwis/>.

Water Resources of the United States-National Water Information System (NWIS) Mapper, March 4, 2024, <https://www.waterdata.usgs.gov/nwis/index.html>.

Wickham H, François R, Henry L, Müller K, Vaughan D (2023) „dplyr: A Grammar of Data Manipulation „, R package version 1.1.4, <https://CRAN.R-project.org/package=dplyr>.