

JURNAL MODUL 3 - FUNCTION


Nama: Marsha Deviana Widodo

NIM: 103052500073

Kelas: DS-49-01

Kode Asprak: AAG

1.



```
1 package main
2
3 import "fmt"
4
5 func vowel_uppercase(kar byte) bool {
6     return kar == 'A' || kar == 'I' || kar == 'U' || kar == 'E' || kar == 'O'
7 }
8
9 func main() {
10     var abjad byte
11     var jumlah int
12
13     fmt.Scanf("%c", &abjad)
14     jumlah = 0
15
16     for abjad != '.' {
17         if vowel_uppercase(abjad) {
18             jumlah = jumlah + 1
19         }
20         fmt.Scanf("%c", &abjad)
21     }
22
23     fmt.Printf("jumlah vokal uppercase adalah %d\n", jumlah)
24 }
25
```

```
C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run no1.go
Pertama.
jumlah vokal uppercase adalah 1

C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run no1.go
EknNo0mi.
jumlah vokal uppercase adalah 2

C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run no1.go
INForMATika.
jumlah vokal uppercase adalah 3
```

2.

```
no1.go no2.go no3.go no4.go
1 package main
2
3 import "fmt"
4
5 func main() {
6     var member bool
7     var a, b, c, d, e int
8     var persenDiskon, persenCashback float64
9
10    fmt.Scan(&member, &a, &b, &c, &d, &e)
11
12    if ganjil(a, b, c, d, e) {
13        persenDiskon = diskon(member, a, c, e)
14    } else if genap(a, b, c, d, e) {
15        persenCashback = cashback(member, b, d)
16    } else {
17        persenDiskon = diskon(member, a, c, e)
18        persenCashback = cashback(member, b, d)
19    }
20
21    fmt.Printf("%.2f %.2f\n", persenDiskon, persenCashback)
22 }
23
24 func ganjil(a, b, c, d, e int) bool {
25     return (a%2 != 0) && (b%2 != 0) && (c%2 != 0) && (d%2 != 0)
26 }
27
28 func genap(a, b, c, d, e int) bool {
29     return (a%2 == 0) && (b%2 == 0) && (c%2 == 0) && (d%2 == 0)
30 }
31
32 func diskon(member bool, a, c, e int) float64 {
33     var nilai float64
34
35     nilai = 1.5 * float64(a+c+e)
36
37     if member {
38         nilai = nilai + nilai*0.25
39     }
40 }
```

```

    if nilai > 50 {
        nilai = 50
    }

    return nilai
}

func cashback(member bool, b, d int) float64 {
    var nilai float64

    nilai = 2.5 * float64(b+d)

    if member {
        nilai = nilai + nilai*0.15
    }

    if nilai > 40 {
        nilai = 40
    }

    return nilai
}

```

```

C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run no2.go
true 1 2 3 4 5
16.88 17.25

```

```

C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run no2.go
false 1 2 3 4 5
13.50 15.00

```

```

C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run no2.go
true 3 3 3 3 3
16.88 0.00

```

```

C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run no2.go
true 6 4 2 4 2
0.00 23.00

```

3.

```
no1.go no2.go no3.go no4.go
1 package main
2
3 import "fmt"
4
5 func fungsi_f(x, y, z float64) float64 {
6     return (2 * x) / (x + y + z)
7 }
8
9 func fungsi_g(x, y float64) float64 {
10    return y
11 }
12
13 func main() {
14    var b1, b2, b3 float64
15
16    fmt.Scan(&b1, &b2, &b3)
17
18    hasil_f := fungsi_f(b1, b2, b3)
19    hasil_g := fungsi_g(b1, b2)
20
21    fmt.Printf("%v %v\n", hasil_f, hasil_g)
22 }
```

```
C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run no3.go
1.5 2.4 3.1
0.42857142857142855 2.4
```

```
C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run no3.go
100 45 50
1.0256410256410255 45
```

4.

```
no1.go no2.go no3.go no4.go
1 package main
2
3 import (
4     "fmt"
5     "math"
6 )
7
8 const g = 9.8
9
10 func konversiDerajatkeRadian(T float64) float64 {
11     return T * (math.Pi / 180.0)
12 }
13
14 func waktu(V, T float64) float64 {
15     rad := konversiDerajatkeRadian(T)
16     return (V * math.Sin(rad)) / g
17 }
18
19 func jarak(V, T float64) float64 {
20     rad := konversiDerajatkeRadian(T)
21     return (math.Pow(V, 2) * math.Sin(2*rad)) / g
22 }
23
24 func ketinggian(V, T float64) float64 {
25     rad := konversiDerajatkeRadian(T)
26     return (math.Pow(V, 2) * math.Pow(math.Sin(rad), 2)) / (2 * g)
27 }
28
29 func main() {
30     var V, T float64
31     fmt.Scan(&V, &T)
32
33     resWaktu := waktu(V, T)
34     resJarak := jarak(V, T)
35     resTinggi := ketinggian(V, T)
36
37     fmt.Printf("%.2f %.2f %.2f\n", resWaktu, resJarak, resTinggi)
38 }
```

```
C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run no4.go
60 30
3.06 318.13 45.92
```

```
C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run no4.go
100 45
7.22 1020.41 255.10
```

```
C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run no4.go
40 40
2.62 160.78 33.73
```