

NAMA: MARSHA DEVIANA WIDODO

NIM: 103052500073

KELAS: DS-49-01

KODE ASPRAK: AAG

TUGAS PENDAHULUAN MODUL 06

Nama : Marsha Deviana Widodo
NIM : 103052500073
Kelas : DS-49-01
Kode Asprak : AAG

Tugas Pendahuluan Modul 06

```
1. Package Main
import "fmt"

func main() {
    const NMAX int = 10
    var A [NMAX] int
    var i, n int

    fmt.Scan(&n)
    if n > NMAX {
        n = NMAX
    }
    for i := 0; i < n; i++ {
        fmt.Scan(&A[i])
    }
    for i := 0; i < n; i++ {
        fmt.Println(A[i])
    }
}

2. Package main
import "fmt"
const NMAX int = 10
type tabInt [NMAX] int
func bacaData CA *tabInt, n *int {
    fmt.Scan(&n)
    if *n > NMAX {
        *n = NMAX
    }
}
```

```
    for i := 0; i < *n; i++ {
        fmt.Scan(&CA[i])
    }
}

func cetakData CA tabInt, n int {
    if n <= 0 {
        fmt.Println("Array Kosong")
    } else {
        for i := 0; i < n; i++ {
            fmt.Println(A[i], " ")
        }
        fmt.Println()
    }
}

func main() {
    var data tabInt
    var banyakData int
    bacaData(&data, &banyakData)
    cetakData(&data, banyakData)
}

3. Package main
import "fmt"
const NMAX int = 6
type tabInt struct {
    Info [NMAX] int
    n int
}

func bacaData CA *tabInt {
    if CA.n == 0 {
        fmt.Println("Array Kosong")
    } else {
        for i := 0; i < CA.n; i++ {
            fmt.Println(CA.Info[i], " ")
        }
        fmt.Println()
    }
}
```

```

}
Func main () {
    Var data tabInt
    data.n = 0

    baca Data ( &data )
    baca Data ( &data )
    baca Data ( &data )
    baca Data ( &data )
    baca Data ( &data )
    baca Data ( &data )
    Cetak Data (data)
}

4. Package main
Import "fmt"
Const NMAX int = 10
type tabInt [NMAX]int
Func baca CA * tabInt . n *int {
    Var Input int
    *n = 0
    For {
        Fmt.Scan C &input
        IF input == 0 || *n >= NMAX {
            break
        }
        IF input < 0 {
            Input = -Input
        }
        A[*n] = Input
        *n++
    }
}
Func Cetak CA tabInt . n int {
    For i := 0 ; i < n ; i++ {
        Fmt.Print (A[i], " ")
    }
}

```

```

    Fmt.Println ()
}
Func Jumlah (A tabInt . n int) Float64 {
    IF n == 0 {
        Return 0.0
    }
    Return Float64 (Jumlah (A, n-1) / Float64 (n))
}

Func main () {
    Var data tabInt
    Var nData int

    baca C &data . &nData
    Cetak Cdata . nData
    Fmt.Println (Jumlah Cdata . nData) . rataRata Cdata . nData)
}

```

1.

```
TP6.no1.go
1 package main
2
3 import "fmt"
4
5 func main() {
6     const NMAX int = 10
7     var A [NMAX]string
8     var i, n int
9
10    fmt.Scan(&n)
11
12    if n > NMAX {
13        n = NMAX
14    }
15
16    for i = 0; i < n; i++ {
17        fmt.Scan(&A[i])
18    }
19
20    for i = 0; i < n; i++ {
21        fmt.Println(A[i])
22    }
23 }
```

```
C:\Users\Lenovo\OneDrive\Documents\ALPRO PRAKTIKUM>go run TP6.no1.go
5
Telkom
University
sinergi
bangun
negeri
Telkom
University
sinergi
bangun
negeri
```

```
C:\Users\Lenovo\OneDrive\Documents\ALPRO PRAKTIKUM>go run TP6.no1.go
1
telyutizen
telyutizen
```

2.

```
1 package main
2
3 import "fmt"
4
5 const NMAX int = 10
6 type tabInt [NMAX]int
7
8 func bacaData(A *tabInt, n *int) {
9     fmt.Scan(n)
10
11     if *n > NMAX {
12         *n = NMAX
13     }
14
15     for i := 0; i < *n; i++ {
16         fmt.Scan(&A[i])
17     }
18 }
19
20 func cetakData(A tabInt, n int) {
21     if n <= 0 {
22         fmt.Println("Array kosong")
23     } else {
24         for i := 0; i < n; i++ {
25             fmt.Print(A[i], " ")
26         }
27         fmt.Println()
28     }
29 }
30
31 func main() {
32     var data tabInt
33     var banyakData int
34
35     bacaData(&data, &banyakData)
36     cetakData(data, banyakData)
37 }
```

```
C:\Users\Lenovo\OneDrive\Documents\ALPRO PRAKTIKUM>go run TP6.no2.go
5
11 23 34 45 67
11 23 34 45 67
```

```
C:\Users\Lenovo\OneDrive\Documents\ALPRO PRAKTIKUM>go run TP6.no2.go
11
45 76 34 28 12 45 76 34 28 12 33
45 76 34 28 12 45 76 34 28 12
```

```
C:\Users\Lenovo\OneDrive\Documents\ALPRO PRAKTIKUM>go run TP6.no2.go
0
Array kosong
```

3.

```
1  package main
2
3  import "fmt"
4
5  const NMAX int = 5
6
7  type tabInt struct {
8      info [NMAX]int
9      n    int
10 }
11
12 func bacaData(A *tabInt) {
13     var temp int
14     fmt.Scan(&temp)
15     if A.n < NMAX {
16         A.info[A.n] = temp
17         A.n++
18     }
19 }
20
21 func cetakData(A tabInt) {
22     if A.n == 0 {
23         fmt.Println("Array kosong")
24     } else {
25         for i := 0; i < A.n; i++ {
26             fmt.Print(A.info[i], " ")
27         }
28         fmt.Println()
29     }
30 }
31
32 func main() {
33     var data tabInt
34     data.n = 0
35
36     bacaData(&data)
37     bacaData(&data)
38     bacaData(&data)
39     bacaData(&data)
40     bacaData(&data)
41     bacaData(&data)
42
43     cetakData(data)
44 }
```

```
C:\Users\Lenovo\OneDrive\Documents\ALPRO PRAKTIKUM>go run TP6.no3.go
11 22 33 44 55 66
11 22 33 44 55
```

```
C:\Users\Lenovo\OneDrive\Documents\ALPRO PRAKTIKUM>go run TP6.no3.go
4 0 2 5 7 1 4
4 0 2 5 7
```

4.

```

1  package main
2
3  import "fmt"
4
5  const NMAX int = 10
6
7  type tabInt [NMAX]int
8
9  func baca(A *tabInt, n *int) {
10     var input int
11     *n = 0
12     for {
13         fmt.Scan(&input)
14         if input == 0 || *n >= NMAX {
15             break
16         }
17         if input < 0 {
18             input = -input
19         }
20         A[*n] = input
21         *n++
22     }
23 }
24
25 func cetak(A tabInt, n int) {
26     for i := 0; i < n; i++ {
27         fmt.Print(A[i], " ")
28     }
29     fmt.Println()
30 }
31
32 func jumlah(A tabInt, n int) int {
33     res := 0
34     for i := 0; i < n; i++ {
35         res += A[i]
36     }
37     return res
38 }
39
40 func rataRata(A tabInt, n int) float64 {
41     if n == 0 {
42         return 0.0
43     }
44     return float64(jumlah(A, n)) / float64(n)
45 }
46
47 func main() {
48     var data tabInt
49     var nData int
50
51     baca(&data, &nData)
52     cetak(data, nData)
53     fmt.Println(jumlah(data, nData), rataRata(data, nData))
54 }

```

```
C:\Users\Lenovo\OneDrive\Documents\ALPRO PRAKTIKUM>go run TP6.no4.go
10 2 23 -34 12 0
10 2 23 34 12
81 16.2
```

```
C:\Users\Lenovo\OneDrive\Documents\ALPRO PRAKTIKUM>go run TP6.no4.go
1 2 3 -4 5 6 7 -8 9 10 -11 0
1 2 3 4 5 6 7 8 9 10
55 5.5
```