

TUGAS PENDAHULUAN MODUL 3

Nama: Marsha Deviana Widodo

NIM: 103052500073

Kelas: DS-49-01

Kode Asprak: AAG

Nama: Marsha Deviana Widodo
NIM: 103052500073
Kelas: DS-49-01
Kode Asprak: AAG

Tugas Pendahuluan Modul 03
Algoritma dan Pemrograman
Function

```

1. Package main
   Import "Fmt"

   Func Reamur (C Float64) Float64 {
       Return 4/5*0*C
   }

   Func Fahrenheit (C Float64) Float64 {
       Return 9/5*0*C+32
   }

   Func Kelvin (C Float64) Float64 {
       Return C+273
   }

   Func main() {
       Var awal, akhir, Step Float64
       Var C Float64

       Fmt.Scan (&awal, &akhir, &Step)
       Fmt.Println ("Celsius Reamur Fahrenheit Kelvin")

       For C = awal; C <= akhir; C = C + Step {
           Fmt.Printf ("%.2f %.2f %.2f %.2f\n", C, Reamur(C), Fahrenheit(C), Kelvin(C))
       }
   }

```

C: AIPRO PRAKTIKUM > go run TP3-001.go

Celsius	Reamur	Fahrenheit	Kelvin
10.00	8.00	50.00	283.00
20.00	16.00	68.00	293.00
30.00	24.00	86.00	303.00
40.00	32.00	104.00	313.00
50.00	40.00	122.00	323.00
60.00	48.00	140.00	333.00
70.00	56.00	158.00	343.00
80.00	64.00	176.00	353.00
90.00	72.00	194.00	363.00
100.00	80.00	212.00	373.00

C: AIPRO PRAKTIKUM > go run TP3-001.go

Celsius	Reamur	Fahrenheit	Kelvin
10.00	8.00	50.00	283.00
15.00	12.00	59.00	288.00
20.00	16.00	68.00	293.00
25.00	20.00	77.00	298.00
30.00	24.00	86.00	303.00
35.00	28.00	95.00	308.00

C: AIPRO PRAKTIKUM > go run TP3-001.go

Celsius	Reamur	Fahrenheit	Kelvin
35.25	28.20	95.45	308.25
35.25	28.20	95.45	308.25
45.75	36.60	114.35	318.75
56.25	45.00	133.25	329.25

```

2. Package main
   Import "Fmt"

   Func lowToUPPER (k byte) byte {
       Return k-32
   }

   Func main() {
       Var h byte

       Fmt.Scan (&h)
       Fmt.Printf ("%.2f\n", lowToUPPER(h))
   }

```

C: AIPRO PRAKTIKUM > go run TP3-002.go

AAG

```

3. Package main
   Import "Fmt"

   Func adaBilanganM (n, m int) string {
       For n > 0 {
           If n%10 == m {
               Return "YA"
           }
           n = n / 10
       }
       Return "Tidak"
   }

   Func main() {
       Var n, m int

       Fmt.Scan (&n, &m)
       Fmt.Println (adaBilanganM(n, m))
   }

```

C: AIPRO PRAKTIKUM > go run TP3-003.go

172 7

999 9

YA

C: AIPRO PRAKTIKUM > go run TP3-003.go

1234 5

Tidak

1.

```
TP3.no1.go TP3.no2.go TP3.no3.go
1 package main
2 import "fmt"
3
4 func reamur(c float64) float64 {
5     return 4.0/5.0*c
6 }
7
8 func fahrenheit(c float64) float64 {
9     return 9.0/5.0*c + 32
10 }
11
12 func kelvin(c float64) float64 {
13     return c + 273
14 }
15
16 func main() {
17     var awal, akhir, step float64
18     var c float64
19
20     fmt.Scan(&awal, &akhir, &step)
21
22     fmt.Println("Celsius Reamur Fahrenheit Kelvin")
23
24     for c = awal; c <= akhir; c = c + step {
25         fmt.Printf("%.2f %.2f %.2f %.2f\n", c, reamur(c), fahrenheit(c), kelvin(c))
26     }
27 }
28
```

C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run TP3.no1.go

```
10 100 10
Celsius Reamur Fahrenheit Kelvin
10.00 8.00 50.00 283.00
20.00 16.00 68.00 293.00
30.00 24.00 86.00 303.00
40.00 32.00 104.00 313.00
50.00 40.00 122.00 323.00
60.00 48.00 140.00 333.00
70.00 56.00 158.00 343.00
80.00 64.00 176.00 353.00
90.00 72.00 194.00 363.00
100.00 80.00 212.00 373.00
```

C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run TP3.no1.go

```
10 50 5
Celsius Reamur Fahrenheit Kelvin
10.00 8.00 50.00 283.00
15.00 12.00 59.00 288.00
20.00 16.00 68.00 293.00
25.00 20.00 77.00 298.00
30.00 24.00 86.00 303.00
35.00 28.00 95.00 308.00
40.00 32.00 104.00 313.00
45.00 36.00 113.00 318.00
50.00 40.00 122.00 323.00
```

C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run TP3.no1.go

```
35.25 82.5 10.5
Celsius Reamur Fahrenheit Kelvin
35.25 28.20 95.45 308.25
45.75 36.60 114.35 318.75
56.25 45.00 133.25 329.25
```

2.

```
TP3.no1.go TP3.no2.go TP3.no3.go
1 package main
2 import "fmt"
3
4 func lowToUpper(k byte) byte {
5     return k - 32
6 }
7
8 func main() {
9     var h byte
10
11     fmt.Scanf("%c", &h)
12
13     fmt.Printf("%c\n", lowToUpper(h))
14 }
15
```

```
C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run TP3.no2.go
```

```
a
```

```
A
```

```
C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run TP3.no2.go
```

```
z
```

```
Z
```

```
C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run TP3.no2.go
```

```
m
```

```
M
```

3.

```
1 package main
2 import "fmt"
3
4 func adaBilanganM(n, m int) string {
5
6     for n > 0 {
7         if n%10 == m {
8             return "YA"
9         }
10        n = n / 10
11    }
12
13    return "TIDAK"
14 }
15
16 func main() {
17     var n, m int
18
19     fmt.Scan(&n, &m)
20
21     fmt.Println(adaBilanganM(n, m))
22 }
23
```

```
C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run TP3.no3.go
172 7
YA
```

```
C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run TP3.no3.go
999 9
YA
```

```
C:\Users\Lenovo\Documents\ALPRO PRAKTIKUM>go run TP3.no3.go
1234 5
TIDAK
```