
Print me first: printer check

Print on A4 at 100 % ("Actual size"). Do NOT use "Fit to page" or "Shrink".
Measure with a ruler. If a bar is not 100 mm, change the print setting and print again.
Only then print the tracks, with the same setting.



A across: ..... mm

B down: ..... mm

C line width: ..... mm

D puck covers the circle exactly: yes / no

Print setting used: .....

Print set for 14.11.26: training tracks T01 to T16


Print single-sided at 100 % (actual size).
Never "fit to page" or "shrink".
Page 1 checks the printer: measure it first.
Keep the pile in order.
Write each page's name on its BACK,
and an A on the back at the start end.
The start end is the red A on the small pictures (last list page).
Lay a sheet: its A end on the table mark,
the first straight piece pointing straight away from the robot.

no.	page	print	length	dash / gap	features
1	printer check	-			measure: bars 100 mm, line 10 mm
2	list	-			this list
3	list	-			this list
4	T01	solid	32.7 cm		4 gentle
5	T01	dashed	32.7 cm	25.3 / 11 mm	4 gentle
6	T02	solid	30.2 cm		2 sharp (8 mm)
7	T02	dashed	30.2 cm	34.8 / 14.2 mm	2 sharp (8 mm)
8	T03	solid	39.7 cm		2 medium (15 mm), 1 gentle, loop left, crossing 68 deg
9	T03	dashed	39.7 cm	16.2 / 13.8 mm	2 medium (15 mm), 1 gentle, loop left, crossing 68 deg
10	T04	solid	40.8 cm		1 hairpin (7 mm), 1 medium (31 mm), 2 gentle
11	T04	dashed	40.8 cm	28.1 / 13 mm	1 hairpin (7 mm), 1 medium (31 mm), 2 gentle
12	T05	solid	45.6 cm		1 sharp (9 mm), 3 medium (26 mm), loop right, crossing 84 deg
13	T05	dashed	45.6 cm	29.1 / 14.1 mm	1 sharp (9 mm), 3 medium (26 mm), loop right, crossing 84 deg
14	T06	solid	42.4 cm		1 hairpin (8 mm), 1 sharp (14 mm), 1 medium (17 mm), 2 gentle
15	T06	dashed	42.4 cm	18.5 / 11.5 mm	1 hairpin (8 mm), 1 sharp (14 mm), 1 medium (17 mm), 2 gentle
16	T07	solid	34.4 cm		1 corner (8 mm), 1 sharp (10 mm), 1 medium (25 mm), 2 gentle
17	T07	dashed	34.4 cm	26.7 / 9.9 mm	1 corner (8 mm), 1 sharp (10 mm), 1 medium (25 mm), 2 gentle
18	T08	solid	53.0 cm		1 hairpin (8 mm), 2 medium (28 mm), 1 gentle, loop left, crossing 73 deg
19	T08	dashed	53.0 cm	21 / 13.1 mm	1 hairpin (8 mm), 2 medium (28 mm), 1 gentle, loop left, crossing 73 deg
20	T09	solid	26.5 cm		2 gentle
21	T09	dashed	26.5 cm	16.4 / 13.5 mm	2 gentle
22	T10	solid	46.4 cm		2 medium (20 mm), 1 gentle, loop right, crossing 81 deg
23	T10	dashed	46.4 cm	17.9 / 13.8 mm	2 medium (20 mm), 1 gentle, loop right, crossing 81 deg
24	T11	solid	45.5 cm		1 corner (7 mm), 2 sharp (9 mm), 1 medium (21 mm), 1 gentle
25	T11	dashed	45.5 cm	22.5 / 13.3 mm	1 corner (7 mm), 2 sharp (9 mm), 1 medium (21 mm), 1 gentle
26	T12	solid	67.3 cm		1 hairpin (10 mm), 1 sharp (8 mm), 5 medium (16 mm), 3 gentle
27	T12	dashed	67.3 cm	26.7 / 9.7 mm	1 hairpin (10 mm), 1 sharp (8 mm), 5 medium (16 mm), 3 gentle
28	T13	solid	41.4 cm		3 gentle
29	T13	dashed	41.4 cm	25.2 / 11 mm	3 gentle
30	T14	solid	52.2 cm		1 corner (7 mm), 4 medium (18 mm), 1 gentle, loop left, crossing 83 deg
31	T14	dashed	52.2 cm	15.7 / 12.9 mm	1 corner (7 mm), 4 medium (18 mm), 1 gentle, loop left, crossing 83 deg
32	T15	solid	57.2 cm		2 sharp (10 mm), 2 medium (20 mm), 4 gentle
33	T15	dashed	57.2 cm	25.6 / 14 mm	2 sharp (10 mm), 2 medium (20 mm), 4 gentle
34	T16	solid	46.8 cm		4 gentle
35	T16	dashed	46.8 cm	29.6 / 12.5 mm	4 gentle


Print set for 14.11.26: training tracks T01 to T16: the shapes

Red dot and A: the start end; the arrow shows where the line leaves. B: the other end. Bottom edge = robot side.


T01 gentle S-curves




T02 two sharp bends




T03 loop




T04 hairpin and medium bend




T05 loop and corner




T06 hairpin and sharp bend




T07 two corners




T08 loop and hairpin




T09 short gentle




T10 loop and medium bend




T11 three corners




T12 long meander




T13 gentle



T14 loop and corner



T15 mixed bends



T16 long gentle

