
Print me first: printer check

Print on A4 at 100 % ("Actual size"). Do NOT use "Fit to page" or "Shrink".
Measure with a ruler. If a bar is not 100 mm, change the print setting and print again.
Only then print the tracks, with the same setting.



A across: ..... mm

B down: ..... mm

C line width: ..... mm

D puck covers the circle exactly: yes / no

Print setting used: .....

Print set for tests: development and diagnostic pages


Print single-sided at 100 % (actual size).
Never "fit to page" or "shrink".
Page 1 checks the printer: measure it first.
Keep the pile in order.
Write each page's name on its BACK,
and an A on the back at the start end.
The start end is the red A on the small pictures (last list page).
Lay a sheet: its A end on the table mark,
the first straight piece pointing straight away from the robot.

no.	page	print	length	dash / gap	features
1	printer check	-			measure: bars 100 mm, line 10 mm
2	list	-			this list
3	list	-			this list
4	D01	solid	30.8 cm		3 gentle
5	D01	dashed	30.8 cm	29.1 / 11.8 mm	3 gentle
6	D02	solid	37.3 cm		2 sharp (9 mm)
7	D02	dashed	37.3 cm	29.9 / 13.2 mm	2 sharp (9 mm)
8	D03	solid	50.7 cm		1 medium (30 mm), 1 gentle, loop right, crossing 69 deg
9	D03	dashed	50.7 cm	25.1 / 11.3 mm	1 medium (30 mm), 1 gentle, loop right, crossing 69 deg
10	D04	solid	49.4 cm		1 hairpin (6 mm), 1 corner (8 mm), 2 gentle
11	D04	dashed	49.4 cm	27.6 / 14.5 mm	1 hairpin (6 mm), 1 corner (8 mm), 2 gentle
12	D05	solid	53.8 cm		1 sharp (9 mm), 3 medium (21 mm), 2 gentle, loop left, crossing 78 deg
13	D05	dashed	53.8 cm	24.9 / 12.8 mm	1 sharp (9 mm), 3 medium (21 mm), 2 gentle, loop left, crossing 78 deg
14	D06	solid	36.8 cm		3 corner (8 mm), 2 gentle
15	D06	dashed	36.8 cm	29.9 / 11 mm	3 corner (8 mm), 2 gentle
16	D07	solid	46.4 cm		3 gentle
17	D07	dashed	46.4 cm	34.3 / 12.3 mm	3 gentle
18	D08	solid	64.3 cm		1 hairpin (7 mm), 1 sharp (8 mm), 4 medium (15 mm), 3 gentle
19	D08	dashed	64.3 cm	34.4 / 11.5 mm	1 hairpin (7 mm), 1 sharp (8 mm), 4 medium (15 mm), 3 gentle
20	D09	solid	50.6 cm		1 hairpin (10 mm), 3 gentle, loop right, crossing 70 deg
21	D09	dashed	50.6 cm	22.6 / 11 mm	1 hairpin (10 mm), 3 gentle, loop right, crossing 70 deg
22	D10	solid	51.2 cm		1 sharp (9 mm), 1 medium (32 mm), 2 gentle, loop left, crossing 67 deg
23	D10	dashed	51.2 cm	16.4 / 10.8 mm	1 sharp (9 mm), 1 medium (32 mm), 2 gentle, loop left, crossing 67 deg
24	C05_solid	solid	56.6 cm		3 medium (20 mm), loop right, crossing 50 deg
25	C05_dashed	dashed	56.6 cm	20 / 10 mm	3 medium (20 mm), loop right, crossing 50 deg
26	C06_solid	solid	46.5 cm		1 hairpin (10 mm), 1 medium (32 mm), 4 gentle, loop right, crossing 81 deg
27	C06_dashed	dashed	46.5 cm	20 / 10 mm	1 hairpin (10 mm), 1 medium (32 mm), 4 gentle, loop right, crossing 81 deg
28	C01_solid	solid	23.3 cm		straight
29	C03_circles_page_1	solid	50.7 cm		sheet 03 shape, circles 1 to 10 of page 1 (diagnostic_places.csv)
30	C03_circles_page_2	solid	50.7 cm		sheet 03 shape, circles 1 to 10 of page 2 (diagnostic_places.csv)


Print set for tests: development and diagnostic pages: the shapes

Red dot and A: the start end; the arrow shows where the line leaves. B: the other end. Bottom edge = robot side.


D01 gentle bends




D02 two sharp bends




D03 loop and medium bend




D04 hairpin and corner




D05 loop and sharp bend




D06 three corners




D07 long gentle




D08 long meander




D09 loop and hairpin




D10 loop, corner and gentle




C05 course sheet 05 shape




C06 course sheet 06 shape



C01 course sheet 01 shape



C03 circles page 1



C03 circles page 2

