WazobiaAssist
Government answers in one place

Architecture, Setup and Usage

Government answers in one place, in your language. A voice-first assistant built on N-ATLaS.

Challenge	National AI Innovation Challenge (NAIC) 2026 · Problem Statement 02: Voice-First Access · Track B (Innovation & Enterprise)
Try it	wazobiaassist.github.io · Telegram @WazobiaAssist_bot
Code	github.com/marshalwahlexyz1/wazobiaassist
Date	12 October 2026

Try it

Channel	How
Web	**https://wazobiaassist.github.io**: pick a language, then type or tap the microphone
Telegram	**@WazobiaAssist_bot**: send any message, pick a language, then send a voice note or text

What it does

One assistant, many agencies:

Ask about	Answers come from
Identity and registration: NIN, BVN, NIN-SIM linking, voter registration and PVC, passport, business names	NIMC, NIBSS, NCC, INEC, Nigeria Immigration Service, CAC
Is this product registered?	NAFDAC Greenbook (live search) and NAFDAC Food Products Database
Your rights: arrest, bail, detention, data privacy, consumer rights	Constitution, Police Act 2020, ACJA 2015, NDPA 2023, FCCPA 2018, Legal Aid Council
Money and scams: loan apps, "grants" that ask for a fee, Ponzi schemes, reporting fraud	CBN, SEC, FCCPC, NDIC, EFCC
Exams and schooling: JAMB, WAEC, NECO, free basic education, student loans	JAMB, WAEC, NECO, UBEC, NELFUND
Health: immunisation, pregnancy and newborn danger signs, malaria	NPHCDA, WHO
Farming: planting times, pests, storage, the 2026 rainy season	IITA, FAO, NAERLS, NiMet

1. Checks a product against NAFDAC's registers. Ask "Is Emzor paracetamol registered?" or read out the NAFDAC number on the pack. The assistant searches NAFDAC's Greenbook (about 8,900 drugs, vaccines, medical devices and herbal products, searched live) and NAFDAC's Food Products Database (28,481 foods, refreshed daily) and replies with the product name, NAFDAC number, company and whether the registration is valid or expired. Example:

NAFDAC number A8-102316L comes back as "registration expired on 19 December 2024". It never calls a product fake just because it isn't found.

2. Explains your legal rights with the exact law. "Can the police arrest me for my brother's debt?" or "Can a company share my data?" is answered from the Constitution's fundamental rights, the Police Act 2020, the Administration of Criminal Justice Act 2015, the Nigeria Data Protection Act 2023, the Cybercrimes Act, the EFCC Act, the Advance Fee Fraud Act and the consumer rights in the FCCPA 2018. Answers name the law and section and point to free help from the Legal Aid Council. The 270 passages quoted from these laws were checked against the source texts.

3. Walks you through government procedures with codes checked against the official pages. Getting or retrieving a NIN (`*346#`, NIMC), checking a BVN (`*565*0#`, NIBSS), registering to vote and collecting a PVC (INEC), applying for a passport (Nigeria Immigration Service), registering a business name (CAC), and creating a JAMB profile (SMS to 55019 or 66019).

It also answers everyday questions on health (the NPHCDA immunisation schedule and WHO danger signs for pregnancy, newborns, fever, diarrhoea and pneumonia), farming (IITA, FAO, NAERLS and ICRISAT guides, NiMet's 2026 forecast), education (JAMB, WAEC, NECO, UBE, NELFUND) and money safety (CBN, SEC, FCCPC, NDIC and EFCC guidance plus 20 common scam patterns).

General questions about Nigeria that no agency document covers ("Who is the president?", "What is the capital?") are answered from N-ATLaS's own knowledge, clearly labelled *"General knowledge, not from an official source. It may be out of date"*. For health doses, legal and money questions, it refuses to answer from memory and points to the right agency instead.


Why the answers can be trusted:

- Official answers come only from curated agency documents or live registers, and say "I don't know" otherwise.
- Every official answer names the agency. Sources that were not in the retrieved passages are removed from the answer.
- Numbers, USSD codes, NAFDAC numbers and links are checked after translation; if one is lost, the English original is attached.
- Health answers send danger signs to a health facility; legal answers say they are information, not legal advice.

How it works

Step	Component	Code
1. Receive	Web page (FastAPI API) and Telegram bot	`app/server.py`, `app/channels/`
2. Transcribe	NCAIR ASR model for the user's language (Hausa, Igbo, Yoruba, Nigerian-accented English)	`app/speech.py`
3. Translate in	N-ATLaS translates the question to English. A typed question is translated from the language it is written in, even if the user picked another one	`Assistant.translate`, `app/langdetect.py`

Step	Component	Code
4. Route	Domain keywords; N-ATLaS decides when keywords are unclear, including "general" (answered from memory, labelled)	`Assistant.route`
5. Retrieve	Top 4 passages from that domain's curated documents (multilingual-e5 embeddings, keyword fallback)	`app/domains.py`
6. Answer	N-ATLaS answers in English using only those passages and the domain's safety rules	`Assistant.answer_en`
7. Translate out	N-ATLaS translates the answer; numbers, USSD codes and URLs are checked and the English is attached if one is lost	`app/protect.py`
8. Speak (optional)	Meta MMS-TTS voice note	`app/speech.py`
9. Log	Anonymous SQLite log + 👍 / 👎 rating	`app/store.py`



Gold steps are N-ATLaS calls.

Technology stack

Layer	Tools
Language model	**N-ATLaS** (`NCAIR1/N-ATLaS` , Llama-3 8B), used as released, served by **vLLM** (OpenAI-compatible API, bfloat16)
Speech recognition	**NCAIR ASR** models: Hausa-ASR, Igbo-ASR, Yoruba-ASR, NigerianAccentedEnglish (Whisper-based)
Retrieval	`intfloat/multilingual-e5-small` embeddings over curated agency documents, with a keyword fallback
Model runtime	PyTorch, Hugging Face Transformers, Sentence-Transformers, FFmpeg
Backend	Python 3.12, FastAPI, Uvicorn, SQLite (anonymous log and NAFDAC food database)
Channels	Web app (HTML, CSS, JavaScript with in-browser recording) on GitHub Pages; Telegram Bot API (`python-telegram-bot`); Twilio WhatsApp API (built, next phase)
Infrastructure	One NVIDIA L40S (48 GB) GPU; ngrok for a fixed HTTPS address; Google Cloud (NVIDIA L4) setup scripts as an alternative
Engineering	GitHub, GitHub Actions

Layer	Tools
Official data	NAFDAC Greenbook (live) and Food Products Database; NIMC, NIBSS, NCC, INEC, NIS, CAC, CBN, SEC, FCCPC, NDIC, EFCC, JAMB, WAEC, NECO, UBEC, NELFUND, NPHCDA, WHO, IITA, FAO, NAERLS, NiMet; the Constitution and federal laws

Domains are plug-in folders

```
domains/<name>/domain.json       title, description, routing keywords
domains/<name>/instructions.md   answering and safety rules for this domain
domains/<name>/docs/*.md         curated official sources (first line: "Source: NIMC")
```

Adding a domain means adding a folder, with no code changes. Files starting with `_` (drafts, notes) are ignored, and so is any file that still contains `{{VERIFY}}`.

Content status

Every live document was written from official pages opened on 8 Oct 2026, and every file starts with its source links.

Domain	Live documents	Main sources	Not covered yet
money	20 scam patterns; CBN complaints and fraud warnings; SEC unregistered schemes; FCCPC loan-app rules; NDIC deposit insurance; reporting fraud to EFCC/police	CBN, SEC, FCCPC, NDIC, EFCC, NPF-NCCC	wrong-transfer / fake-alert rules (CBN documents blocked automated download)
civic	NIN enrolment; NIN retrieval; BVN; NIN-SIM linkage; voter registration and PVC; passport; CAC business name	NIMC, NIBSS, NCC, INEC, NIS, CAC	birth certificate, driver's licence
health	immunisation schedule; pregnancy danger signs; antenatal visits; newborn danger signs; mother after delivery; malaria and fever; diarrhoea; pneumonia	NPHCDA card (via UNICEF Nigeria), WHO	Federal Ministry of Health / NCDC material
education	JAMB profile and UTME; JAMB CAPS; WAEC; NECO; free basic education (UBE); NELFUND; exam scams	JAMB, WAEC, NECO, UBEC, NELFUND	JAMB result SMS, WAEC/NECO 2026 fraud warnings
agriculture	maize; fall armyworm; cowpea storage; cassava; rice; sorghum; grain storage and aflatoxin; NiMet 2026 seasonal prediction	IITA, FAO, Purdue (PICS), NAERLS, ICRISAT, NiMet	yam, millet, groundnut, soybean, livestock
laws	Constitution fundamental rights (ss.33–46); Police Act 2020 (arrest, bail, detention, complaints); ACJA 2015 (arrest rights); Nigeria Data Protection Act 2023; Cybercrimes Act 2015 with 2024 amendment; EFCC Act 2004; Advance Fee Fraud Act 2006; FCCPA 2018 consumer rights; Legal Aid Council (who qualifies, offices)	PLAC, FAOLEX, NDPC, NFIU, FCCPC, Legal Aid Council	lawyer review: quotes typed from scanned PDFs (Police Act, Legal Aid Act, Cybercrimes 2024 amendment), later amendments
products	none by design: answers come from NAFDAC's Greenbook (live) and Food Products Database (downloaded daily)	NAFDAC	cosmetics are not in either database

Before launch, a person must read each domain's `docs/_SOURCES_REVIEW.md`. It lists what to double-check, for example: conflicting NIMC fees (left out), the HPV dose count, pesticides that must still be registered in Nigeria, the FCCPC court case, and dates that came only from news reports quoting an agency.

Collecting and approving sources (content owners)

To add or refresh sources:

```
python -m scripts.fetch_sources           # or: python -m scripts.fetch_sources health
civic
```

This reads `domains/*/sources.txt` and saves each page as `docs/_fetched—<name>.md`. For each file:

1. Open the official page and check the text against it.
2. Delete menus, adverts and anything off-topic. Keep the first `Source:` line. Long manuals: keep only the relevant sections.
3. Check every number, USSD code, fee and date. Remove anything you cannot confirm.
4. Rename the file to `<name>.md`. Run `curl localhost:8080/health` after restarting to see the new document count.

To add a source, add a line `<file-name> | <Organisation> | <URL>` to the domain's `sources.txt`, or write the file by hand with a `Source:` first line.

Run it

Without a GPU (mock mode)

```
python -m venv .venv && source .venv/bin/activate
pip install -r requirements-dev.txt
cp .env.example .env               # set MOCK=1
uvicorn app.server:app --port 8080 # open http://localhost:8080
pytest
```

On a GPU server

The live deployment runs on a single **NVIDIA L40S (48 GB)** GPU: vLLM serves N-ATLaS on the GPU, and the app (speech recognition, embeddings, Telegram bot, web API) runs beside it on the CPU. An ngrok tunnel gives it a fixed public https address, which the web page and Twilio call. No training is needed: N-ATLaS is used as released.

Any NVIDIA GPU with 24 GB or more works. The scripts below set it up on Google Cloud (one NVIDIA L4, 24 GB). Before you start:

- **Google Cloud:** sign up for the $300 credit at https://cloud.google.com/free, upgrade the billing account (free-trial accounts cannot use GPUs; the credit still applies), and request quota for 1 NVIDIA L4 GPU in `us-central1`. Approval can take a day.
- **Hugging Face:** with the account whose token you will use, accept the terms on all five gated models: N-ATLaS, Hausa-ASR, Igbo-ASR, Yoruba-ASR and NigerianAccentedEnglish (names checked 8 Oct). Then create a read token.

- **ngrok:** create an account at https://dashboard.ngrok.com, copy your authtoken, and claim your free fixed domain.

```
# 1. In Google Cloud Shell: create the server (g2-standard-8 with one L4, Deep Learning VM
image)
git clone https://github.com/marshalwahlexyz1/wazobiaassist && cd wazobiaassist
bash scripts/gcp/create_vm.sh

# 2. On the server
gcloud compute ssh wazobia --zone us-central1-a
git clone https://github.com/marshalwahlexyz1/wazobiaassist && cd wazobiaassist
bash scripts/gcp/setup.sh      # first run creates .env and asks for HF_TOKEN,
NGROK_AUTHTOKEN, NGROK_DOMAIN
nano .env                      # fill them in (plus Telegram/Twilio keys when ready)
bash scripts/gcp/setup.sh      # second run installs and starts everything
```

`setup.sh` installs three services that start on boot and restart themselves if they crash:

Service	What it runs
`wazobia-vllm`	N-ATLaS on vLLM, `localhost:8000` (`--max-model-len 4096 --gpu-memory-utilization 0.8`, leaving room for the speech and embedding models)
`wazobia-app`	the bot, WhatsApp webhook and web page, `localhost:8080`; waits for vLLM to be ready
`wazobia-ngrok`	your fixed public address `https://<NGROK_DOMAIN>` → `localhost:8080`

Day-to-day commands on the server:

```
journalctl -u wazobia-vllm -u wazobia-app -f               # live logs
curl -s localhost:8080/health                              # status and documents per
domain
.venv/bin/python -m scripts.ask --lang ha --text "Ta yaya zan sami NIN?"   # one question,
every step shown
git pull && sudo systemctl restart wazobia-app             # after a code, document or .env
change
```

If vLLM runs out of GPU memory, put `VLLM_EXTRA_ARGS=--quantization fp8` in `.env` and run `sudo systemctl restart wazobia-vllm`. If vLLM won't install at all, set `LLM_BACKEND=transformers` to load N-ATLaS inside the app (slower).

Stop the server when nobody is testing, to save credit: `gcloud compute instances stop wazobia --zone us-central1-a` (start it again with `start`; the services come back by themselves).

Without Google Cloud (e.g. a rented RunPod or Lambda GPU), follow the same steps from `setup.sh` by hand.

Public address

`PUBLIC_BASE_URL` defaults to `https://<NGROK_DOMAIN>`. It is needed for the web page's microphone (browsers only allow it on https). On ngrok's free plan, visitors to the web page see a one-time ngrok warning page first; WhatsApp and Telegram are not affected.

Channels

- **Telegram:** message @BotFather, `/newbot`, put the token in `TELEGRAM_BOT_TOKEN`. The bot starts with the server.
- **Web:** `https://<NGROK_DOMAIN>` serves the page directly. The public copy at **https://wazobiaassist.github.io** (repo `Wazobiaassist/wazobiaassist.github.io`, a copy of `app/static` with the API address filled in) calls the same server; its address must be in `CORS_ORIGINS` (both GitHub Pages addresses are allowed by default).

Users' commands

- First message: what WazobiaAssist answers, the language menu (1 Hausa, 2 Igbo, 3 Yorùbá, 4 English (Nigerian)), then the privacy notice
- 👍 / 👎 after an answer: rate it (Telegram and web have buttons)
- `LANGUAGE`: change language
- `DELETE`: erase all of the user's data

NAFDAC product check

Users can ask whether a product is registered with NAFDAC, by name or by NAFDAC number ("Is Emzor paracetamol registered?", "Check A8-0121"). Any question that mentions NAFDAC or contains a NAFDAC number goes to the `products` domain, which looks the product up instead of reading documents:

- **NAFDAC Greenbook** (drugs, vaccines, medical devices, veterinary, herbal products, disinfectants; about 8,900 products): searched live, the same way NAFDAC's own page searches it, with a 6-hour cache.
- **NAFDAC Food Products Database** (about 28,000 products): downloaded by `python -m scripts.update_nafdac` into `data/nafdac_food.sqlite`. `setup.sh` runs it and refreshes it daily at 03:15.

N-ATLaS pulls the product name out of the question; the answer itself is built from NAFDAC's fields (name, NAFDAC number, company, expiry date), so a number or date is never invented. Expired registrations are reported as expired. A product that isn't found is never called fake: the bot asks for the NAFDAC number on the pack and gives NAFDAC's lines (0700-1-623322 enquiries, 0800-1-623322 complaints). A product that is found comes with a reminder that fakes copy real numbers. Cosmetics are not in either database.

Routing test

Native speakers add 10 questions per language to `tests/routing_questions.csv` (`language,question,expected`), then on the server:

```
.venv/bin/python -m scripts.routing_test          # or --lang ha
```

It translates and routes each question exactly like the live bot and lists the wrong routes. Fix them by adding keywords to `domains/<name>/domain.json` or sharpening its description.

Privacy and safety

- Users are stored only as a salted hash of their channel id. Phone, account and ID numbers and emails are masked before saving. Voice notes are deleted after transcription.
- The privacy notice is shown before the first question, and `DELETE` erases everything.
- Answers come only from curated documents. Each domain has safety rules (for example, health danger signs mean "go to a health facility now").
- If translation drops a number, USSD code or link, the English original is attached so the user never gets a wrong code.
- General-knowledge answers are labelled as such, and N-ATLaS refuses to answer health doses, legal or money questions from memory.

Known limitations

- N-ATLaS is weakest in Yoruba, so we answer in English first, then translate.
- Nigerian Pidgin is not supported by the model.
- NCAIR has no text-to-speech model, so spoken replies use Meta MMS-TTS and are optional. MMS has Hausa, Yoruba and English voices but **no Igbo voice**, so Igbo replies are text only.
- The Hausa, Igbo and Yoruba interface text in `app/messages.py` is a draft for native-speaker review.

Project layout

```
app/server.py          FastAPI: web page, /api/ask, /whatsapp, /health, Telegram startup
app/conversation.py    language menu, privacy, DELETE, ratings, questions (all channels)
app/assistant.py       the 9-step pipeline
app/domains.py         domain folders, routing keywords, retrieval
app/llm.py             N-ATLaS via vLLM / transformers / mock
app/speech.py          NCAIR ASR, MMS-TTS
app/protect.py         keeps numbers, USSD codes and URLs intact through translation
app/store.py           anonymous SQLite log
app/messages.py        interface text in 4 languages
app/channels/          telegram.py, whatsapp.py
app/static/index.html  web page (also published at https://wazobiaassist.github.io)
domains/               the five domains
scripts/ask.py         ask one question from the terminal
scripts/export_logs.py evidence CSV and summary
scripts/fetch_sources.py download source pages as drafts for review
scripts/routing_test.py check routing per language (tests/routing_questions.csv)
scripts/update_nafdac.py download NAFDAC's food product database
app/products.py        NAFDAC product check (Greenbook live search + food database)
scripts/gcp/            Google Cloud VM creation, setup and always-on services
tests/                 pytest, runs without a GPU
```