


Marsha Sukma Ningsih

1301223024

IF-46-07

Database (phpMyAdmin)



Showing rows 0 - 1 (2 total, Query took 0.0001 seconds) [id 3... - 5...]

```
SELECT * FROM `users` ORDER BY `users`.`id` ASC
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

	id	username	password	full_name
<input type="checkbox"/>	3	Marsha	marsha123	Marsha Sukma Ningsih
<input type="checkbox"/>	5	Dojak	doja123	Doja Cat

Check all | With selected: Edit Copy Delete Export


Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

index.html



Login page



A screenshot of a web browser window. The address bar shows 'localhost:8080/login.jsp'. The page title is 'Halaman Login'. The page content includes a heading 'Login', a 'Username :' label followed by an empty text input field, a 'Password :' label followed by an empty text input field, and a 'Login' button.

localhost / 127.0.0.1 / jdbc_latihan x Halaman Login x +


localhost:8080/login.jsp

Login

Username :

Password :

Login



A screenshot of a web browser window, identical to the one above but with the login fields filled. The 'Username :' field contains 'Marsha' and the 'Password :' field contains 'marsha123'. The 'Login' button is still present.

localhost / 127.0.0.1 / jdbc_latihan x Halaman Login x +

localhost:8080/login.jsp

Login

Username :

Password :

Login




Welcome page



User list






Edit user



localhost / 127.0.0.1 / jdbc_latihan

Edit User





 localhost:8080/editUser?id=3

Edit User

Username:



Password:


Full Name:



localhost / 127.0.0.1 / jdbc_latihan

User List



 localhost:8080/userList

User List

ID	Username	Full Name	Actions
3	Marsha	Marsha Sukma	Edit Delete
5	Dojak	Doja Cat	Edit Delete

[Tambah User Baru](#)

Tambah pengguna

localhost / 127.0.0.1 / jdbc_latihan x Add User x +

localhost:8080/addUser.jsp

Tambah Pengguna

Username:

Password:

Full Name:

localhost / 127.0.0.1 / jdbc_latihan x User List x +


localhost:8080/userList


User List


ID	Username	Full Name	Actions
3	Marsha	Marsha Sukma	Edit Delete
5	Dojak	Doja Cat	Edit Delete
6	Tiffany	Tiffany Kuro	Edit Delete


[Tambah User Baru](#)


Delete user






 localhost / 127.0.0.1 / jdbc_latihan



 User List





 localhost:8080/userList

User List

ID	Username	Full Name	Actions
3	Marsha	Marsha Sukma	Edit Delete

[Tambah User Baru](#)