

a
Mixing coefficient
as peak classifier
(to come)
b
Mixing coefficient
as peak classifier
(to come)
c
Δ correlation of 5-mer scores with RNA Bind-n-Seq (target − total)
λ
0
5
10
20
80
0.2
0.0
−0.2
Δ correlation
TRA2A_HepG2
FUBP3_HepG2
SRSF9_HepG2
PUM1_K562
RBM22_HepG2
TIA1_HepG2
TIA1_K562
TRA2A_K562
RBFOX2_K562
RBFOX2_HepG2
RBM22_K562
TARDBP_K562
KHSRP_K562
HNRNPC_HepG2
KHSRP_HepG2
IGF2BP2_K562
IGF2BP1_HepG2
EIF4G2_K562
EWSR1_K562
HNRNPC_K562
HNRNPK_HepG2
FUS_HepG2
IGF2BP1_K562
TAF15_HepG2
FUS_K562
TAF15_K562
HNRNPL_K562
HNRNPK_K562
HNRNPL_HepG2
PCBP1_HepG2
SFPQ_HepG2
PCBP1_K562
d
QKI_HepG2, chr8:123,325,766-123,325,895 (−), positions 21-95
eCLIP
SMI
narrowPeak (IDR)
PureCLIP
λ = 0; ρ = 0.52
λ = 5; ρ = 0.52
λ = 10; ρ = 0.51
λ = 20; ρ = 0.49
λ = 80; ρ = 0.51
log10 (RS+1)
Total
Control
Target
Target - control
1
0
21
44
70
95