

Admob	com.google.android.gms:play-services-ads:24.2.0
Mediations	
facebook	com.google.ads.mediation:facebook:6.20.0.0
pangle	com.google.ads.mediation:pangle:7.2.0.4.0
vungle	com.google.ads.mediation:vungle:7.4.2.0
mintegral	com.google.ads.mediation:mintegral:16.9.71.0
applovin	com.google.ads.mediation:applovin:13.2.0.1
inmobi	com.google.ads.mediation:inmobi:10.8.3.1
ironsource	com.google.ads.mediation:ironsource:8.8.0.1
unity	com.unity3d.ads:unity-ads:4.14.2 com.google.ads.mediation:unity:4.14.2.0
Proguard Rules	<pre> # pangle -keep class com/bytedance/sdk.** { *; } -keep class com/pgl/sys/ces.* { *; } #vungle -keep class com/vungle.** { *; } -keep interface com/vungle.** { *; } # Applovin -keep class com/applovin.** { *; } -keep interface com/applovin.** { *; } # Mintegral </pre>

```
-keep class com.mbridge.msdk.** { *; }

# facebook
-keep class com.facebook.* { *; }
-keep interface com.facebook.* { *; }

# AdMob Ads
-dontwarn com.google.android.gms.**
-keep class com.google.android.gms.** { *; }
-keep class com.google.firebaseio.** { *; }

## Chartboost Mediation SDK
#-keep class com.chartboost.heliumsdk.** { *; }
#
## Chartboost Mediation Adapters
#-keep class com.chartboost.mediation.** { *; }

-keepattributes *Annotation*
-keepclassmembers class com.google.android.gms.** {
    public static *;
}
-keep public class com.google.ads.** {
    public *;
}
-keep public class com.google.android.gms.ads.** {
    public *;
```

```
}

-keep class com.ironsource.mediationsdk.** {
*;
}

-keep class com.ironsource.adapters.** {
*;
}

-keep class com.google.ads.mediation.ironsource.** {
*;
}

-keep class com.google.ads.mediation.admob.AdMobAdapter {
*;
}

-keep class com.google.ads.mediation.AdUrlAdapter {
*;
}
```

Consent code

```
private fun intiAppLovin() {
    AppLovinPrivacySettings.setHasUserConsent(true, applicationContext)
}

private fun initMintegral() {
    val sdk = MBridgeSDKFactory.getMBridgeSDK()
    sdk.setConsentStatus(applicationContext, MBridgeConstans.IS_SWITCH_ON)
}

private fun initIronSource() {
```

```
IronSource.setConsent(true)
IronSource.setMetaData("do_not_sell", "true")
}
private fun initUnityAd() {
setConsentMetaData(applicationContext, "privacy.consent", true)
setConsentMetaData(applicationContext, "gdpr.consent", true)
}
private fun setConsentMetaData(context: Context, key: String, value: Boolean) {
val metaData = MetaData(context)
metaData[key] = value
metaData.commit()
}

private fun initInMobiAds() {
consentObject = JSONObject()
try {
consentObject?.put(InMobiSdk.IM_GDPR_CONSENT_AVAILABLE, true);
consentObject?.put("gdpr", "1")
} catch (exception: JSONException) {
exception.printStackTrace()
}
InMobiConsent.updateGDPRConsent(consentObject)
}

private fun initVungle() {
VunglePrivacySettings.setGDPRStatus(true, "1.0.0")
VunglePrivacySettings.setCCPAStatus(true)
```

}