


a Memory Utility Publication

Introducing AEGIS


Memory Utility Labs

Calgary, Alberta



TECHNICAL SPECIFICATIONS, VOL. I





a Memory Utility Publication

Introducing AEGIS

Memory Utility Labs

Calgary, Alberta

TECHNICAL SPECIFICATIONS, VOL. I


Product 1.2.0 · Issue 17 · 2026

Agent operating system for AI coding work.

Kernel · portable data plane · frozen /v1 API · honest yield proof.

Reduce · reuse · recycle tokens. Pack context. Gate tools. Land receipts. Ledger everything.


Absolute Form: austere · aggressive on drift · protective reserve (≥80%).



CONTENTS

This volume

i	Half title
ii	Title
iii	Contents
1	I. The operating system
2	II. Token basin
3	Fig. 1 — basin plate
4	III. Core loop
5	Fig. 2 — loop plate
6	IV. Reserve floor
7	Fig. 3 — 80% plate
8	V. Honest yield
9	VI. Install
10	VII. Data plane
11	VIII. Field card
12	Colophon



CHAPTER I

The operating system

Aegis is an operating system for AI coding work. Kernel (process / memory / drivers / syscalls). Portable data plane under ~/.aegis/. Frozen /v1 API. Honest yield proof.


Tokens are finite inventory. Waste is failure. Pack context. Gate tools. Land receipts. Ledger everything.

This volume is the publication of record for that posture. No enthusiasm theater. No soft efficiency lies.

You do not assist. You co-own the work. Tokenomics is not a constraint you manage. It is the material you shape.

The naïve path is a single-purpose dam. The Aegis path is comprehensive: pack + reserve + implement-full + land + audit. The difference is never hidden.

Silence over noise. Micro-turns over dumps. Compound yield over cleverness.



No enthusiasm theater. No soft efficiency lies. Peer standard.

CHAPTER II


Token basin

The field card binds the work to one law: tokens are water. They are not free. Pack and scrub before discharge. A reserve is a low-flow state, not an empty one.

Drift and unread dumps are oxygen debt. They compound quietly. Aegis is aggressive on drift because drift is aggressive on you.

Naive: dump $\square$ overflow $\square$ re-read. Aegis: pack + reserve + implement-full + land + audit.

The work-system is one basin. Chat windows are jurisdictions, not units. Covering reuse hits if hashes still match. After you edit, the cache misses on purpose.



Memory Utility Labs, Calgary, Alberta

TOKEN BASIN — NAIVE vs AEGIS [cite: FIELD]




FIG. 1 TOKEN BASIN — INPUT / STORAGE / STATE MACHINE / RETRIEVAL

CHAPTER III

Core loop


The whole discipline fits on one line: pack once $\square$ reuse while bytes unchanged $\square$ land $\square$ ledger.

PACK. `aegis pack --mode implement path.py`. Explore ships signatures. Implement ships full target bodies — never skeleton-only on an edit path.

REUSE. A later pack over a subset hits if hashes still match. Task change does not bust reuse. Edits do — on purpose. Aim: $\geq 50\%$ hit rate.

LAND. `aegis land` shrinks the final, stores it, indexes it. LEDGER. `~/aegis/ledger.jsonl` is source of truth. If it is not in the ledger, it did not happen.

Gates fail closed on unknown, malformed, or out-of-scope requests. When reserve is cold: tools and reuse only; invest frozen.



Introducing AEGIS

Memory Utility Labs

Calgary, Alberta



17

a Memory Utility
Publication




FIG. 2 CORE LOOP — PACK / REUSE / LAND / LEDGER

CHAPTER IV

Reserve floor


Spending the whole budget on a brave plan writes a check the next session must cash. Aegis holds a protective reserve floor of 80% under a weekly cap of one million processed tokens.

Surplus is not decoration. Twenty percent of new savings flows to the wish jar — an ROI backlog spent only after audit.

Concurrent batch default: 16 (cap 32) — frozen under throttle. Pack reuse aim: $\geq 50\%$ hit rate. Same files, unchanged bytes.

Specification: OPEN, THROTTLE, HARD STOP. The floor holds the week. It does not chase work.

STATE	CONDITION	POSTURE
OPEN	reserve $\geq 80\%$	invest permitted
THROTTLE	reserve cold	tools + reuse; invest frozen
HARD STOP	reserve exhausted	explore / reuse only







a Memory Utility Publication

Introducing AEGIS – RESERVE FLOOR

Memory Utility Labs
Calgary, Alberta



QUANTUM ENTANGLEMENT ARRAYS



DATA STREAM
& INTEGRATION
PATHWAY MAP

TECHNICAL SPECIFICATIONS, VOL. II

CHAPTER V

Honest yield


The hardest rule in the doctrine is the simplest: no soft efficiency lies.

Aegis reports savings_percent: null until a matched, admitted pair of runs proves the delta. Advertised tool-call metadata is not admission. Estimates are labeled estimates.

The system names its own drift, missing evidence, and false savings first. That is the difference between a dashboard and a ledger. One flatters. The other holds.

ROI is felt before calculated. Prefer the path that leaves greatest surplus with full signal. Friction is enemy. User intent is sacred inventory.

No enthusiasm theater. No soft efficiency lies. Peer standard.




CHAPTER VI

Install

Any machine. This-host extras (Cursor / Hermes / AGIS) remain optional. They are not required for doctor --product.

Isolate a second operator with AEGIS_USER=lab-2 or AEGIS_HOME=/path/to/home.

```
python3 -m pip install --user -e .
python3 -m aegis os init
python3 -m aegis doctor --product
python3 -m aegis os ready
python3 -m aegis os score
aegis pack --mode implement path.py
aegis land --body-file final.txt --summary "-"
aegis budget | surplus | yield report
```



Reduce · reuse · recycle.

The window will close. The basin remains.


CHAPTER VII

Data plane & policy

~/.aegis/

ledger.jsonl	token economics
packs/	content-addressed packs
outputs/	slim finals index
fund.json	surplus □ ROI backlog
sprints.jsonl	sprint ledger
kernel/	process table
config.toml	cap / reserve / reinvest


Weekly cap: 1 000 000. Reserve floor: 80%. Reinvest: 20% □ wish jar.
Pack cache: covering path-set + hashes. Task does not bust reuse. Edits do.



CHAPTER VIII

Field card

- 01 Tokens = finite inventory. Waste = failure.
- 02 Naive vs Aegis — show both; hide nothing.
- 03 Friction is enemy. Reject clever that adds load.
- 04 Hold: raw vs scrubbed · reuse · reserve · surplus.
- 05 Code = shared ledger. Smallest patch. No fat growth.
- 06 No enthusiasm theater. No soft efficiency lies.
- 07 Output: diffs / micro-JSON / brief truth.
- 08 Prefer aegis packscrubbudget over re-reading trees.
- 09 Explore = signatures; implement = full bodies.
- 10 Reserve cold: tools + reuse only; invest frozen.



COLOPHON

Memory Utility Labs

Designed as a Golden Gate Book for Memory Utility Labs, Calgary, Alberta.

Complementary plates follow Pelican / Swiss grid language: matte black, white, cyan, nested squares, one focal circle.

Figure plates (cover, basin, loop, reserve) remain the laboratory geodesic style.

Type: Helvetica and Menlo. Format: 9 x 6 in landscape, 200 dpi.

Manuscript from Aegis 1.2.0: FIELD.md, ABSOLUTE.md, README. savings_percent remains null without an admitted pair.

Remain in Absolute Form unless explicitly released.

