





W4 Examples


June 2, 2026 4:07 PM

Have 2 projects - MaterialDesignDemo & Week4MenuApp

Week4 Ex...



With Material Design:



```

61 fun MaterialDesignDemoTheme(content: @Composable () -> Unit) {
62     val darkTheme = isSystemInDarkTheme()
63     val colorScheme = if (darkTheme) {
64         DarkColorScheme {
65             primary = Color(0xFFB886FC),
66             secondary = Color(0xFF03DAC5),
67             background = Color(0xFF121212),
68             surface = Color(0xFF121212),
69             onPrimary = Color.Black,
70             onSecondary = Color.Black,
71             onBackground = Color.White,
72             onSurface = Color.White,
73         }
74     } else {
75         LightColorScheme {
76             primary = Color(0xFF6200EE),
77             secondary = Color(0xFF03DAC5),
78             background = Color.White,
79             surface = Color.White,
80             onPrimary = Color.White,
81             onSecondary = Color.Black,
82             onBackground = Color.Black,
83             onSurface = Color.Black,

```

```

25 primary = Purple40,
26 secondary = PurpleGrey40,
27 tertiary = Pink40

```

added colours for 'events'

only available in Main Activity class

GLOBAL

LOCAL (like in-line css)

```

15 @OptIn(ExperimentalMaterial3Api::class)
16 @Composable
17 fun PacktCenterAlignedTopBar() {
18     CenterAlignedTopAppBar(
19         title = { Text("Material Design 3 Demo") },
20         colors = TopAppBarDefaults.centerAlignedTopApp
21     )
22 }

```

```

24 @Composable
25 fun PacktFloatingActionButton() {
26     FloatingActionButton(
27         onClick = { /* Handle FAB click */ },
28         containerColor = MaterialTheme.colorScheme.pr
29     ) {
30         Icon( imageVector = Icons.Filled.Add, contentDes
31     )
32 }

```

```

34 @Composable
35 fun PacktBottomNavigationBar() {
36     NavigationBar {
37         NavigationBarItem(
38             icon = { Icon( imageVector = Icons.Filled.Fa
39             label = { Text("Favorites") },
40             selected = false,
41             onClick = { /* Handle navigation item click */ }
42         )
43         NavigationBarItem(
44             icon = { Icon( imageVector = Icons.Filled.Home, contentDescription = "Home" ) },
45             label = { Text( text = "Home" ) },
46             selected = false,
47             onClick = { /* Handle navigation item click */ }
48         )
49     }

```


Material Design 3 Demo

Welcome to Material Design 3 Demo

```

1 Usage
@Composable
fun PacktBottomNavigationBar() {
    val context = LocalContext.current // had to add this context to make the Toast work
    NavigationBar {
        NavigationBarItem(
            icon = { Icon( imageVector = Icons.Filled.Favorite, contentDescription = "Favorites" ) },
            label = { Text( text = "Favorites" ) },
            selected = false,
            onClick = { /* Handle navigation item click */
                Toast.makeText(context, text = "Marta!", duration = Toast.LENGTH_SHORT).show()
            }
        )
        NavigationBarItem(
            icon = { Icon( imageVector = Icons.Filled.Home, contentDescription = "Home" ) },
            label = { Text( text = "Home" ) },
            selected = false,
            onClick = { /* Handle navigation item click */
                Toast.makeText(context, text = "Home!", duration = Toast.LENGTH_SHORT).show()
            }
        )
    }
}

```



Example of code to make a button change pages:

```

MainActivity.kt x SecondActivity.kt
19 class MainActivity : AppCompatActivity() {
31     //defining a button click event
32     fun Button_Click(v: View) {
33         //checking whether the button 1 is clicked or not
34         if (v.id == R.id.button1) {
35             //creating an intent object using both first and second activities.
36             val i = Intent(this@MainActivity, SecondActivity::class.java)
37
38             //java reference object for edit text control
39             val editText = findViewById<EditText>(R.id.editText)
40
41             //getting value from edit text and assign to string message
42             val message = editText.text.toString()
43
44             //assigning value into intent object using key and values pairs.
45             i.putExtra("Message", message)
46
47             //starting sub activity
48             startActivity(i)
49
50         }
51     }
52 }

```


define Intent object
↳ current screen → next screen

- Example of material design

```

1 package com.vinay.week4menuapp
2
3 > import ...
30
31 1 Usage
32 class MainActivity : ComponentActivity() {
33     override fun onCreate(savedInstanceState: Bundle?) {
34         super.onCreate(savedInstanceState)
35         enableEdgeToEdge()
36         setContent { // simple app, so not defining theme } just referencing 1 composable function
37             ShowDropDownMenu(context = LocalContext.current)
38         }
39     }
40
41 1 Usage
42 @Composable
43 fun ShowDropDownMenu(context: Context) {
44     var expanded by remember { mutableStateOf( value = false) }
45     //val context = LocalContext.current
46     Box{
47         modifier = Modifier
48         .padding( all = 16.dp) ← each button seperated by 16.dp
49     } {
50         IconButton(onClick = { expanded = true }) {
51             Icon(
52                 imageVector = Icons.Default.MoreVert,
53                 contentDescription = "Dropdown Menu Icon")
54         }
55         DropdownMenu(
56             expanded = expanded,
57             onDismissRequest = { expanded = false }
58         ) {
59             DropdownMenuItem(
60                 text = { Text( text = "New" ) },
61                 onClick = {
62                     Toast.makeText(context, text = "New is clicked", duration = Toast.LENGTH_SHORT).show()
63                 }
64             )
65             DropdownMenuItem(
66                 text = { Text( text = "Open" ) },
67                 onClick = {
68                     Toast.makeText(context, text = "Open is clicked", duration = Toast.LENGTH_SHORT).show()
69                 }
70             )
71             DropdownMenuItem(
72                 text = { Text( text = "Close" ) },
73                 onClick = {
74                     Toast.makeText(context, text = "Close is clicked", duration = Toast.LENGTH_SHORT).show()
75                 }
76             )
77         }
78     }
79 }

```



CHANGING COLOUR IN BUTTONS:

1 Usage

@Composable

```
fun ShowDropDownMenu(context: Context) {  
    var expanded by remember { mutableStateOf( value = false) }  
    var backgroundColor by remember { mutableStateOf( value = Color.White) }  
    //val context = LocalContext.current  
    Box(  
        modifier = Modifier  
        .padding( all = 16.dp)  
        .background( color = backgroundColor)  
    ){  
        IconButton(onClick = { expanded = true }) {  
            Icon(  
                imageVector = Icons.Default.MoreVert,  
                contentDescription = "DropDown Menu Icon")  
            }  
        }  
        DropdownMenu(  
            expanded = expanded,  
            onDismissRequest = { expanded = false }  
        ) {  
            DropdownMenuItem(  
                text = { Text( text = "Red") },  
                onClick = {  
                    Toast.makeText(context, text = "Red is clicked", duration = Toast.LENGTH_SHORT).show()  
                    backgroundColor = Color.Red  
                }  
            )  
            DropdownMenuItem(  
                text = { Text( text = "Blue") },  
                onClick = {  
                    Toast.makeText(context, text = "Blue is clicked", duration = Toast.LENGTH_SHORT).show()  
                    backgroundColor = Color.Blue  
                }  
            )  
            DropdownMenuItem(  
                text = { Text( text = "Green") },  
                onClick = {  
                    Toast.makeText(context, text = "Green is clicked", duration = Toast.LENGTH_SHORT).show()  
                    backgroundColor = Color.Green  
                }  
            )  
        }  
    }  
}
```

need to store STATE
of background colour
in a variable

define default
colour here


set background colour of container to the variable
default

assign desired value
to state variable
→ changes when button
is clicked

5:52



Change whole App background



```
DropdownMenu(  
    expanded = expanded,  
    onDismissRequest = { expanded = false },  
    containerColor = androidx.compose.ui.graphics.Color.LightGray  
)
```