INTERTANKO CHARTERING QUESTIONNAIRE 88 - OIL

Version 6

1.	**GENERAL INFORMATION**	
1.1	Date updated:	
1.2	Vessel's name (IMO number):	Histria Coral (9301299)
1.2b	Is the vessel owner/manager a member of INTERTANKO? If yes, please provide IMO number of the Member organization	Yes, 1705289
1.3	Vessel's previous name(s) and date(s) of change:	Not Applicable
1.4	Date delivered/Builder (where built):	Mar 30, 2006/CONSTANTA SHIPYARD
1.5	Flag/Port of Registry:	Malta/Valletta
1.6	Call sign/MMSI:	9HLB8/256105000
1.7	Vessel's contact details (satcom/fax/email etc.)	Tel: 425610512 Fax: +870-783256570 Email: MASTER.HISTRIACORAL@AMOSCONNECT.CO M
1.8	Type of vessel (as described in Form A or Form B Q1.11 of the IOPPC):	Other
1.8a	If other type of vessel, please specify:	Crude oil / product carrier
1.9	Type of hull:	Double Hull
Ownership and Operation		
1.10	Registered owner - Full style: IMO Number	MABLE MARINE CO. LTD 198, OLD BAKERY STREET, VALLETTA, MALTA Malta Tel: +40 241 694 894 Email: office@histria.ro IMO: 5263859
1.11	Technical operator - Full style:	Histria ShipManagement Srl Oborului Street 24,900162 Constanta Romania Romania Tel: +40 241 694894 Fax: +40 241 694746 Telex: Not Applicable Email: operations@histria.ro Web: www.histria.ro Company IMO#: 1705289
1.12	Commercial operator - Full style:	Histria Shipmanagement Oborului Street 24,900162 Constanta Romania Romania Tel: +40 241 694894 Fax: 0040241694746 Email: operations@histria.ro Web: www.histria.ro
1.13	Disponent owner - Full style:	N/A
Insurance		
1.14	P & I Club - Full Style:	United Kingdom Mutual Steam Ship Assurance Association Ltd 90 Fenchurch Street, London Tel: +4402072834646 Fax: +4402076219761 Email: ukclub@thomasmiller.com If other P&I - specify:
1.15	P & I Club pollution liability coverage/expiration date:	100,000,000 US$
1.16	Hull & Machinery insured by - Full Style: (Specify broker or leading underwriter)	PANDI MARINE INSURANCE Vermittlungs GmbH An der Reeperbahn 6 28217 Bremen Germany

1.17	Hull & Machinery insured value/expiration date:		15,000,000 US$	
Classification				
1.18	Classification society:		Registro Italiano Navale	
1.18a	Is Classification Society an IACS member?		Yes	
1.19	Class notation:		AUT-PORT;AUT-UMS;BWM-T;CARGOCONTROL;DMS;GREEN PLUS;INERTGAS-A;LSF0.1%S m/m ; SYS-NEQ-1; TAS	
1.20	Does the vessel have any open conditions of Class? If yes List all open conditions No			
1.20a	Does the vessel have any Memoranda of Class? If yes, list details No			
1.21	If classification society changed, name of previous and date of change:		DNV, Apr 15, 2021	
1.22	Does the vessel have ice class? If yes, state what level:		No, N/A	
1.23	Date/place of last dry-dock:		Apr 15, 2024 / Constanta	
1.24	Date next dry dock due/next annual survey due:			Contact Operator
1.25	Date of last special survey/next special survey due:			Contact Operator
1.25a	Date of last IWS/next IWS due:			
1.26	If ship has Condition Assessment Program (CAP), what is the latest overall rating:		Yes, 1	
Dimensions				
1.27	Length overall (LOA):			179.96 Metres
1.28	Length between perpendiculars (LBP):			172.00 Metres
1.29	Extreme breadth (Beam):			32.20 Metres
1.30	Moulded depth:			16.50 Metres
1.31	Keel to masthead (KTM)/ Keel to masthead (KTM) in collapsed condition, if applicable:		44.00 Metres	Not applicable
1.32	Distance bridge front to center of manifold:			62.32 Metres
1.33	Bow to center manifold (BCM)/Stern to center manifold (SCM):		89.94 Metres	90.02 Metres
1.34	Parallel body distances	Lightship	Normal Ballast	Summer Dwt
	Forward to mid-point manifold:	27.74 Metres	40.60 Metres	48.80 Metres
	Aft to mid-point manifold:	33.75 Metres	49.40 Metres	59.20 Metres
	Parallel body length:	61.49 Metres	90.00 Metres	108 Metres
Tonnages				
1.35	Net Tonnage:			11,366.00
1.36	Gross Tonnage/Reduced Gross Tonnage (if applicable):		25,804.00	20,233
1.37	Suez Canal Tonnage - Gross (SCGT)/Net (SCNT):		26,357.40	25,314.09

1.38	Is vessel fitted for transit of Panama canal? Panama Canal Net Tonnage (PCNT):				Yes, 21,516.00
Loadline Information					
1.39	Loadline	Freeboard	Draft	Deadweight	Displacement
	Summer:	5.514 Metres	11.00 Metres	40,426 Metric Tonnes	50,119 Metric Tonnes
	Winter:	5.743 Metres	10.771 Metres	39,182.30 Metric Tonnes	48,874.30 Metric Tonnes
	Tropical:	5.285 Metres	11.229 Metres	41,630 Metric Tonnes	51,322 Metric Tonnes
	Normal loaded condition:	4.51 Metres	11.00 Metres	40,426.00 Metric Tonnes	50,123.00 Metric Tonnes
	Lightship:	10.77 Metres	4.73 Metres	-	19,325.00 Metric Tonnes
	Normal Ballast Condition:	8.50 Metres	7.00 Metres	20,185.75 Metric Tonnes	29,864.75 Metric Tonnes
	Segregated Ballast Condition:	8.50 Metres	7.00 Metres	20,185.75 Metric Tonnes	29,864.75 Metric Tonnes
1.40	FWA/TPC at summer draft:			237 Millimetres	52.50 Metric Tonnes
1.41	Have multiple deadweights been assigned? If yes, list all assigned deadweights:			Yes Assigned DWT 1: 29,999.00 Assigned DWT 2: 34,999.00 Assigned DWT 3: 37,825.00 Assigned DWT 4: 39,999.00 Assigned DWT 5: 40,426.00	
1.42	Constant (excluding fresh water):				100 Metric Tonnes
1.43	What is the company guidelines for Under Keel Clearance (UKC) for this vessel?			Open Water : 20% of vessel's STATIC draft Confined Water : 15% of vessel's STATIC draft Pilotage Waters : 10% of vessel's STATIC draft For Moored Vessels: UKC must be no less than 1.5% of the vessel's extreme breadth. This must be maintained throughout such time the vessel is at moorings. (SPM) &/or (CBM): All vessels shall maintain an UKC greater than 2 Meters. In case the terminal requirement is greater, this will take precedence	
1.44	What is the max height of mast above waterline (air draft)			Full Mast	Collapsed Mast
	Summer deadweight:			33 Metres	0 Metres
	Normal ballast:			36.80 Metres	0 Metres
	Lightship:			39.27 Metres	0 Metres

2.	**CERTIFICATES**	**Issued**	**Last Annual**	**Last Intermediate**	**Expires**
2.1	Safety Equipment Certificate (SEC):	Apr 15, 2021	Apr 15, 2024	Apr 15, 2024	Apr 15, 2026
2.2	Safety Radio Certificate (SRC):	Apr 15, 2021	Apr 15, 2024	Apr 15, 2024	Apr 15, 2026
2.3	Safety Construction Certificate (SCC):	Apr 15, 2021	Apr 15, 2024	Apr 15, 2024	Apr 15, 2026
2.4	International Loadline Certificate (ILC):	May 14, 2021	Apr 15, 2024	Apr 15, 2024	Apr 15, 2026
2.5	International Oil Pollution Prevention Certificate (IOPPC):	Apr 15, 2021	Apr 15, 2024	Apr 15, 2024	Apr 15, 2026
2.6	International Ship Security Certificate (ISSC):	Apr 15, 2021	Not Applicable	Apr 15, 2024	Apr 15, 2026
2.7	Maritime Labour Certificate (MLC):	May 14, 2021	N/A	Not Applicable	Mar 29, 2026
2.8	Minimum Safe Manning Certificate (MSM)	May 25, 2023	Not Applicable	N/A	Mar 29, 2026
2.9	ISM Safety Management Certificate (SMC):	Apr 15, 2021	Not Applicable	Not Applicable	Apr 15, 2026
2.10	Document of Compliance (DOC):	Oct 04, 2022			Oct 23, 2027
2.11	USCG Certificate of Compliance(USCGCOC):	Jul 24, 2023	Not Applicable	Not Applicable	Jul 24, 2025
2.12	Civil Liability Convention (CLC) 1992 Certificate:	Jan 22, 2026	N/A	N/A	Feb 20, 2027

2.13	Civil Liability for Bunker Oil Pollution Damage Convention (CLBC) Certificate:	Jan 22, 2026	N/A	N/A	Feb 20, 2027
2.14	Liability for the Removal of Wrecks Certificate (WRC):	Jan 22, 2026	N/A	N/A	Feb 20, 2027
2.15	U.S. Certificate of Financial Responsibility (COFR):	Not Applicable	N/A	N/A	May 16, 2027
2.16	Certificate of Class (COC):	May 14, 2021	Apr 15, 2024	Not Applicable	Apr 15, 2026
2.17	Certificate of Registry (COR)	Mar 25, 2022	N/A	N/A	Mar 29, 2027
2.18	International Sewage Pollution Prevention Certificate (ISPPC):	May 14, 2021	N/A	N/A	Apr 15, 2026
2.19	Certificate of Fitness (COF) (Chemical):	Apr 15, 2021	Apr 15, 2024	Not Applicable	Apr 15, 2026
2.20	Certificate of Fitness (COF) (Gas):	Not Applicable	Not Applicable	Not Applicable	Not Applicable
2.21	International Energy Efficiency Certificate (IEEC):	Apr 15, 2021	N/A	N/A	N/A
2.22	International Air Pollution Prevention Certificate (IAPPC):	May 14, 2021	Jul 04, 2023	Apr 15, 2024	Apr 15, 2026
2.23	Ship Sanitation Control (SSCC)/Ship Sanitation Control Exemption (SSCE)	Oct 01, 2025	N/A	N/A	Apr 01, 2026
2.24	Does the vessel have an International Ballast Water Management Certificate? If no, then describe how ship complies with the "International Convention for the Control and Management of Ships' Ballast Water and Sediments"?:			Yes,	
Documentation					
2.25	Owner warrant that vessel is member of ITOPF and will remain so for the entire duration of this voyage/contract:			Yes	
2.26	Does vessel have in place a Drug and Alcohol Policy complying with OCIMF guidelines for Control of Drugs and Alcohol Onboard Ship?			Yes	
2.27	Is the ITF Special Agreement on board (if applicable)?			Yes	
2.28	ITF Blue Card expiry date (if applicable):			May 30, 2026	

3.	**CREW**		
3.1	Nationality of Master:		Romanian
3.2	Number and nationality of Officers:	7	Romanian
3.3	Number and nationality of Crew:	**Nationality**	**Count**
		ROMANIA	9
3.4	What is the common working language onboard:		Romanian and English
3.5	Do officers speak and understand English?		Yes
3.6	If Officers/ratings employed by a manning agency - Full style:		

Officers:

Company Name	Address	Phone	Fax	Email
Histria Shipmanagement	24 Oborului Street	0040241694894	0040241694749	office@histria.ro

Ratings:

4.	**FOR USA CALLS**		
4.1	Has the vessel Operator submitted a Vessel Spill Response Plan to the US Coast Guard which has been approved by official USCG letter?		Yes
4.2	Qualified individual (QI) - Full style:	Gallagher Marine Systems Inc 200 Century Parkway, Suite D Alt. 24 Hour Phone: +1 215 492 5473 Mt. Laurel, NJ 08054 Tel: +1 703 683 4700 / +1 215 492 5473	

		Fax: +1 856 642 3945 Telex: N/A Email: info@chgms.com
4.3	Oil Spill Response Organization (OSRO) - Full style:	NATIONAL RESPONSE CORPORATION 3500 SUNRISE HIGHWAY SUITE T103, GREAT RIVER NY 11739 USA Tel: +16312249141 Fax: +16312249086 Telex: 4961 7380 NRC UI Email: iocdo@nrcc.com Web: N/A
4.4	Salvage and Marine Firefighting Services (SMFF) - Full Style:	RESOLVE MARINE GROUP 1510 SE 17th Street Suite 400 Fort Lauderdale ,FL.33316 Tel: +1 954 764 8700 Web: www.resolveopa.com

5.	**SAFETY/HELICOPTER**	
5.1	Is the vessel operated under a Quality Management System? If Yes, what type of system? (ISO9001 or IMO Resolution A.741(18) as amended):	Yes ISO 9001
5.2	Can the ship comply with the ICS Helicopter Guidelines?	Yes
5.2.1	If Yes, state whether winching or landing area provided:	Whinching
5.2.2	If Yes, what is the diameter of the circle provided:	5.20 Metres

6. **COATING/ANODES**

6.1 Cargo tanks:

Tank ID	Tank PSC	Tank Type	Constr	Coated Y/N	Coating Type	Extent	Condition	Date	Insp date	Insp Freq
3	P	NA	Mild Steel	yes	Epoxy	Full Tank	Good	2006-03-30	2024-03-13	30 Months
2	P	NA	Mild Steel	yes	Epoxy	Full Tank	Good	2006-03-30	2024-03-13	30 Months
5	P	NA	Mild Steel	yes	Epoxy	Full Tank	Good	2006-03-30	2024-03-13	30 Months
3	S	NA	Mild Steel	yes	Epoxy	Full Tank	Good	2006-03-30	2024-03-13	30 Months
6	S	NA	Mild Steel	yes	Epoxy	Full Tank	Good	2006-03-30	2024-03-13	30 Months
1	S	NA	Mild Steel	yes	Epoxy	Full Tank	Good	2006-03-30	2024-03-13	30 Months
2	S	NA	Mild Steel	yes	Epoxy	Full Tank	Good	2006-03-30	2024-03-13	30 Months
6	P	NA	Mild Steel	yes	Epoxy	Full Tank	Good	2006-03-30	2024-03-13	30 Months
4	P	NA	Mild Steel	yes	Epoxy	Full Tank	Good	2006-03-30	2024-03-13	30 Months
5	S	NA	Mild Steel	yes	Epoxy	Full Tank	Good	2006-03-30	2024-03-13	30 Months
1	P	NA	Mild Steel	yes	Epoxy	Full Tank	Good	2006-03-30	2024-03-13	30 Months
4	S	NA	Mild Steel	yes	Epoxy	Full Tank	Good	2006-03-30	2024-03-13	30 Months

Anodes Fitted : No

Ballast tanks:

ID	Coated?	Type	Extent	Condition	Coating date	Insp date	Insp freq
1.1 Port	No	Epoxy	Full Tank	Good	2006-06-30	2025-02-15	Annual
1.3 Port	No	Epoxy	Full Tank	Good	2006-06-30	2025-03-02	Annual
1.3 Stb	No	Epoxy	Full Tank	Good	2006-06-30	2025-03-02	Annual
1.4 Port	No	Epoxy	Full Tank	Good	2006-06-30	2025-03-02	Annual
1.4 Stb	No	Epoxy	Full Tank	Good	2006-06-30	2025-03-02	Annual
1.5 Port	No	Epoxy	Full Tank	Good	2006-06-30	2025-02-15	Annual
1.5 Stb	No	Epoxy	Full Tank	Good	2006-06-30	2025-02-15	Annual
1.6 Port	No	Epoxy	Full Tank	Good	2006-06-30	2025-03-01	Annual

1.6 Stb	No	Epoxy	Full Tank	Good	2006-06-30	2025-03-01	Annual
1.0 FPK	No	Epoxy	Full Tank	Good	2006-06-30	2025-02-15	Annual
1.1 Stb	No	Epoxy	Full Tank	Good	2006-06-30	2025-02-15	Annual
1.2 Port	No	Epoxy	Full Tank	Good	2006-06-30	2025-03-02	Annual
1.2 Stb	No	Epoxy	Full Tank	Good	2006-06-30	2025-02-15	Annual

Anodes Fitted: No

7.	**BALLAST**	
7.1	Ballast Handling Data	

Number	Type	Prime mover type	Capacity (m3/hr)	Head (bar)
2	Centrifugal	Hydraulic	650.00	25.00

Ballast Water Management Systems (BWMS)		
7.2	Does the vessel comply with D1 or D2 performance standards?	D2
7.3	Does the vessel have a Ballast Water Treatment System (BWTS) fitted?	Yes
7.4	What type of BWTS fitted? If other system fitted, please advise:	UV Light,
7.5	Name of manufacturer of BWTS:	Alfa Laval
7.6	Does the BWTS have IMO type approval?	Yes
7.7	Is the BWTS of a USCG approved type?	Yes

8.	**CARGO – Oil**	
Double Hull Vessels		
8.1	Is vessel fitted with centerline bulkhead in all cargo tanks? If Yes, solid or perforated:	Yes, Solid
Tank Capacities		

8.2 Cargo Tank Capacities at 98% Full - Centre:

Total Centre: 0 Cu. Metres

Cargo Tank Capacities at 98% Full - Wing:

Tank Number	Capacity (m3)	P/S
2	4933.00	Port
2	4933.00	Stbd
3	5055.40	Port
5	4813.60	Stbd
4	5054.90	Port
4	5054.90	Stbd
1	3553.30	Stbd
3	5055.40	Stbd
5	4813.60	Port
1	3553.30	Port
6	585.70	Stbd
6	395.90	Port

Total Wing: 46,820.00 Cu. Metres

Deck Tank Capacities at 98% Full:

Total Deck:

8.2a	Grand Total Cubic Capacity (98%) (centre + wing tanks)	46,820.60 Cu. Metres	
8.2.1	Capacity (98%) of each natural segregation with double valve (specify tanks):	Seg#1: 7106.6 m3 - 1W (98%) Seg#2: 9866.1 m3 - 2W (98%) Seg#3: 10110.8 m3 - 3W (98%) Seg#4: 10109.8 m3 - 4W (98%) Seg#5: 9627.3 m3 - 5W (98%)	
8.2.2	IMO class (Oil/Chemical Ship Type 1, 2 or 3):	IMO 3	
8.3	Slops tank capacities (98%):		

Tank Number	Capacity (m3)	P/S
6	395.90	Port
6	585.70	Stbd

Total: 981.60 Cu. Metres

8.3.1	Specify segregations which slops tanks belong to and their capacity with double valve:	Independents: Cargo Tk 6P = 395 cbm Cargo Tk 6S = 586 cbm with double valve segregation	
8.3.2	Residual/retention oil tank(s) capacity (98%), if applicable:	189 Cu. Metres	
SBT Vessels			
8.3.3	What is total SBT capacity and percentage of SDWT vessel can maintain?	17,806.50 Cu. Metres	46.40 %
8.3.4	Does vessel meet the requirements of MARPOL Annex I Reg 18.2:	Yes	
Cargo Handling and Pumping Systems			
8.4	How many grades/products can vessel load/discharge with double valve segregation:	5	
8.4.1	State type of cargo containment (integral, independent, gravity or pressure tanks):	1P (Independent Pressure)	
8.5	Max loading rate for homogenous cargo	With VECS	Without VECS
	Loaded per manifold connection:	2,500 Cu. Metres/Hour (If 12" VECS connection)	2,500 Cu. Metres/Hour (With minimum 6 cargo tanks open simultaneously)
	Loaded simultaneously through all manifolds:	3,750 Cu. Metres/Hour (If 12" VECS connection)	3,750.00 Cu. Metres/Hour
Cargo Control Room			
8.6	Is ship fitted with a Cargo Control Room (CCR)?	Yes	
8.7	Can tank innage/ullage be read from the CCR?	Yes	
Gauging and Sampling			
8.8	Is gauging system certified and calibrated? If no, specify which ones are not calibrated:	Yes, One of the middle ones is calibrated	
	What type of gauging system as per IBC 13.1 is fitted (Open/Restricted/Closed)?	Closed	
	What type of fixed closed tank gauging system is fitted:	Radar	
	Are high level alarms fitted to the cargo tanks? If high level alarms are fitted, are the high level alarms fitted to all cargo tanks?	Yes, Yes	
8.9	Can cargo be transferred under closed loading conditions in accordance with current edition of ISGOTT?	Yes	
8.9.1	Are cargo tanks fitted with multipoint gauging? If yes, specify type and locations:	Yes, MB 2", 1 fore, two middle, 1 aft	
8.10	Number of portable gauging units (example- MMC) on board:	4	
Vapor Emission Control System (VECS)			
8.11	Is a vapour return system (VRS) fitted?	Yes	
	If fitted, is vapour line return manifold in compliance with OCIMF Guidelines?	Yes	
	If fitted, how many vapor return segregations can the vessel maintain simultaneously?	1	
	Does the ship possess Vapour Emission Control (VEC) Certification? If yes, state the issuing authority	Yes, Class/USCG	

8.12	Number/size of VECS manifolds (per side):	2	254 Millimetres
8.13	Number/size/type of VECS reducers:	4 x 254/304.8 mm (10/12”)	
Venting			
8.14	State what type of venting system is fitted:	Pres-Vac	
Cargo Manifolds and Reducers			

8.15 Total number/size of cargo manifold connections on each side:
No.: 5

Size:

Manifold	PCS	Size	Unit	Pressure Rating	Unit PR	Standard
3	S	304	mm	21	Bar	ANSI
2	S	304	mm	21	Bar	ANSI
5	S	304	mm	21	Bar	ANSI
4	P	304	mm	21	Bar	ANSI
5	P	304	mm	21	Bar	ANSI
2	P	304	mm	21	Bar	ANSI
3	P	304	mm	21	Bar	ANSI
1	S	304	mm	21	Bar	ANSI
4	S	304	mm	21	Bar	ANSI
1	P	304	mm	21	Bar	ANSI

8.16	What type of valves are fitted at manifold? If other, specify:	Butterfly,	
8.17	What is the material/rating of the manifold:	STAINLESS STEEL/ANSI B16.5	
8.17.1	Does vessel comply with the latest edition of the OCIMF 'Recommendations for Oil Tanker Manifolds and Associated Equipment’?	Yes	
8.18	Distance between cargo manifold centers:	2,000.00 Millimetres	
8.19	Distance ships rail to manifold:	4,600.00 Millimetres	
8.20	Distance manifold to ships side:	4,600.00 Millimetres	
8.21	Top of rail to center of manifold:	800.00 Millimetres	
8.22	Distance main deck to center of manifold:	1,900.00 Millimetres	
8.23	Spill tank grating to center of manifold:	900.00 Millimetres	
8.24	Manifold height above the waterline in normal ballast/at SDWT condition:	11.50 Metres	7.40 Metres
8.25	Number/size/type of reducers:	10 x 406.4/304.8mm (16/12") 5 x 304.8/254mm (12/10") 5 x 304.8/203.2mm (12/8") 5 x 304.8/304.8mm (12/12") ANSI	
8.26	Is vessel fitted with a stern manifold? If yes, state size:	Yes, 304.80 Millimetres	
Heating			

8.27 Provide details of Heating Coils/Heat Exchangers

Tank ID	P/C/S/ Decktank/ Other	Heat exchanger	Internal/External	External ducts	Heating coils	Heating coil sets	Height of the heating coils above tank bottom (mm)	total heating surface (m2)	Ratio of the heating surface	Welded or coupled	Material
1	P	yes	External	yes	no	0	0.00	0.00	0.00	Coupled	Mild Steel
1	S	yes	External	yes	no	0	0.00	0.00	0.00	Coupled	Mild Steel
2	P	yes	External	yes	no	0	0.00	0.00	0.00	Coupled	Mild Steel
2	S	yes	External	yes	no	0	0.00	0.00	0.00	Coupled	Mild Steel

	3	P	yes	External	yes	no	0	0.00	0.00	0.00	Coupled	Mild Steel
	3	S	yes	External	yes	no	0	0.00	0.00	0.00	Coupled	Mild Steel
	4	P	yes	External	yes	no	0	0.00	0.00	0.00	Coupled	Mild Steel
	4	S	yes	External	yes	no	0	0.00	0.00	0.00	Coupled	Mild Steel
	5	P	yes	External	yes	no	0	0.00	0.00	0.00	Coupled	Mild Steel
	5	S	yes	External	yes	no	0	0.00	0.00	0.00	Coupled	Mild Steel
	6	P	no	Internal	no	yes	1	300.00	12.64	0.03	Welded	SS
	6	S	no	Internal	no	yes	2	300.00	18.30	0.03	Welded	SS
	7	P	no	Internal	no	yes	1	300.00	7.12	0.03	Welded	SS

8.27.1	Is a Thermal Oil Heating system fitted? If yes, identify tanks?	No,	
8.28	Maximum temperature cargo can be loaded/maintained:	70.0 °C / 158.0 °F	65 °C / 149 °F
8.28.1	Minimum temperature cargo can be loaded/maintained:	15 deg C above pour point	
Inert Gas and Crude Oil Washing			
8.29	Is an Inert Gas System (IGS) fitted/operational?	Yes/Yes	
8.29.1	Is a Crude Oil Washing (COW) installation fitted/operational?	Yes/Yes	
8.30	Is IGS supplied by flue gas, inert gas (IG) generator and/or nitrogen:	IG Generator	
8.30.1	If nitrogen generator, specify the applicable flow rate for each of the designed purity modes:		
Cargo Pumps			
8.31	How many cargo pumps can be run simultaneously at full capacity:	6	
8.32	Cargo Pump Data		

Pump Identity	Pump Location	Type	Type of prime mover	Capacity	At what head?
1-5W	Cargo Tank	Centrifugal	Hydraulic	500.00	125.00
6W	Cargo Tank	Centrifugal	Hydraulic	200.00	125.00

9.	
9.1	Provide details for Mooring Ropes, Wires, Tails and Shackles

Type	Location and Identity	Material	Diameter/ size	Length	LDBF(100-105 % of SDMBL (Tonnes))	TDBF(125-130 % of SDMBL (Tonnes)	SWL (tonnes)	WLL (tonnes) (50-55% of Max LDBF)	Certificate No.	Installed Date	Reversed Date	Renewal2 Date	Status of line/tail	Condition of line/tail
Tails	18 x fore & aft	Polypropylene	68.00	11.00	55.00	71.50	56.00	30.25	K031871-K31888	2024-10-21	2025-10-01	2026-04-21	In Use	Suitable
Ropes	6 x fore & aft	HMPE	26.00	220.00	55.00	71.50	56.00	30.25	4537	2022-08-12	2025-10-01	2032-08-12	In Use	Suitable
Ropes	6 x fore & aft	HMPE	26	220.00	55.00	71.5	56.00	30.25	2019	2019-05-01	2025-10-01	2029-05-01	In Use	Suitable
Ropes	2 x fore & aft	HMPE	26	220.00	55.00	71.50	56.00	30.25	2024	2024-04-01	2025-10-01	2034-04-01	In Use	Suitable
Ropes	2 x fore & aft	HMPE	26	220.00	55.00	71.50	56.00	30.25	2020	2020-05-01	2025-10-01	2030-05-01	In Use	Suitable
Ropes	1 X aft	HMPE	26	220.00	55.00	71.50	56.00	30.25	2016	2020-05-01	2025-10-01	2026-05-01	In Use	Suitable
Ropes	1 x aft	HMPE	26	220.00	55.00	71.50	56.00	30.25	2017	2017-09-01	2025-10-01	2027-09-01	In Use	Suitable
Ropes	Tug Line Fwd	NIKASTEEL&POLYESTER FIBER	80	220	121.00	151.25	121.00	61.00	4536	2022-08-12	2025-10-01	2029-08-12	In Use	Suitable
Ropes	Tug Line Aft	NIKASTERRL&POLYESTER	80	200.00	132.00	165.00	132.00	66.50	2019/1379	2019-05-02	2025-10-01	2026-05-02	In Use	Suitable
Moori	4 x Fire	GALVANISED STEEL	28	75.00	55.75	69.70	55.75	27.90	2021/1482	2021-03-	2025-10-	2031-03-	In Use	Suitable

ng Wires	Wires fwd& afy	WIRE								11	01	11		
Ropes	Forecastle (Spares)	HMPE	26	220.00	56.00	71.50	56.00	30.25	221944,291945	2023-06-15	2025-10-01	2033-04-27	Spare	Suitable
Ropes	Forecastle (Spare)	NIKASTEEL 24	80	220	121	151.25	121	61	K017502	2024-04-05	2025-10-01	2031-04-05	Spare	Suitable

9.2 Details of winches and brake testing including rendering loads

Mooring winch Location	Split Drum	Motive Power	Remote Operational controls	Heaving power	Hauling Speed	Type of Brake	Designed Brake Max holding load (ISO) (80% of SDMB	Operational brake holding load (60% of SDMBL)	Date of last brake test	Brake Rendering load	Frequency of testing brakes
5	no	Hydraulic	no	16.00	15.00	Manual	44.00	33.00	2025-04-03	33.00	Annual
6	no	Hydraulic	no	16.00	15.00	Manual	44.00	33.00	2025-04-03	33.00	Annual
7	no	Hydraulic	no	16.00	15.00	Manual	44.00	33.00	2025-04-03	33.00	Annual
8	no	Hydraulic	no	16.00	15.00	Manual	44.00	33.00	2025-04-03	33.00	Annual
9	no	Hydraulic	no	16.00	15.00	Manual	44.00	33.00	2025-04-03	33.00	Annual
10	no	Hydraulic	no	16.00	15.00	Manual	44.00	33.00	2025-04-03	33.00	Annual
11	no	Hydraulic	no	16.00	15.00	Manual	44.00	33.00	2025-04-03	33.00	Annual
12	no	Hydraulic	no	16.00	15.00	Manual	44.00	33.00	2025-04-03	33.00	Annual
4	no	Hydraulic	no	16.00	15.00	Manual	44.00	33.00	2025-04-03	33.00	Annual
3	no	Hydraulic	no	16.00	15.00	Manual	44.00	33.00	2025-04-03	33.00	Annual
2	no	Hydraulic	no	16.00	15.00	Manual	44.00	33.00	2025-04-03	33.00	Annual
1	no	Hydraulic	no	16.00	15.00	Manual	44.00	33.00	2025-04-03	33.00	Annual

9.3 Provide Details of Mooring bollards and bitts

Location	Identity No	Certificate Number	Size (mm)	SWL (tonnes)
Poop Deck (Port)	3	5	410	56
Maindeck Forward (Stbd)	1	4	410	56
Poop Deck (Stbd)	2	8	510	64
Forecastle	2	2	410	56
Poop Deck (Port)	2	6	510	64
Poop Deck (Stbd)	3	7	410	56
Forecastle	6	1	510	64
Maindeck Forward (Port)	1	3	410	56

9.4 **Provide details of Mooring Fairleads/Chocks**

Type	Location	Identity No	Certificate	Size (mm)	SWL (tonnes)	Modifications	If yes, are modifications class approved?
Panama type	Forecastle	4	06.03.13.00	320	56	no	no
Panama type	Forecastle	4	06.03.14.00	400	64	no	no
Panama type	Maindeck Forward (Stbd)	4	06.03.13.00	320	56	no	no
Panama type	Maindeck Forward (Port)	4	06.03.13.00	320	56	no	no
Panama type	Poop Deck (Port)	7	06.03.13.00	320	56	no	no
Panama type	Poop Deck (Stbd)	7	06.03.13.00	320	56	no	no
Panama type	Poop Deck (Port)	7	06.03.14.00	400	64	no	no
Panama type	Poop Deck (Stbd)	7	06.03.14.00	400	64	no	no

Anchors/Emergency Towing System			
9.5	Number of shackles on port/starboard cable:	12.00/12.00	
9.6	Type/SWL of Emergency Towing system forward:	ROOLLS/ROYCE/TONGUE TYPE	200 Metric Tonnes
9.7	Type/SWL of Emergency Towing system aft:	COSALT/SMIT BRACKET	100 Metric Tonnes
9.8	What is size of closed chock and/or fairleads of enclosed type on stern	600X450	
Escort Tug			
9.9	What is SWL of closed chock and/or fairleads of enclosed type on stern:	100.00 Metric Tonnes	
9.10	What is SWL of bollard on poop deck suitable for escort tug:	100.00 Metric Tonnes	
Lifting Equipment/Gangway			
9.11	Derrick/Crane description (Number, SWL and location):	Cranes: 1 x 10.00 Tonnes center	
9.12	Accommodation ladder direction:	Aft	
9.13	Does vessel have a portable gangway? If yes, state length:	Yes, 13.00 Metres	
Single Point Mooring (SPM) Equipment			
9.14	Does the vessel meet the recommendations in the latest edition of OCIMF 'Recommendations for Equipment Employed in the Bow Mooring of Conventional Tankers at Single Point Moorings (SPM)':?	Yes	
9.15	If fitted, how many chain stoppers:	1	
9.16	Details of Bow chain stoppers:		

Location/Number of Bow Chain Stopper	Type	Operation	SWL	Min Size of Chain	Max size of Chain
Stbd	Tongue	Manual	200.00	73.00	76.00

9.17	Distance between the bow fairlead and chain stopper/bracket:	3.30 Metres	
9.18	Is bow chock and/or fairlead of enclosed type of OCIMF recommended size (600mm x 450mm)? If not, give details of size:	Yes Not Applicable	

10.	**PROPULSION**		
10.1	Speed	Maximum	Economical
	Ballast speed:	14 Knots (WSNP)	12.50 Knots (WSNP)
	Laden speed:	13 Knots (WSNP)	12 Knots (WSNP)
10.2	What type of fuel is used for main propulsion? If other, then specify	MGO, outside eca - VLSFO	
	What type of fuel is used for generating plant	VLSFO / MGO	
10.3	Bunker Tank Capacities:		

Tank Name	Bunker Type	Tank Type	Capacity	Max Pressure
2.1	HFO	Main Bunker Tank	201.29	5.00
2.2	HFO	Main Bunker Tank	190.58	5.00

2.3	HFO	Main Bunker Tank	199.49	5.00
2.4	HFO	Main Bunker Tank	230.96	5.00
2.5	MDO	Main Bunker Tank	244.56	5.00
2.6	HFO	Main Bunker Tank	96.90	5.00
2.7	HFO	Main Bunker Tank	96.90	5.00
2.8	HFO	Main Bunker Tank	26.50	5.00
2.9	HFO	Main Bunker Tank	26.50	5.00
3.1	MDO	Main Bunker Tank	70.16	5.00
3.2	MDO	Main Bunker Tank	22.58	5.00
3.3	MDO	Main Bunker Tank	13.55	5.00
3.4	MDO	Main Bunker Tank	2.47	5.00
3.5	MDO	Main Bunker Tank	64.03	5.00
3.6	MDO	Main Bunker Tank	14.11	5.00

If other, then specify

10.4	Is vessel fitted with fixed or controllable pitch propeller(s):		Fixed	
10.5	Engines	No	Capacity	Make/Type
	Main engine:	1	6,900 Kilowatt	6S50 MCC
	Aux engine:	3	880 Kilowatt	L23/30H MAN
	Power packs:	4	3,000 Cu. Metres/Hour	2 x Cummings Engine Company+ 2 x Siemens Com
	Boilers:	2	16.00 Metric Tonnes/Hour	SAACKE MARINE SYSTEM (steam boiler + composite)
Bow/Stern Thruster				
10.6	What is brake horse power of bow thruster (if fitted):		Yes, 1,155.00 bhp	
10.7	What is brake horse power of stern thruster (if fitted):		No,	
Environmental/Emissions				
10.8	Does the vessel have an EEDI Rating number? If yes then provide EEDI rating:		No, n/a	
	If No then provide reason:		The ship is exempt under regulation 22.1 as it is not a new ship as defined in regulation 2.2.18	
	Is the EEDI rating verified by Class, 3rd Party or Owner?		Owner	
10.9	Does the vessel have an EEXI Rating number? If yes then provide EEXI rating		Yes, 5.45	
	If No then provide reason:			
	Is the EEXI rating verified by Class, 3rd Party or Owner?		Class	
10.10	Does the vessel have a CII Rating number? If yes then provide CII rating:		Yes, C	
	If No then provide reason			
	Is the CII rating verified by Class, 3rd Party or Owner?		Class	
10.11	Does the vessel have an EIV Rating number? If yes then provide EIV rating		Yes, 8.61	
	If No then provide reason			
	Is the EIV rating verified by Class, 3rd Party or Owner?		Class	
10.12	What is the ships NOx control level (Tier I, Tier II, and Tier III)?		Tier I	
	List of equipment fitted for NOx Tier III achievement for all engines (LP Selective catalytic reduction, HP Selective catalytic reduction, Exhaust gas recirculation, Alternative fuel etc...)		Other (specify)	
Exhaust Gas Cleaning System/Scrubber				
10.13	Does the vessel use an Exhaust Gas Cleaning System?		No	
10.14	What is the type of scrubber fitted as part of the EGCS onboard?			

11.	SHIP TO SHIP TRANSFER	
11.1	Does vessel comply with recommendations contained in OCIMF/ICS Ship To Ship Transfer Guide (Petroleum, Chemicals or Liquified Gas, as applicable)?	Yes
11.2	What is maximum outreach of cranes/derricks outboard of the ship's side:	4.75 Metres
11.3	Date/place of last STS operation:	Contact Operator
11.4	Does the vessel have a ship specific STS plan:	Yes
11.5	If cranes are fitted, are they certified for personnel transfer?	No

12.	RECENT OPERATIONAL HISTORY	
12.1	Last three cargoes/charterers/voyages (Last/2nd Last/3rd Last):	Contact Operator
12.2	Has ship been involved in a pollution, grounding, collision or allision incident during the past 12 months? If yes, provide details: No	
12.3	Date and place of last Port State Control inspection:	Contact Operator
12.4	Any outstanding deficiencies as reported by any Port State Control? If yes, provide details:	No, NIL
12.5	Recent Oil company inspections/screenings (To the best of owners knowledge and without guarantee of acceptance for future business)*: * *"Approvals" are not given by Oil Majors and ships are accepted for the voyage on a case by case basis.*	AS PER RECAP
12.6	Date/Place last SIRE inspection:	Contact Operator
12.6.1	Date/Place last CDI inspection:	/ N/A
12.7	Additional information relating to features of the ship or operational characteristics:	

Form completed on http://www.q88.com/integration.aspx Please email support@q88.com an updated copy if this is not the latest version.

To the best of owners knowledge all information is true and given without any guarantee.