



FAKULTÄT FÜR
INFORMATIK

SIMD Acceleration for Index Structures

Marten Wallewein-Eising

Otto von Guericke University, Magdeburg

January 27, 2018

Agenda

Motivation

SIMD Style Processing

Adapted Index Structures

Seg-Tree/Trie

FAST


VAST

ART


Evaluation

Conclusion

Motivation




Single Instruction Multiple Data



- `__m128i _mm_cmpgt_epi32 (__m128i a, __m128i b)`
Compares 4 signed 32-bit integers in a and 4 signed 32-bit integers in b for greater-than.

Horizontal Vectorization




- Compare one search key to multiple keys of the index structure
- Opposite: Vertical Vectorization
 - Not useful, since sequential data storage in main memory is needed

Adapted Index Structures



- Seg-Tree/Trie
- FAST: Fast Architecture Sensitive Tree
- VAST: Vector-Advanced and Compressed Structure Tree
- ART: Adaptive Radix Tree

Seg-Tree/Trie



- Each node is a k-ary search tree
- Each node is linearised to use k-ary search
- $k = \frac{|SIMD|}{|Key|}$, k keys are compared in parallel

Fast Architecture Sensitive Tree



- Based on binary tree
- Hierarchical blocking: SIMD, cache line and page blocks
- Efficient register, cache line and page usage

Adapted Index Structures

- VAST: Vector-Advanced and Compressed Structure Tree
 - Extension of FAST
 - Uses key compression on lower levels of the tree
- ART: Adaptive Radix Tree
 - Uses different node types with different number of keys and children
 - Due to overfill or underfill of nodes, the node type is changed

Evaluation

Implementation of the considered performance criteria and their impact:

Criterion	Seg-Tree/Trie	FAST	ART	VAST	Impact
Horizontal vectorization	x	x	x	x	high
Minimized key size	o	-	x	x	high
Adapted node sizes and types	x	x	x	x	low
Decreased branch misses	-	x	-	x	medium
Full use of cache line using blocking and alignment	-	x	-	x	medium
Usage of Compression	o	-	x	x	medium
Adapt search algorithm for linearised nodes	x	-	-	-	low

Legend: x: implements the issue, o: partially implements the issue, -: not implements the issue

Conclusion

How to adapt index structures to modern database systems:

- Compare as many keys as possible in parallel with SIMD
 - Direct performance increase up to a multiple
- Efficient usage of cache line
- Decrease branch misses
- Use compression or/and adapted search algorithms

Sources

- <http://infolab.stanford.edu/~nsample/cs245/handouts/hw2sol/sol2.html>
- <https://www.clker.com/clipart-bosque.html>
- Datenbanken Implementierungstechniken, Ausgabe 3, Saake und Sattler

Sources

- T. Yamamuro, M. Onizuka, T. Hitaka, and M. Yamamuro “VAST-Tree: A Vector-Advanced and Compressed Structure for Massive Data Tree Traversal” in EDBT, pp. 396-407, 2012.
- S. Zeuch, F. Huber and J.-C. Freytag “Adapting Tree Structures for Processing with SIMD Instructions” in EDBT, 2014.
- C. Kim, J. Chhugani, N. Satish, E. Sedlar, A. D. Nguyen, T. Kaldewey, V. W. Lee, S. A. Brandt and P. Dubey “FAST: Fast Architecture Sensitive Tree Search on Modern CPUs and GPUs” in SIGMOD, pp. 339-350, 2010.
- V. Leis, A. Kemper and T. Neumann “The Adaptive Radix Tree: ARTful Indexing for Main-Memory Databases” in ICDE, pages 38-49, 2013.

Thank you for your attention!